WWW. EXUSTAR .COM



### Exustar Enterprise Co. Ltd.

No.111, Aly. 23, Ln. 430, Wang-Fu St., Dadu Dist., Taichung City 432, Taiwan Te1: +886 (0) 4 2693 7999 Fax: +886 (0) 4 2693 8777 Email: exustar@exustar.com http://www.exustar.com

Specifications subject to change without notice. Exustar is a trademark of Exustar Enterprise Co. Ltd.

Exustar is a trademark of Exustar Enterprise Co. Ltd.
Copyright © 2020 Exustar Enterprise Co. Ltd.
All other trademarks are the property of their respective owners.
Printed Apr. 2020








App Store





## 2021 CATALOGUE EURO CYCLE SHOW EDITION





Exustar is a leading supplier of bicycle and motorcycle gear. It is our goal to provide a simpler, more convenient, comfortable and efficient riding experience. Since 2002 we've been committed to the development of new technologies and products, continuously innovating and making improvements. We place top priority on quality and safety, and all our products are thoroughly tested and, where appropriate, certified. In addition to our own Exustar brand, we work closely with other companies on an ODM or OEM basis, helping them to bring their products successfully to the global market.





Exus brand launched. Clip-in pedal production begins.

### 2006

### 2012

Exustar offers road pedals with different levels of binding tension.

### 1995

### 2007

Breakthrough in lightweight pedal design: pedals weighing only 176 grams (E-PR00CKTI). Company moves to a larger facility. Company wins top honors (pedal category) at the Innobike design competition. Titanium pedals (body & axle) go into production.

### 2013

Exustar enters the US market, establishing Exustar USA, LLC. New state-of-the-art pedal manufacturing facility opened in Taiwan.

### 2014

2002

2009

Buyout of Exus by Exus management: Exus becor

exceptionally strong, durable indoor pedal–designed for professional health club

### 2015

2003

2010

Exustar moves into a purpose-built facility, enabling the expansion o production, and the streamlining of operations Major upgrade of CNC-ma-chining facilities allows company to perform more advanced and refined work

Exustar sponsored rider Hsiao

Mei Yu wins women's 100 kn road race gold medal at the Asian Games in Guangzhou, China.

The launch of Triple Layer Cleat Technology and transparent road pedals.



### 2005

The Exustar Pedaling System (EPS) developed.

### 2011

Exustar cooperates with Garmin to develop the Garmin Vector pedal based

### 2016

Exustar takes indoor cycling to a whole new level with a range of the toughest, most durable, and most versatile pedals on the market, and a unique shoe, designed exclusively for the health club



















To increase efficiency, Exustar moves pedal production to new plant in the Dajia Youth Industrial zone near Taichung

### 2018

The heavy-duty EPX Drive System (pedal-to-crank) is developed for indoor cycling.

### 2019





# **PEDALS**



15 43 45 49 69 77 79 121

ROAD SPD ROAD PEDALS PEDALS

TRACK PEDALS

MTB BMX PEDALS

URBAN PEDALS INDOOR PEDALS ROWING PEDALS

## PEDAL TECHNOLOGY

# BODY MATERIAL & MANUFACTURE



### **CARBON COMPOSITE BODY**

A pedal body made of strong, lightweight material, an injection molded composite of carbon fiber and and nylon. This is our lightest pedal body material.



### FORGED ALUMINIUM BODY

Forged aluminum is the strongest pedal body we offer. Forging however, has some limitations shaping pedal bodies. For this reason, they are often further processed with CNC-machines.



### **ANODIZED BODY**

Anodizing provides a protective coating, and is used to colour pedal body.



### TRANSPARENT BODY

Transparent engineering thermoplastic.





### **EXTRUDED ALUMINIUM BODY**

Extruding an aluminum pedal body ensures a stronger structure. Extruded aluminum can be anodised in a variety of colours.



### **CNC MACHINED ALUMINIUM BODY**

Often a forged pedal body is CNC-machined to achieve the desired shape and finish. Extruded, CNC-machined aluminum can be anodised in a variety of colours.



### MAGNESIUM BODY

A pedal body made of lightweight material.



### **DIE-CAST ALUMINUM BODY**

Die-casting–a very serviceable technology–allows much freedom in shaping a pedal body.

# AXLES & BEARINGS



### TITANIUM AXLE

Titanium is an extremely light, strong material.





### **CRANK SIDE BEARINGS**

Large ball bearings built into the pedal body close to the bicycle crank. These allow us to build a pedal platform that is very low profile.



### AEROSPACE MATERIAL

Aerospace Material Specification Axle, w/ Sealed cartridge system.



### ISB (HYBRID) AXLE

Over size axle with ISB drive system.



### SUPERSIZE AXLES

Supersize axle and anti-loosening axle device. Quad LSL bearings. Available in 4 different lengths.



### SUPERSIZE AXLES (ISX DRIVE SYSTEM)

Available in 4 different lengths.



### **NEEDLE BEARINGS**

Needle bearings are used to reduce friction, and increase contact area, while still allowing a slim axle profile.



### **OVER SIZED NEEDLE BEARINGS**

Large diameter needle bearings are used on pedals with over-sized axles (such as indoor pedals, where strength is paramount). Needle bearings are very smooth running.



### TRIPLE BEARINGS

Three bearings (LSL bushing, sealed, & needle) placed at key stress points along the axle ensure an extremely strong, stable, and durable pedal.

# PEDAL TECHNOLOGY

## Other features





### ABRASION GUARD

Helps prevent cleat abrasion on the pedal body.





### **FULL CONTACT BODY**

Increased contact area (62 mm wide) between pedal body and cleat ensures extra power, support, and stability. Interface also enables easier cleat engagement.



Standard angle



### EASY TOE IN CLEAT ENGAGEMENT

Allows a wider angle range for easier toe-in engagement.





### ULTRALIGHT

Pedals that weight 240 grams a pair or less.





Replaceable Grip Pins

Worn or broken pins can be easily replaced.

## ICON GUIDE



































E-PR1CK

E-PR73ST

E-PR23ST

E-PR103ST

E-PR18CK

E-PR18STTI





E-PR100PP

**SPORT** 

E-PR17

CLIMBING

ALL-ROUND

E-PR1AL

E-PR200BK

COMP

### **CHOOSING A ROAD PEDAL**



**ROAD** 

These ultralight pedals boast state of the art carbon fiber bodies and titanium axles. They also feature extra high tension springs (adjust-SPRINTING able up to 180 kgf/cm) for full tilt, out-of-the-saddle sprints.




These road pedals are the best choice for a broad range of cycling, whether riding on flat roads, climbing, sprinting, or time trials. ALL-ROUND Well-thought out design balances lightness with


strength and durability.




Our toughest, most durable road pedals. A cartridge houses a CNC-machined titanium axle, and triple bearings (LSL bushing sealed, & **CLIMBING** needle). An abrasion guard helps prevent cleat wear on the pedal body. They also feature extra high tension springs (adjustable up to 180 kgf/cm) for out-of-the-saddle hill climbs. In spite of their strength, these pedals are very light.

### **ROAD PEDAL SERIES GUIDE**








	Pedal Series	Triple Bearings	Dual Bearings	Tension Gauge	Easy In Cleat Engagement
	PR-4			•	•
	PR-3	•		•	•
	PR-2	Some models	•	•	•
	PR-1		•	•	
	PR-400		•	•	•
	PR-300		•	•	
	PR-200		•	•	•
	PR-100		•		
	PR-70		•		
	PR-19		•	•	
	PR-18		•	•	

E-PR18ST









EPS


Compatible with Look Delta


EPS-5L


E-PR18CKTI

Compatible with Shimano SPD-SL















### Low stack height

A low profile pedal body means a lower stack height (16.3 mm).\* This allows greater ground clearance, and increases pedaling efficiency by placing the foot closer to the



### **Tubular LSL bearings**

An integrated bearing-cartridge system that provides full contact support between axle and bearing





17



### E-PR4STCK

### CARBON COMPOSITE FULL CONTACT ROAD PEDALS

A carbon fiber composite pedal featuring a CNC Cr-Mo axle, an extra tough yet slimline tubular LSL bearings, and an abrasion guard. A gauge makes precise binding tension adjustment easy.

- Lightweight
- Low stack height
- Tubular LSL bearings
- Carbon composite body
- Abrasion guard
- Tension gauge

**Interface** EPS-R (Compatible with Look Keo).

**Body** Low stack height ,Full contact, carbon fiber-nylon composite, with stainless steel

Axle Heat-treated, CNC-machined Cr-Mo (cartridge).

Bearings Tubular LSL bearings (integrated cartridge).

Bindings Carbon fiber-nylon composite, enclosed mechanism, tension adjustable with

Cleats E-ARCR2

**Size** 85 x 88 mm

Compatible with Exustar road shoes, other three bolt hole shoes.











### \* Stack height is the distance from the bottom of the shoe sole to the centreline of the pedal axle.

## **Advanced Line**



225 g/pr

**2**16 g/pr

E-PR4Ti

270 g/pr

263 g/pr



### E-PR4ST

### **FULL CONTACT ROAD PEDALS**

A pedal built with quality materials. It features a strong, low stack height thermoplastic body, an abrasion guard, a Cr-Mo axle, tubular LSL bearings, and a gauge makes precise binding tension adjustment easy.

- Lightweight
- Abrasion guard
- Low stack height
- Tension gauge
- Tubular LSL bearings

**Interface** EPS-R (Compatible with Look Keo).

**Body** Low stack height (16.3 mm), full contact, engineering thermoplastic with stainless steel abrasion guard.

**Axle** Heat-treated, CNC-machined Cr-Mo (plastic cartridge).

**Bearings** Tubular LSL bearings (integrated cartridge)

**Bindings** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.

Cleats E-ARCR2

**Size** 85 x 88 mm

Compatible with Exustar road shoes, other three bolt hole shoes.











<sup>\*</sup> Stack height is the distance from the bottom of the shoe sole to the centreline of the pedal axle.

### E-PR4

### **FULL CONTACT ROAD PEDALS**

A pedal built with quality materials. It features a strong, low stack height thermoplastic body, a Cr-Mo axle, tubular LSL bearings, and a gauge makes precise binding tension adjustment

- Lightweight
- Low stack height
- Tubular LSL bearings
- Tension gauge

Interface EPS-R (Compatible with Look Keo).

**Body** Low stack height (16.3 mm), full contact, engineering thermoplastic.

**Axle** Heat-treated, CNC-machined Cr-Mo (plastic cartridge).

**Bearings** Tubular LSL bearings (integrated cartridge).

**Bindings** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable

Cleats E-ARCR2

**Size** 85 x 88 mm

Compatible with Exustar road shoes, other three bolt hole shoes.












\* Stack height is the distance from the bottom of the shoe sole to the centreline of the pedal axle.







### E-PR3CKTI

### CARBON COMPOSITE FULL CONTACT ROAD PEDALS

A carbon fiber composite pedal featuring a CNC titanium axle, an extra-tough yet slimline triple bearing mechanism, and an abrasion guard. High tension bindings are ideal for sprinting. A gauge makes precise binding tension adjustment easy.

- Carbon composite body
- Titanium axle
- Extra-tough, durable triple bearings
- High tension bindings
- Abrasion guard
- Tension gauge

Interface EPS-R (Compatible with Look Keo).

**Body** Full contact, carbon fiber-nylon composite, with stainless steel abrasion guard.

**Axle** CNC-machined titanium TiN coated (cartridge).

**Bearings** LSL bushing, sealed, & needle.

**Binding** Carbon fiber-nylon composite, enclosed mechanism, tension adjustable (high tension springs: up to 180 kgf/cm) with gauge.

Cleats E-ARCR2

**Size** 86 x 90 mm

Compatible with Exustar road shoes, other three bolt hole shoes.



## **Advanced Line**







### E-PR3CK

### CARBON COMPOSITE FULL CONTACT ROAD PEDALS

A carbon fiber composite pedal featuring a CNC Cr-Mo axle, an extra-tough yet slimline triple bearing mechanism, and an abrasion guard. High tension bindings are ideal for sprinting. A gauge makes precise binding tension adjustment easy.

- Carbon composite body
- Extra-tough, durable triple bearings
- High tension bindings
- Abrasion guard
- Tension gauge

**Interface** EPS-R (Compatible with Look Keo).

Body Full contact, carbon fiber-nylon composite, with stainless steel abrasion guard.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

Bearings LSL bushing, sealed, & needle.

**Binding** Carbon fiber-nylon composite, enclosed mechanism, tensionadjustable (high tension springs: up to 180 kgf/cm) with gauge.

Cleats E-ARCR2

**Size** 86 x 90 mm

Compatible with Exustar road shoes, other three bolt hole shoes.













### Titanium Axle



Integral binding tension indicator makes it easy for riders to set and



### **Tension Gauge**













### E-PR3ST

### **FULL CONTACT ROAD PEDALS**

Durable thermoplastic pedal featuring a CNC Cr-Mo axle, an extra-tough yet slimline triple bearing mechanism, and an abrasion guard. High tension bindings are ideal for sprinting. A gauge makes precise binding tension adjustment easy.

- Extra-tough, durable triple bearings
- High tension bindings
- Abrasion guard
- Tension gauge

Interface EPS-R (Compatible with Look Keo).

**Body** Full contact, engineering thermoplastic, with stainless steel abrasion guard.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing, sealed, & needle.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable (high tension springs: up to 180 kgf/cm) with gauge.

Cleats E-ARCR2

**Size** 86 x 90 mm

Compatible with Exustar road shoes, other three bolt hole shoes.




















 $\sim$  24

### **Pro Line**











### E-PR2STCKTI

### CARBON COMPOSITE FULL CONTACT ROAD PEDALS

A carbon fiber composite pedal featuring a titanium axle, an extra-tough yet slimline triple bearing mechanism, and an abrasion guard. High tension bindings are ideal for sprinting. A gauge makes precise binding tension adjustment easy.

- Carbon composite body
- Titanium axle
- Extra-tough, durable triple bearings
- High tension bindings
- Abrasion guard
- Tension gauge

**IInterface** EPS-R (Compatible with Look Keo)

**Body** Full contact, carbon fiber-nylon composite, with stainless steel abrasion guard.

Axle CNC-machined titanium TiN coated (cartridge).

Bearings LSL bushing, sealed, & needle.

Binding Carbon fiber-nylon composite, enclosed mechanism, tension adjustable with

Cleats E-ARCR2

**Size** 86 x 89 mm

Compatible with Exustar road shoes, other three bolt hole shoes.



















### E-PR2CKTI

### ULTRALIGHT, CARBON FIBER FULL CONTACT ROAD PEDALS

An ultralight pedal built with cutting edge materials. It features a strong, featherlight carbon fiber composite body and binding, and a titanium axle, TiN coated to improve hardness, and to ensure silky smooth rolling on a slimline dual bearing system. The setup is rounded out with an enclosed mechanism to keep out grit, and a handy gauge makes binding precise tension adjustment easy.

- Ultraliaht
- Carbon composite body & binding
- Titanium axle, TiN coated
- Enclosed mechanism
- Tension gauge

Interface EPS-R (Look Keo 2-style)

**Body** Full contact, carbon fiber-nylon composite.

**Axle** CNC-machined titanium, TiN coated (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Carbon fiber-nylon composite, enclosed mechanism tension adjustable with gauge.

Cleats E-ARC R2

**Size** 86 x 89 mm

Compatible with Exustar road shoes, other three bolt hole shoes.











### **Advanced Line**



### E-PR2ST

### FULL CONTACT ROAD PEDALS

A durable thermoplastic pedal featuring a machined Cr-Mo axle, an extra-tough yet slimline triple bearing mechanism, and an abrasion guard,

Extra-tough, durable triple bearings
 Abrasjon guard
 Tension gauge

Interface EPS-R (Compatible with Look Keo).

Body Full contact, engineering thermoplastic with stainless steel abrasion guard.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing, sealed, & needle.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable.

Cleats E-ARCR2

**Size** 86 x 89 mm

Comp atible with Exustar road shoes, other three bolt hole shoes.













## E-PR2CK

### CARBON COMPOSITE. FULL CONTACT ROAD PEDALS

A pedal built with high end materials. It features a strong, featherlight carbon fiber composite body and binding, and a Cr-Mo axle on a slimline dual bearing system. The setup is rounded out with an enclosed mechanism to keep out grit, and a handy gauge makes binding precise tension adjustment easy.

• Carbon composite body & binding • Enclosed mechanism • Tension gauge

**Interface** EPS-R (Compatible with Look Keo).

Body Full contact, Carbon fiber-nylon composite

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

Binding Carbon fiber-nylon composite, enclosed mechanism, tension adjustable with gauge.

Cleats E-ARC R2

**Size** 86 x 89 mm

Compatible with Exustar road shoes, other three bolt hole shoes.



E-PR2-BK-A

Tension gauge.

Cleats E-ARCR2

**Size** 86 x 89 mm

**FULL CONTACT ROAD PEDALS** 

Interface EPS-R (Compatible with Look Keo).

**Body** Full contact, engineering thermoplastic.

**Bearings** LSL bushing & sealed.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).





A pedal built with quality materials. It features a strong, thermoplastic body, and a Cr-Mo axle on a slimline dual bearing system. A gauge makes precise binding tension adjustment

Binding Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with



## **Expert Line**










Compatible with Exustar road shoes, other three bolt hole shoes.





















265 g/pr

### E-PR1

### **ROAD PEDALS**

A pedal built with quality materials. It features a strong, thermoplastic body, and a Cr-Mo axle on a slimline dual bearing system.

- Lightweight
- Tension gauge

Interface EPS-R (Compatible with Look Keo).

**Body** Engineering thermoplastic.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiber-glass reinforced thermoplastic, enclosed mechanism, tension adjustable.

Cleats E-ARCR2

**Size** 82 x 82 mm

Compatible with Exustar road shoes, other three bolt hole shoes.





Tension Gauge

Integral binding tension indicator makes it easy for riders to set and adjust tension.















### E-PR1CK

### **CARBON COMPOSITE ROAD PEDALS**

EPS-R (Compatible with Look **Keo**)

A pedal built with high end materials. It features a strong, lightweight carbon fiber composite body and binding, and a Cr-Mo axle on a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Lightweight
- Carbon composite body & binding
- Tension gauge

Interface EPS-R (Compatible with Look Keo).

**Body** Carbon fiber-nylon composite.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

Binding Carbon fiber-nylon composite, enclosed mechanism, tension adjustable with

Cleats E-ARCR2

**Size** 82 x 82 mm

Compatible with Exustar road shoes, other three bolt hole shoes.















289g/pr

### E-PR1AL

### **ROAD PEDALS**

A pedal built with quality materials. It features a strong, aluminum body, and a Cr-Mo axle on a slimline dual bearing system.

- Lightweight
- Liquid-coated aluminum body
- Tension gauge

Interface EPS-R (Compatible with Look Keo).

**Body** Liquid-coated surface, aluminum,

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiber-glass reinforced thermoplastic, enclosed mechanism, tension adjustable.

Cleats E-ARCR2

**Size** 82 x 82 mm

Compatible with Exustar road shoes, other three bolt hole shoes.







## **Advanced Line**







### E-PR103ST

### **ROAD PEDALS**

A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Tension gauge

Interface EPS-R (Compatible with Look Keo).

**Body** Engineering thermoplastic.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.

Cleats E-ARCR3 H2

**Size** 85 x 87 mm

Compatible with Exustar road shoes, other three bolt hole shoes.











## **COMP Line**

EPS-R (Compatible with Look **Keo**)

### E-PR101SL

### OEM/ODM PRODUCTS available by order.

### **ROAD PEDALS**

A pedal built with quality materials. It features a strong, aluminum body, and a Cr-Mo axle on a slimline dual bearing system.

Lightweight

Interface EPS-R (Compatible with Look Keo).

**Body** Hand-polished aluminum,

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiber-glass reinforced thermoplastic, tension adjustable.

Cleats E-ARC10

**Size** 82 x 82 mm

Compatible with Exustar road shoes, other three bolt hole shoes.







## **Sport Line**



**2**90 g/pr



E-PR100P





## E-PR100PP

ROAD PEDALS

### **OEM/ODM** PRODUCTS

### available by order.

A pedal built with quality materials. It features a strong and a Cr-Mo axle on a slimline dual pearing system.

Lightweight

Interface EPS-R (Compatible with Look Keo).

**Body** Engineering thermoplastic.

**Axle** Heat-treated, CNC-machined Cr-Mo (plastic cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiberglass-reinforced thermoplastic, tension adjustable.

Cleats E-ARC10

**Size** 82 x 82 mm

Compatible with Exustar road shoes, other three bolt hole shoes.

**Patented** 









Interface EPS-R (Compatible with Look Keo).

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with

Cleats E-ARC10













### **ROAD PEDALS**

An entry-level pedal built with quality materials. It features a strong, aluminum body, and a Cr-Mo axle on a slimline dual bearing system.

Tension gauge

Body Aluminum.


**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Size** 87 x 87 mm

Compatible with Exustar road shoes, other three bolt hole shoes.





### **Pro Line**

## PR200





### E-PR200CKTI

### ULTRALIGHT, CARBON COMPOSITE, FULL CONTACT ROAD PEDALS

An ultralight pedal built with cutting edge materials. It features a strong carbon fiber composite body and binding, and a titanium axle, TiN coated to improve hardness, and ensure silky smooth rolling. A gauge makes precise binding tension adjustment easy.

- Ultralight
- Carbon composite body & binding
- Titanium axle, TiN coated
- Tension gauge

Interface EPS-R (Compatible with Look Keo).

**Body** Full contact, carbon fiber-nylon composite.

**Axle** CNC-machined titanium, TiN coated (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Carbon fiber-nylon composite, tension adjustable with gauge.

Cleats E-ARC11

**Size** 86 x 89 mm

Compatible with Exustar road shoes, other three bolt hole shoes.















## **Comp Line**









### E-PR200BK

### **FULL CONTACT ROAD PEDALS**

A pedal that features strong, thermoplastic body, and a Cr-Mo axle on a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Lightweight
- Tension gauge

Interface EPS-R (Compatible with Look Keo).

**Body** Full contact, engineering thermoplastic.

Axle Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with

Cleats E-ARC11

**Size** 86 x 89 mm

Compatible with Exustar road shoes, other three bolt hole shoes.



















### E-PR200CKTI-XS

ULTRALIGHT, CARBON COMPOSITE, FULL CONTACT ROAD PEDALS (with shorter

Designed for riders with shorter legs who may find standard pedals are spread too far apart. Our shorter axle brings the pedal 4.5 mm closer to the crank arm. An ultralight pedal built with cutting edge materials. It features a strong carbon fiber composite body and binding, a titanium axle, TiN coated to improve hardness, ensuring smooth rolling. A gauge makes precise binding tension adjustment easy.

- Ultralight
- Carbon composite body & binding
- Titanium axle, TiN coated
- Tension gauge

**Interface** EPS-R (Compatible with Look Keo).

**Body** Full contact, carbon fiber-nylon composite.

**Axle** CNC-machined titanium, TiN coated (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Carbon fiber-nylon composite, tension adjustable with gauge.

Cleats E-ARC11

**Size** 82 x 89 mm

Compatible with Exustar road shoes, other three bolt hole shoes.



























### E-PR201

### **FULL CONTACT ROAD PEDALS**

A pedal built with quality materials. It features a strong, aluminum body, and a Cr-Mo axle on a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Lightweight
- Tension gauge

**Interface** EPS-R (Compatible with Look Keo).

**Body** Full contact, aluminum.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.

Cleats E-ARC11

**Size** 86 x 89 mm

Compatible with Exustar road shoes, other three bolt hole shoes.



















### E-PR23ST

### **FULL CONTACT ROAD PEDALS**

A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Tension gauge

Interface EPS-SL (Compatible with Shimano SPD-SL).

**Body** Full contact, engineering thermoplastic, with stainless steel abrasion guard.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.

Cleats E-RSL3 H2

**Size** 88 x 94 mm

Compatible with Exustar road shoes, other three bolt hole shoes.














### **Pro Line**

## PR 18



### E-PR18CKTI

### **OEM/ODM** PRODUCTS

### **CARBON COMPOSITE ROAD PEDALS**

A pedal built with quality materials. It features a strong, carbon fiber composite body, an abrasion guard, a tritanium axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

• Lightweight • Titanium axle • Abrasion guard • Tension gauge

Interface EPS-SL (Compatible with Shimano SPD-SL).

**Body** carbon fiber-nylon composite, with stainless steel abrasion guard.

**Axle** CNC-machined titanium (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with

Cleats E-RSL11

**Size** 84 x 94.5 mm

Compatible with Exustar road shoes, other three bolt hole shoes.









## **Advanced Line**

39



### E-PR18CK

### **OEM/ODM** PRODUCTS

### available by order.

CARBON COMPOSITE ROAD PEDALS

A ped<mark>al built with quality materials,</mark> It features a strong, carbon fiber composite body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

Lightweight
 Abrasion guard
 Tension gauge

Interface EPS-SL (Compatible with Shimano SPD-SL).

Body carbon fiber-nylon composite, with stainless steel abrasion guard.

Axle Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.

Cleats E-RSL11

**Size** 84 x 94.5 mm

Compatible with Exustar road shoes, other three bolt hole shoes.









## CARBON EZS'SL 🐼 🧘 🎡

### E-PR18STTI

### **OEM/ODM** PRODUCTS

• Lightweight • Titanium axle • Abrasion guard • Tension gauge

Interface EPS-SL (Compatible with Shimano SPD-SL).

**Body** engineering thermoplastic, with stainless steel abrasion guard.

**Axle** CNC-machined titanium (cartridge).

**Bearings** LSL bushing & sealed.

Cleats E-RSL11

**Size** 84 x 94.5 mm











## **7718**

**Sport Line** 

**PR15** 



296 g/pr

324 g/pr

### E-PR18ST

### **OEM/ODM** PRODUCTS

available by order.

### **ROAD PEDALS**

A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

Abrasion guardTension gauge

Interface EPS-SL (Compatible with Shimano SPD-SL).

**Body** engineering thermoplastic, with stainless steel abrasion guard.

Axle Heat-treated, CNC-machined Cr-Mo (cartridge)

**Bearings** LSL bushing & sealed.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with

Cleats E-RSL11

**Size** 84 x 94.5 mm

Compatible with Exustar road shoes, other three bolt hole shoes.







### **OEM/ODM** PRODUCTS E-PR18PST

### ROAD PEDALS

## available by order.

A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding ension adjustment easy.

Lightweight
 Abrasion guard
 Tension gauge

Interface EPS-SL (Compatible with Shimano SPD-SL).

**Body** engineering thermoplastic.

**Axle** Heat-treated, CNC-machined Cr-Mo (plastic cartridge).

**Bearings** LSL bushing tube & sealed.

Binding Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with

Cleats E-RSL1

**Size** 84 x 94.5 mm

Compatible with Exustar road shoes, other three bolt hole shoes.





**FULL CONTACT ROAD PEDALS** 







## **E-PR15**

### **OEM/ODM** PRODUCTS

available by order.

40

An pedal built with quality materials. It features a strong, aluminum body, and a Cr-Mo axle on a slimline dual bearing system.

Tension gauge

Interface EPS-SL (Compatible with Shimano SPD-SL).

**Body** Full contact, aluminum.

Axle Heat-treated, CNC-machined Cr-Mo.

**Bearings** LSL bushing & sealed.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with

Cleats E-RSL1

**Size** 95 x 88 mm

Compatible with Exustar road shoes, other three bolt hole shoes.

**Patented** 









**ROAD PEDALS** 

### available by order.

A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a titanium axle on a slimline dual bearing system, and a gauge makes precise binding guard, a fifullium unio o... tension adjustment easy.

Binding Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with

Compatible with Exustar road shoes, other three bolt hole shoes.







## **Advanced Line**







### E-PR73ST

### **ROAD PEDALS**

A pedal built with quality materials. It features a strong, thermoplastic body, an abrasion guard, a Cr-Mo axle on a slimline dual bearing system, and a gauge makes precise binding tension adjustment easy.

- Abrasion guard
- Tension gauge

Interface EPS (Compatible with Look Delta).

**Body** Engineering thermoplastic.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Fiberglass-reinforced thermoplastic, enclosed mechanism, tension adjustable with gauge.

Cleats E-ARC1 H2

**Size** 85 x 94 mm


Compatible with Exustar road shoes, other three bolt hole shoes.

















### E-PR50

### **ROAD PEDALS**

A pedal with a strong extruded-machined body, is built on a rigid, smooth running mechanism consisting of a machined Cr-Mo axle and a slimline dual bearing system.

- Lightweight
- Extruded-machined body

 $\label{lem:linear_loss} \textbf{Interface} \ \ \textbf{EPS-M} \ \ (\textbf{Compatible} \ \ \textbf{with} \ \ \textbf{Shimano} \ \ \textbf{SPD}).$ 

**Body** Extruded, CNC-machined 6061 aluminum.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** LSL bushing, & sealed.

**Binding** Single-sided Cr-Mo, tension adjustable with gauge.

Cleats E-CO5F

**Size** 82 x 66 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.

Datanta













FRIES 50











Option Assembled with to clip (EMM150/151) & toe strap (EMM152)

### E-PT12+

### TRACK PEDALS (pedals, clips)

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, dual over-sized sealed bearings, complete track set

- Rigid, machined aluminum body
- Machined Cr-Mo axle
- Extra-strength over-size sealed bearings
- Tough Cr-Mo cage

Interface EPS-T

**Body** Extruded, CNC-machined 6061 aluminum

Cage CP silver Cr-Mo

Axle Heat-treated, CNC-machined Cr-Mo .

**Bearing** Dual over-sized sealed bearings

Other Toe clip and strap attachable

**Cleats** E-C101 (not supplied)

**Size** 89 x 66 mm.













TRACK

EPS-T Cleats EPS-T Cleats **Expert Line** TWIN TOE STRAPS







With optional toe

straps attached.





EMM152 Twin straps for a more secure, comfortable fit. Very strong laminated leather. Stainless steel buckles. 425mm (16 3/4").



### E-PR107TK

### TRACK PEDALS

Clip-in pedal designed specifically for track racing, with an option to attach toe straps for extra binding security. It also features a triple bearing mechanism. A gauge makes precise binding tension adjustment easy.

- Toe strap attachment
- Durable triple bearings

Interface EPS-R (Compatible with Look Keo).

**Body** Aluminum, ED black.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing, sealed & needle.

**Binding** Fiberglass-reinforced thermoplastic, tension adjustable.

Cleats E-BLK11 **Size** 82 x 82 mm







Twin straps for a more secure, comfortable fit.

Very strong laminated leather.

Stainless steel buckles.

425mm (16 3/4")




### TOE CLIPS

Steel clips / steel clips with leather for track racing. M: Euro Mens 37-42 36g/pc (EMM150) L: Euro Mens 43-46 40g/pc (EMM151)

EMM150





# CHOOSING





Built for fast, off-road downhill riding. Tough, double-sides pedals with large platforms, and grip pins.







A style of riding that is very indivadual, but usually involves rough vertical slopes, jumping and other stunts.



E-PB556-BL





Double-sides clip-in pedals with an outer platform so that you can easily move between clipped in mode and platform



E-PM228





All-Mountain entails riding over a variety of off-road terrain. It can be similar to cross country riding, perhaps with more technical terrain and / or more aggressive riding. These double-sided clip-in pedals have an extra-large outer lpatform so that you can easily move between clipped in mode and platform mode.



E-PM825







distances over a variety of off-road terrain. All-round double-sided cklip-in mountain



E-PM222






The best choice for touring or commuting. These pedals are our most versatile, allow a clip-in side and a platform side.



E-PM86











### E-PM239

### **CLIP-IN PEDALS**

A pedal featuring a thermoplastic body, with Cr-Mo axle, and LSL bushing & sealed bearings.

Tension gauge

Interface EPS-M (Compatible with Shimano SPD).

**Body** Engineering thermoplastic.

 $\textbf{Axle} \ \ \text{Heat-treated, CNC-machined Cr-Mo (cartridge)}.$ 

**Bearings** LSL bushing & sealed.

**Binding** Double-sided Cr-Mo, tension adjustable

Cleats E-CO5F

**Size** 85 x 64 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.

Patented









## **Advanced Line**





E-PM222MGTI-BK



### E-PM222MGTI

### CNC-MACHINED MAGNESIUM CLIP-IN PEDALS

Featuring a strong, extruded, CNC body, this pedal is built on a rigid, smooth running mechanism consisting of a titanium axle and a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Extruded, CNC-machined magnesium body
- Abrasion guard
- Titanium axle
- Tension gauge

Interface EPS-M (Compatible with Shimano SPD).

**Body** Extruded, CNC-machined magnesium with stainless steel abrasion guard.

**Axle** Heat-treated, CNC-machined titanium axle.

Bearings Needle, & sealed.

**Binding** Double-sided Cr-Mo, tension adjustable with gauge.

Cleats E-C05F

**Size** 82.2 x 61.6 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.















# NEEDLE BEARNES 300 g/pr

# Color Options

E-PM222MG

### E-PM222MG-GY

### **CNC-MACHINED MAGNESIUM CLIP-IN PEDALS**

Featuring a strong, extruded, CNC magnesium body, this pedal is built on a rigid, smooth running mechanism consisting of a Cr-Mo axle and a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Extruded, CNC-machined magnesium body
- Abrasion guard
- Tension gauge

Interface EPS-M (Compatible with Shimano SPD).

**Body** Extruded, CNC-machined magnesium with stainless steel abrasion guard.

**Axle** Heat-treated, CNC-machined Cr-Mo axle.

Bearings Needle, & sealed.

Binding Double-sided Cr-Mo, tension adjustable with gauge.

Cleats E-C05F

**Size** 82.2 x 61.6 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.



















**Pro Line** 

### E-PM222TI

### **CNC-MACHINED CLIP-IN PEDALS**

Featuring a strong, extruded, CNC body, this pedal is built on a rigid, smooth running mechanism consisting of a titanium axle and a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Extruded, CNC-machined aluminum body
- Abrasion guard
- Titanium axle
- Tension gauge

Interface EPS-M (Compatible with Shimano SPD).

**Body** Extruded, CNC-machined aluminum, anodized black with stainless steel abrasion

**Axle** Heat-treated, CNC-machined titanium axle.

Bearings Needle, & sealed.

**Binding** Double-sided Cr-Mo, tension adjustable with gauge.

Cleats E-CO5F

**Size** 82.2 x 61.6 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.













# **Expert Line**



### **Color Options** (MOQ 150 pr)





E-PM222-BL





## E-PM222

### CNC-MACHINED CLIP-IN PEDALS

Featuring a strong, extruded, CNC body, this pedal is built on a rigid, smooth running mechanism consisting of a Cr-Mo axle and a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Extruded, CNC-machined aluminum body
- Abrasion guard
- Tension gauge

Interface EPS-M (Compatible with Shimano SPD).

**Body** Extruded, CNC-machined aluminum, anodized black with stainless steel abrasion

Axle Heat-treated, CNC-machined Cr-Mo axle.

Bearings Needle, & sealed.

**Binding** Double-sided Cr-Mo, tension adjustable with gauge.

Cleats E-CO5F

**Size** 82.2 x 61.6 mm


















## **Expert Line**



### Color Options







E-PM230-BL

E-PM230-GY

E-PM230-RD



### E-PM230

### **CNC-MACHINED CLIP-IN PEDALS**

Featuring a strong, extruded, CNC body, this pedal is built on a rigid, smooth running mechanism consisting of a Cr-Mo axle and a slimline dual bearing system. A gauge makes precise binding tension adjustment easy.

- Extruded, CNC-machined aluminum body
- Tension gauge

Interface EPS-M (Compatible with Shimano SPD).

**Body** Extruded, CNC-machined aluminum body, anodized.

Axle Heat-treated, CNC-machined Cr-Mo axle.

Bearings LSL bushing, & sealed.

**Binding** Double-sided Cr-Mo, tension adjustable with gauge.

Cleats E-CO5F

**Size** 82 x 63 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.



E-PM235

Lightweight

**CNC-MACHINED CLIP-IN PEDALS** 

• Extruded, CNC-machined aluminum body

Interface EPS-M (Compatible with Shimano SPD).

Axle Heat-treated, CNC-machined Cr-Mo axle.

**Bearings** LSL bushing & sealed.

Binding Double-sided Cr-Mo.

Cleats E-CO1F

**Patented** 

**Size** 82.5 x 56 mm

**Body** Extruded, CNC-machined 6061 aluminum body, anodized.

Compatible with Exustar two bolt road shoes, other two bolt hole shoes.





Featuring a strong, extruded-machined body, this pedal is built on a rigid, smooth running

mechanism consisting of a Cr-Mo axle and a slimline dual bearing system.



**Comp Line** 





E-PM215+-HBK

232 g/pr

324 g/pr

### E-PM215+

### FORGED CLIP-IN PEDALS

A pedal featuring a strong, forged aluminum body, and a slimline dual bearing system.

- Lightweight
- Forged aluminum body

Interface EPS-M (Compatible with Shimano SPD).

**Body** Forged aluminum, anodized.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** LSL bushing & sealed.

**Binding** Double-sided pressed steel, tension adjustable.

Cleats E-CO1F

**Size** 81 x 55 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.















332 g/pr

E-PM213-WH

### E-PM213

### **CLIP-IN PEDALS**

A pedal featuring an aluminum body, a Cr-Mo axle and a slimline dual bearing system.

- Liquid-coated aluminum body
- Tension gauge

Interface EPS-M (Compatible with Shimano SPD).

**Body** Liquid-coated aluminum.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** LSL bushing & sealed.

**Binding** Double-sided Cr-Mo, tension adjustable.

Cleats E-CO5F

**Size** 82 x 65 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.































## Sport Line







### E-PM211

### **CLIP-IN PEDALS**

A pedal featuring an aluminum body, and a Cr-Mo axle.

- Liquid-coated aluminum body
- Tension gauge

Interface EPS-M (Compatible with Shimano SPD).

**Body** Liquid-coated aluminum.

Axle Heat-treated, Cr-Mo.

Bearings Ball bearings.

**Binding** Double-sided Cr-Mo, tension adjustable.

Cleats E-CO5F

**Size** 82 x 65 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.











## **Expert Line**





## E-PM228

### CNC-MACHINED CLIP-IN PEDALS

Featuring a strong, extruded, CNC body, this pedal is built on a rigid, smooth running mechanism consisting of a Cr-Mo axle and a slimline dual bearing system.

• Extruded-machined aluminum body

Interface EPS-M (Compatible with Shimano SPD).

**Body** Extruded, CNC-machined aluminum body, anodized black.

**Axle** Heat-treated, CNC-machined Cr-Mo axle.

**Bearings** LSL bushing, & sealed.

**Binding** Double-sided Cr-Mo, tension adjustable with gauge.

Cleats E-CO5F

**Size** 86 x 90 mm





















## **Advanced Line**











### E-PM833

### **DUAL-INTERFACE PEDALS**

Versatile pedal featuring a triple-interface: 1. a clip-in binding on one side for cleated shoes, and on the other, 2. a non slip platform for casual shoe use. Equipped with an aluminum body, Cr-Mo axle, and LSL bushing & sealed bearings.

**Interface** EPS-M (Compatible with Shimano SPD), Platform, Platform.

Body Aluminum.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearing** LSL bushing & sealed.

**Binding** Single-sided Cr-Mo.

Cleats E-CO5F

Other Reflectors included.

Size 97 x 75 mm (w/o toe clip)

Compatible with Exustar two bolt shoes, other two bolt hole shoes.

Patente













### E-PM832

### **DUAL-INTERFACE PEDALS**

Versatile pedal featuring a triple-interface: 1. a clip-in binding on one side for cleated shoes, and on the other, 2. a non slip platform for casual shoe use. Equipped with an aluminum body, Cr-Mo axle, and LSL bushing & sealed bearings.

Interface EPS-M (Compatible with Shimano SPD), Platform, Platform.

**Body** Aluminum.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearing** LSL bushing & sealed.

**Binding** Single-sided Cr-Mo.

Cleats E-CO5F

Other Reflectors included.

Size 97 x 75 mm (w/o toe clip)

Compatible with Exustar two bolt shoes, other two bolt hole shoes.

Patented











## **Expert Line**

















### E-PM825

### **CLIP-IN PEDALS**

A pedal featuring a pop-up binding for easy cleat engagement. This pedal is built on a rigid, smooth running mechanism consisting of a Cr-Mo axle and a slimline dual bearing system.

• Easy entry pop-up binding

Interface EPS-M (Compatible with Shimano SPD).

**Body** Die-cast aluminum body, engineering thermoplastic platform.

**Axle** Heat-treated, CNC-machined Cr-Mo axle (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Double-sided Cr-Mo, spring-loaded, tension adjustable with gauge.

Cleats E-CO5F

**Size** 94.5 x 106 mm

Compatible with Exustar two bolt road shoes, other two bolt hole shoes.















**Sport Line** 



### E-PM831

### **DUAL-INTERFACE PEDALS**

A versatile pedal that features a dual-interface:

1. a clip-in binding on one side for cleated shoes.

2. a simple platform on the other for casual shoe use.

Interface EPS-M (Compatible with Shimano SPD). Platform.

Body Aluminum.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearing** LSL bushing & sealed.

**Binding** Single-sided Cr-Mo, tension adjustable

Cleats E-CO5F

**Size** 92 x 89 mm

Weight 510 g/pr (prototype)
















## **Advanced Line**







### E-PM823

### **CLIP-IN PEDALS**

Low profile, extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Low profile
- Extruded-machined aluminum body
- Machined Cr-Mo axle

Interface EPS-M (Compatible with Shimano SPD).

**Body** Extruded, CNC-machined aluminum, replaceable grip pins, anodized.

**Axle** Heat-treated, CNC-machined Cr-Mo.

Bearings LSL bushing, & sealed.

**Binding** Double-sided Cr-Mo, adjustable tension.

Cleats E-CO5F

**Size** 112.5 x 100.5 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.



















### E-PM824

### **CLIP-IN PEDALS**

Low profile, extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Low profile
- Extruded-machined aluminum body
- Machined Cr-Mo axle

**Interface** EPS-M (Compatible with Shimano SPD).

**Body** Extruded, CNC-machined aluminum, replaceable grip pins, anodized.

Axle Heat-treated, CNC-machined Cr-Mo.

**Bearings** LSL bushing, & sealed.

**Binding** Double-sided Cr-Mo, adjustable tension.

Cleats E-CO5F

**Size** 112.5 x 101 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.















## **Comp Line**

## FULL contact area series





### E-PM820

**CLIP-IN PEDALS** (Double-sided binding)

Low profile pedal with a Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

Low profile

Interface EPS-M (Compatible with Shimano SPD).

**Body** ED black aluminum, ED black, replaceable g rip pins.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** LSL bushing, & sealed.

**Binding** Double-sided Cr-Mo, adjustable tension.

Cleats E-CO5F

**Size** 109 x 105mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.











## **Expert Line**





### E-PM827

### DUAL-INTERFACE PEDALS

Low profile, extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

- Low profile
- Single side cleat-in function
- Extruded-machined aluminum body
- Machined Cr-Mo axle

**Interface** EPS-M (Compatible with Shimano SPD).

**Body** Extruded, CNC-machined aluminum, replaceable grip pins, anodized.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** Tubular LSL bearings (integrated cartridge).

**Bindings** Single-sided Cr-Mo, adjustable tension.

Cleats E-CO5F

**Size** 108.5 x 100 mm





















**3**34 g/pr



### E-PM811

### **DUAL-INTERFACE PEDALS**

A versatile pedal that features a dual-interface: 1. a clip-in binding on one side for cleated shoes, and, 2. a simple platform on the other for casual shoe use. Equipped with a thermoplastic body, Cr-Mo axle, and LSL bushing & sealed bearings.

Interface EPS-M (Compatible with Shimano SPD), Platform.

**Body** Engineering thermoplastic.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Single-sided Cr-Mo, tension adjustable

Cleats E-CO5F

**Size** 95 x 83 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.







### E-PM816

### **DUAL-INTERFACE PEDALS**

A versatile pedal that features a dual-interface: 1. a clip-in binding on one side for cleated shoes, and, 2. a simple platform on the other for casual shoe use. Equipped with a thermoplastic body, Cr-Mo axle, and LSL bushing & sealed bearings.

Interface EPS-M (Compatible with Shimano SPD), Platform.

**Body** Engineering thermoplastic.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

**Binding** Single-sided Cr-Mo, tension adjustable

Cleats E-CO5F

**Size** 100 x 95 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.







## **Comp Line**

## MULTI FUNCTION



### **E-PM86**

### TRIPLE-INTERFACE PEDALS

Versatile pedal featuring a triple-interface: 1. a clip-in binding on one side for cleated shoes, and on the other, 2. a simple platform for casual shoe use, 3. or add a toe clip and cage to the platform for increased pedaling efficiency. Equipped with an aluminum body and cage, Cr-Mo axle, and LSL bushing & sealed bearings.

Interface EPS-M (Compatible with Shimano SPD), Platform, Platform + Toe clip.

EPS-M (Compatible with Shimano SPD)

Body Aluminum.

Cage Aluminum, black anodized.

Axle Heat-treated, CNC-machined Cr-Mo.

**Bearing** LSL bushing & sealed.

Binding Single-sided Cr-Mo.

Cleats E-CO5F

Other Toe clip and strap attachable. Reflectors included.

**Size** 105 x 66 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.









## **Sport Line**



330 g/pr

### E-PM812

### TRIPLE-INTERFACE PEDALS

Versatile pedal featuring a triple-interface: 1. a clip-in binding on one side for cleated shoes, and on the other, 2. a simple platform for casual shoe use, 3. or add a toe clip and cage to the platform for increased pedaling efficiency. Equipped with an aluminum body and cage,

Interface EPS-M (Compatible with Shimano SPD), Platform, Platform + Toe clip.

**Body** Aluminum.

Cage Aluminum, black anodized.

Axle Heat-treated Cr-Mo.

Bearing Ball bearings.

**Binding** Single-sided Cr-Mo.

Cleats E-CO5F

Other Toe clip and strap attachable. Reflectors included.

**Size** 100 x 66 mm

Compatible with Exustar two bolt shoes, other two bolt hole shoes.









### E-PM818

### TRIPLE-INTERFACE PEDALS

Versatile pedal featuring a triple-interface: 1. a clip-in binding on one side for cleated shoes, and on the other, 2. a simple platform for casual shoe use, 3. or add a toe clip and cage to the platform for increased pedaling efficiency. Equipped with an aluminum body and cage, and Cr-Mo axle.

Interface EPS-M (Compatible with Shimano SPD), Platform, Platform + Toe clip.

Body Aluminum.

Axle Heat-treated, Cr-Mo.

Bearing Ball bearings.

Binding Single-sided Cr-Mo, tension adjustable.

Cleats E-CO5F


**Size** 100 x 67 mm





























### E-PB562

### **CNC-MACHINED BMX PEDALS**

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and Triple LSL bearing mechanism.

• Extruded, CNC-machined body

**Body** 6061 aluminum, CNC-machined body, anodized, replaceable grip pins

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** Triple LSL bearing

**Size** 105.5 x 108 mm









#### Sport Line

#### **BMX**series































#### **E-PB73**

#### **BMX PEDALS**

Aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

**Body** Die-cast aluminum, built-in grip pins.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** LSL bushing & sealed.

**Size** 117 x 114 mm









#### **Advanced Line**

#### **BMX**series



Color Options (MOQ 150 pr)



#### E-PB525MG

#### OEM/ODM PRODUCTS available by order.

#### MAGNESIUM BMX PEDALS

Extruded-machined pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

Extruded, CNC-machined magnesium bodypins.

**Body** CNC-machined magnesium, replaceable grip pins.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** LSL bushing & sealed.

**Size** 103 x 100 mm











**Sport Line** 



Color Options



#### E-PB525

#### **BMX PEDALS**

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

Extruded, CNC-machined body

**Body** 6061 aluminum, CNC-machined body, anodized, replaceable grip pins.

**Axle** Heat-treated, CNC-machined Cr-Mo.

Bearings LSL bushing & sealed.

**Size** 103 x 100 mm











#### **Expert Line**





#### E-PB555

#### **CNC-MACHINED BMX PEDALS**

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip grip pins and a slimline dual bearing mechanism.

• Extruded, CNC-machined body

**Body** 6061 aluminum, CNC-machined body, anodized, replaceable grip pins.

**Axle** Heat-treated, CNC-machined Cr-Mo.

Bearings LSL bushing, & sealed.

**Size** 113 x 105 mm









#### **Expert Line**





#### E-PB70 series

#### OEM/ODM PRODUCTS available by order.

#### **BMX PEDALS**

Pedal with a Cr-Mo axle.

**Body** Die-cast aluminum, built-in grip pins.

Axle Heat-treated Cr-Mo.

**Bearings** Ball bearings.

**Size** 115 x 108 mm

















E-PB70-1 Series Options (Replaceable grip pins)







#### **Sport Line**



#### E-PB60

#### **BMX PEDALS**

Pedal with liquid-coated body, knurled platform, a machined Cr-Mo axle, and replaceable grip pins.

- Liquid-coated body
- Knurled platform

**Body** Aluminum, single sided knurling, Non-removable grip pins, liquid-coated.

74

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL bushing & sealed.

Other Reflectors included.

**Size** 112 x 103 mm





MAX DH FER











#### E-PB535-OG

#### **OEM/ODM** PRODUCTS

available by order.

#### **DUAL INTERFACE BMX PEDALS**

Pedal with an extruded, CNC-machined body, machined axle, LSL and sealed bearings, and replaceable grip pins.

• Extruded, CNC-machined body

**Interface** Dual (1. body + grip 2. body + modular cage plates)

Cage Aluminum anodized, modular cage plates.

**Body** Extruded, CNC-machined, replaceable grip pins.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** LSL bushing & sealed.

**Size** 117 x 110 mm









#### **Expert Line**

#### **BMX** series



#### **Advanced Line**







#### E-PB68

#### OEM/ODM PRODUCTS

available by order.

#### FORGED BMX PEDALS

Durable forged aluminum, low profile pedal featuring a machined Cr-Mo axle, extra-strength crank-side bearings, anti-slip grip pins.

- Low profile
- Forged aluminum, CNC-machined body
- Crank-side bearings

**Body** Low profile, forged 6061 aluminum, anodized, replaceable grip pins.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** Crank-side ball bearings.

**Size** 121 x 112 mm













#### Color Options (MOQ 150 pr)











#### E-PB557

#### SLIM PROFILE CNC-MACHINED BMX PEDALS

Low stack height, extruded-machined aluminum pedal featuring a machined Cr-Mo axle, tubular LSL bearings, anti-slip surface and grip pins.

- Extruded, CNC-machined body
- Low stack height
- Tubular LSL bearings
- Anti-slip surface

**Body** Low stack height, 6061 aluminum, CNC-machined body, anodized,anti-slip surface, replaceable grip pins.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** Tubular LSL bearings (integrated cartridge)

**Size** 113 x 105 mm

















#### E-PB67

**OEM/ODM** PRODUCTS

available by order.

#### **FORGED BMX PEDALS**

Durable forged aluminum, low profile pedal featuring a machined Cr-Mo axle, extra-strength crank-side bearings, anti-slip grip pins.

- Low profile
- Forged aluminum, CNC-machined body
- Crank-side bearings

**Body** Low profile, forged 6061 aluminum, anodized, replaceable grip pins.

Axle Heat-treated, CNC-machined Cr-Mo.

**Bearings** Crank-side ball bearings.

**Size** 118 x 106 mm
















#### **Sport Line**



#### E-PC945

#### ANTI-SLIP URBAN PEDALS

Extruded-machined aluminum pedal featuring a machined Cr-Mo axle, anti-slip surface.

- Extruded, CNC-machined body
- Anti-slip surface

**Body** 6061 aluminum, CNC-machined body, anodized, anti-slip surface.

**Axle** Heat-treated, CNC-machined Cr-Mo.

Bearings LSL bushing & sealed.

**Size** 104 x 78 mm







#### E-PM941

#### **OEM/ODM** PRODUCTS

available by order.

#### PLATFORM PEDALS

An all-round pedal suitable for a variety of bikes. With a CNC-machined axle, and LSL and sealed bearings.

Body Aluminum.

Cage Aluminum, black.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** LSL bushing & sealed.

Other Toe clip and strap attachable. Reflectors included.

**Size** 98 x 65 mm





An all-round pedal suitable for a variety of bikes. With a CNC-machined axle, and LSL and sealed bearings.

**Body** Aluminum.

Cage Aluminum.

**Axle** Heat-treated, CNC-machined Cr-Mo (cartridge).

**Bearings** LSL tube & sealed.

Other Toe clip and strap attachable. Reflectors included.

**Size** 101 x 68 mm



**3**24 g/pr



# PEDAL TECHNOLOGY



#### **FULL CONTACT BODY**

Increased contact area (62 mm wide) between pedal body and cleat ensures extra power, support, and stability. Interface also enables easier cleat engagement.







#### **AXLES & BEARINGS**

#### **OVER-SIZED NEEDLE BEARINGS**


Large diameter needle bearings are used on pedals with over-sized axles (such as indoor pedals, where strength is paramount). Needle bearings are very sooth running.




#### **NEEDLE BEARINGS**

Needle bearings are used to reduce friction, and increase contact area still allowing a slim axle profile.







 $\mathbf{1}$ 

#### **Expert Line**



SIDE A : EPS (Compatible with Look Delta).



SIDE B: EPS-M (Compatible with Shimano SPD).



SIDE A: EPS (Compatible with Look Delta).



SIDE B : Plastic platform



#### Oversize axle.

Oversize sealed & needle bearings.







#### E-PS7

#### **DUAL INTERFACE INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anticorrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS (Compatible with Look Delta). +

EPS-M (Compatible with Shimano SPD).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

EPS-M: Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-ARC1 & E-CO5F

**Size** 87 x 94 mm













Oversize axle.

Oversize sealed & needle bearings.







#### E-PS7SSP

#### **DUAL INTERFACE INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anticorrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS (Compatible with Look Delta).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC1

**Size** 87 x 94 mm

Patented













Multi-interface Multi-interface **Expert Line** 

SIDE A : EPS (Compatible with Look Delta).



SIDE B: EPS-M (Compatible with Shimano SPD).

### **Expert Line**



SIDE A: EPS (Compatible with Look Delta).



SIDE B : Plastic platform



#### Oversize axle.

Oversize sealed & needle bearings.





#### E-PS8

#### **DUAL INTERFACE CLIP-IN INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS (Compatible with Look Delta). +

EPS-M (Compatible with Shimano SPD).

Body Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

EPS-M: Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-ARC1 & E-CO5F

**Size** 87 x 94 mm











Oversize axle.

Oversize sealed & needle bearings.





#### E-PS8SSP

#### **DUAL INTERFACE CLIP-IN INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS (Compatible with Look Delta).

Body Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC1

**Size** 87 x 94 mm

**Patented** 









Multi-interface **Expert Line** 

#### **Expert Line**



EPS (Compatible with Look Delta).





EPS (Compatible with Look Delta).





Oversize axle.

Oversize sealed & needle bearings.



#### E-PS9

#### **INDOOR PEDALS**

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS (Compatible with Look Delta).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC1

**Size** 88 x 94 mm

**Patented** 











#### Oversize axle.

Oversize sealed & needle bearings.



#### E-PS10

#### **INDOOR PEDALS**

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS (Compatible with Look Delta).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

Binding EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC1

**Size** 88 x 94 mm

**Patented** 











Multi-interface Multi-interface **Expert Line Expert Line** 



SIDE A: EPS (Compatible with Look Delta).



SIDE B: EPS-M (Compatible with Shimano SPD).



SIDE A: EPS (Compatible with Look Delta).

Oversize axle.

Oversize sealed & needle bearings.



SIDE B : Plastic platform



#### Oversize axle.

Oversize sealed & needle bearings.





#### E-PS11

#### **DUAL INTERFACE INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anticorrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).

Body Aluminum, nickel plated & ED black, corrosion resistant.

Axle Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-ARC1 & E-CO5F

**Size** 89 x 94 mm









#### E-PS11SSP

#### **DUAL INTERFACE INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anticorrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS (Compatible with Look Delta).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC1

**Size** 89 x 94 mm

**Patented** 







Multi-interface Multi-interface **Expert Line** 

SIDE A: EPS (Compatible with Look Delta).



SIDE B: EPS-M (Compatible with Shimano SPD).



#### Oversize axle.

Oversize sealed & needle bearings.





#### E-PS12

#### **DUAL INTERFACE CLIP-IN INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with Look Delta-style cleats or Shimano SPD-style cleats. Featuring an extra robust mechanism with oversize axle, oversize sealed & needle bearings and an abrasion guard. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant
- Abrasion guard

Interface EPS (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).

**Body** Aluminum, nickel plated & ED black, corrosion resistant, with stainless steel abrasion guard.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

EPS-M: Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-ARC1 & E-CO5F

**Size** 88 x 94 mm

**Patented** 

















SIDE A: EPS (Compatible with Look Delta).



SIDE B : Plastic platform



Oversize axle.





#### E-PS12SSP

#### **DUAL INTERFACE CLIP-IN INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with Look Delta-style cleats or Shimano SPD-style cleats. Featuring an extra robust mechanism with oversize axle, oversize sealed & needle bearings and an abrasion guard. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant
- Abrasion guard

Interface EPS (Compatible with Look Delta).

**Body** Aluminum, nickel plated & ED black, corrosion resistant, with stainless steel abrasion guard.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC1

**Size** 88 x 94 mm

Patented













Multi-interface Multi-interface

#### **Expert Line**





SIDE B: EPS-M (Compatible with Shimano SPD).



#### Oversize axle.

Oversize sealed & needle bearings.





#### E-PS13

#### **DUAL INTERFACE CLIP-IN INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with Shimano SPD-SL-style cleats or Shimano SPD-style cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage, and an abrasion guard.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant
- Abrasion guard

Interface EPS-SL (Compatible with Shimano SPD-SL). +

EPS-M (Compatible with Shimano SPD).

**Body** Aluminum, nickel plated & ED black, corrosion resistant, with stainless steel abrasion guard.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Bindings** Shimano SPD-SL-style: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

**EPS-M:** Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-RSL3 H1 & E-CO5F

**Size** 88 x 94 mm













#### **Expert Line**



 ${\sf SIDE}\ {\sf A:EPS-SL}\ (Compatible\ with\ Shimano\ SPD-SL).$ 



SIDE B : Plastic platform



Oversize axle.

Oversize sealed & needle bearings.





E-PS13SSP

#### **DUAL INTERFACE CLIP-IN INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with Shimano SPD-SL-style cleats or Shimano SPD-style cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage, and an abrasion guard.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant
- Abrasion guard

**Interface** EPS-SL (Compatible with Shimano SPD-SL).

**Body** Aluminum, nickel plated & ED black, corrosion resistant, with stainless steel abrasion guard.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Bindings** Shimano SPD-SL-style: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-RSL3 H1

**Size** 88 x 94 mm

**Patented** 













Multi-interface Multi-interface

#### **Expert Line**



SIDE A: EPS-R (Compatible with Look Keo).



SIDE B: EPS-M (Compatible with Shimano SPD).

#### **Expert Line**



SIDE A: EPS-R (Compatible with Look Keo).



SIDE B : Plastic platform



#### Oversize axle.

Oversize sealed & needle bearings.





#### E-PS207

#### **DUAL INTERFACE INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS-R (Compatible with Look Keo).

+ EPS-M (Compatible with Shimano SPD).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, CNC-machined Cr-Mo.

**Bearings** Sealed & needle.

**Binding** EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-ARC11+ & E-C05F

**Size** 87 x 90 mm

**Patented** 











Oversize axle.

Oversize sealed & needle bearings.





#### E-PS207SSP

#### **DUAL INTERFACE INDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle and oversize sealed & needle bearings. Anti-corrosion treatment protects against sweat damage.

- Oversize axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS-R (Compatible with Look Keo).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, CNC-machined Cr-Mo.

Bearings Sealed & needle.

**Binding** EPS-R: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC11

**Size** 87 x 90 mm

**Patented** 



Multi-interface Multi-interface **Expert Line** 

# 485 g/pr





SIDE B : Platform pedals



#### Oversize axle.

Oversize sealed & needle bearings.





#### E-PS815

#### **INDOOR PEDALS**

A strong, durable indoor pedal. Featuring an oversize axle and sealed & needle bearings. Interface allows use with: 1. EPS-M (Compatible Shimano MTB system). 2. Platform

- Extra-strength oversize bearings
- Oversize axle

**Interface** EPS-M (Compatible with Shimano SPD) + Platform pedals.

**Body** Aluminum.

Cage Aluminum, ED black.

**Axle** Oversize heat-treated, CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** Single-sided, Cr-Mo, tension adjustable.

Cleats E-CO5F

**Other** Also compatible with conventional bicycles (outside use).

**Size** 110 x 70 mm







#### **Expert Line**



Side A: Plastic platform



SIDE B : Platform pedals



Oversize axle.

Oversize sealed & needle bearings.





#### E-PS815SSP

#### **INDOOR PEDALS**

A strong, durable indoor pedal. Featuring an oversize axle and sealed & needle bearings. Interface allows use with: Double side platform (Cage side & plastic platform)

- Extra-strength oversize bearings
- Oversize axle

**Interface** Plastic platform + Platform pedals.

**Body** Aluminum.

Cage Aluminum, ED black.

**Axle** Oversize heat-treated, CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Other** Also compatible with conventional bicycles (outside use).

**Size** 110 x 70 mm

**Patented** 







#### **Expert Line**



Oversize axle.

Oversize sealed & needle bearings.



SIDE B: EPS-M (Compatible with Shimano SPD).

#### E-PS815-C8

#### **INDOOR PEDALS**

A strong, durable indoor pedal. Featuring an oversize axle and sealed & needle bearings. Interface allows use with: 1. Toe clips and straps. 2. EPS-M (Compatible Shimano MTB

- Extra-strength oversize bearings
- Oversize axle

**Interface** Toe clips and straps + EPS-M (Compatible with Shimano SPD).

Body Aluminum.

Cage Aluminum, ED black.

**Axle** Oversize heat-treated, CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** Single-sided, Cr-Mo, tension adjustable.

Cleats E-CO5F

**Other** Also compatible with conventional bicycles (outside use).

**Size** 113 x 145 mm















SIDE B: Plastic platform

Oversize axle. Oversize sealed & needle bearings.





E-PS815SSP-C8

#### **INDOOR PEDALS**

A strong, durable indoor pedal. Featuring an oversize axle and sealed & needle bearings. Interface allows use with: 1. Toe clips and straps. 2. plastic platform.

- Extra-strength oversize bearings
- Oversize axle

Interface Toe clips and straps + Plastic platform

Body Aluminum.

Cage Aluminum, ED black.

**Axle** Oversize heat-treated, CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

Cleats E-CO5F

**Other** Also compatible with conventional bicycles (outside use).

**Size** 113 x 145 mm

Patented









#### **Advanced Line**







SIDE B: EPS-M (Compatible with Shimano SPD).



#### Oversize axle.

Oversize sealed & needle bearings.





#### E-PS816-C8

#### **INDOOR PEDALS**

A strong, durable and versatile indoor pedal. Featuring an oversize axle and sealed &needle bearings and a robust mechanism. Interface allows use with: 1. EPS-M (Compatible Shimano MTB system). 2. Platform pedals. 3. Toe clips and straps.

- Oversize axle
- Oversize bearings

**Body** Aluminum, ED black.

**Axle** Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS-M: Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-CO5F

**Size** 98 x 115 mm (w/ toe clip 98 x 165 mm)





#### **Advanced Line**



SIDE A: Platform + Toe clip attachable.



SIDE B : EPS-M (Compatible with Shimano SPD).



Oversize axle.

Oversize sealed & needle bearings.





E-PS817-C8

#### **INDOOR PEDALS**

A strong, durable indoor pedal. Featuring an oversize axle and sealed & needle bearings. Interface allows use with: 1. EPS-M (Compatible with Shimano SPD). 2. Platform pedals. 3. Toe clips and straps.

- Extra-strength oversize bearings
- Oversize axle

Interface EPS-M (Compatible with Shimano SPD system). Platform pedals.

Toe clips and straps.

**Body** Aluminum. ED Black

**Axle** Oversize heat-treated, CNC-machined Cr-Mo.

**Bearing** Oversize sealed & needle.

**Binding** Single-sided, Cr-Mo adjustable tension.

Cleats E-CO5F

**Other** Also compatible with conventional bicycles (outside use).

**Size** 97.5 x 85 mm










- Supersize
- Anti-loosen device
- Extra-strong and durable
- Heat-treated
- CNC-machined Cr-Mo
- Supersize quad Isl bushing bearings



# **4 LENGTH OPTIONS SUPERSIZE AXLES** 4 SUPERSIZE LENGTH OPTIONS (Q Factor options) Four different axle length options allow for varying the Q Factor (the distance between the left and right foot when pedaling). This enables a much higher level of customization of pedal and shoe setup. It is perfect for large shoe sizes and may help cyclists with other biomechanical bike fitting issues. FOUR DIFFERENT LENGTHS SA+0 mm SA+15 mm LARGER SIZES For Standard Shoe Sizes (35–48) For Larger Shoe Sizes (49-59) These can also be retrofitted to certain models of Exustar indoor pedals. In some cases, it may be best to consult with a professional bike fitter before using non-standard axles.

EPS (Compatible with Look Delta).

655 g/pr







EPS (Compatible with Look Delta).





Supersize axle and anti-loosening axle device. Quad LSL bearings.



## Axle Width Options Tightening the locking ring prevents axle from E-PS9SA +10 EXTENDED SA+0 ~ +15

#### E-PS9SA

#### **INDOOR PEDALS**

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Anti-loosening axle device. Anticorrosion treatment protects against sweat damage.

- Supersize axle
- Quad bearings
- Anti-loosening axle device

Interface EPS (Compatible with Look Delta).

Body Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, supersize CNC-machined Cr-Mo. Anti-loosening device.

Bearings Quad LSL bearings.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC1

**Size** 88 x 94 mm









#### Supersize Axle

Supersize axle and anti-loosening axle device. Quad LSL bearings.





#### E-PS10SA

#### **INDOOR PEDALS**

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Anti-loosening axle device. Anticorrosion treatment protects against sweat damage.

- Supersize axle
- Quad bearings
- Anti-loosening axle device

Interface EPS (Compatible with Look Delta).

Body Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, supersize CNC-machined Cr-Mo. Anti-loosening device.

**Bearings** Quad LSL bearings.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC1

**Size** 89 x 94 mm







SIDE A: EPS (Compatible with Look Delta).



SIDE B: EPS-M (Compatible with Shimano SPD).

# **Expert Line**



SIDE A: EPS (Compatible with Look Delta).



SIDE B : Plastic platform

#### Supersize Axle

Supersize axle and anti-loosening axle device.



EXTENDED SA+0 ~ +15



Axle Width Options Tightening the locking ring prevents axle from

E-PS11SA +10 E-PS11SA +15

#### E-PS11SA

#### **DUAL INTERFACE INDOOR PEDALS**

Strong, durable indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Antiloosening axle device. Anticorrosion treatment protects against sweat damage.

- Supersize axle
- Quad bearings
- Anti-loosening axle device

Interface EPS (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, supersize CNC-machined Cr-Mo. Antiloosening device.

Bearings Quad LSL bearings.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-ARC1 & E-CO5F

**Size** 89 x 94 mm









#### Supersize Axle

Supersize axle and anti-loosening axle device. Quad LSL bearings.



•

EXTENDED SA+0 ~ +15 I



**Axle Width Options** 



#### **DUAL INTERFACE INDOOR PEDALS**

E-PS11SASSP

Strong, durable indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Antiloosening axle device. Anticorrosion treatment protects against sweat damage.

- Supersize axle
- Quad bearings
- Anti-loosening axle device

Interface EPS (Compatible with Look Delta).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, supersize CNC-machined Cr-Mo. Antiloosening device.


**Bearings** Quad LSL bearings.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC1

**Size** 89 x 94 mm





#### **Advanced Line**





SIDE B: EPS-M (Compatible with Shimano SPD).



#### Supersize Axle

Supersize axle and anti-loosening axle device. Quad LSL bearings.





Axle Width Options

Tightening the locking ring prevents axle from ever accidentally coming loose.

E-PS816SA-C8 + 0 mm (standard)

E-PS816SA-C8 + 5 + 5 mm

E-PS816SA-C8 + 10 + 10 mm

E-PS816SA-C8 + 15 + 15 mm

#### E-PS816SA-C8

#### **INDOOR PEDALS**

A strong, durable and versatile indoor pedal. Featuring a supersize axle and quad LSL bearings, an extra robust mechanism and an anti-loosen axle device. Interface allows use with: 1. EPS-M (Compatible Shimano MTB system). 2. Platform pedals. 3. Toe clips and strons

- Supersize axle
- Supersize quad bearings
- Anti-loosen axle device

**Body** Aluminum, ED black.

**Axle** Heat-treated, supersize CNC-machined Cr-Mo. Anti-loosening device.

**Bearings** Quad LSL bearings.

**Binding** EPS-M: Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-CO5F

**Size** 98 x 115 mm (w/ toe clip 98 x 165 mm)

Patented





The Exustar ISXb Drive system consists of pedals and a crankset connected by the innovative ISXb Interface.

The ISXb Interface is a 10 tooth splined system that connects the pedal axle to the crank arm (crankset is compatible with ISIS Drive bottom

ISXb guarantees a stronger, more reliable pedal-to-crank interface that will stand up to rigorous use by even the heaviest and most aggressive riders on the road, trail or in the fitness center environment.

This system is designed for optimal strength and durability. Flexibility of use is also factored into the ISXb system: Optionally, Exustar pedals can be fitted with longer more beefy axles that suit users with larger, heavier physiques, and/or extra large shoe sizes.



Sold as a set, including ISXb pedals and crankset. Optionally, Exustar can also supply ISIS Drive bottom brackets.

The ISXb Drive is compatible only with ISIS Drive bottom brackets.

**Expert Line** 

#### Multi-interface

#### **Advanced Line**







SIDE B: EPS-M (Compatible with Shimano SPD).

SIDE A : Platform + Toe clip attachable





SIDE B: EPS-M (Compatible with Shimano SPD).



Over size axle with ISXb drive system




























E-PS7 ISXb

#### **DUAL INTERFACE OUTDOOR PEDALS**

Strong, durable, and versatile indoor pedal, compatible with road or MTB cleats. Featuring an extra robust mechanism with oversize axle, and oversize sealed & needle bearings. Anticorrosion treatment protects against sweat damage.

- ISXb axle
- Extra-strength oversize bearings
- Corrosion resistant

Interface EPS (Compatible with Look Delta). +

EPS-M (Compatible with Shimano SPD).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

Axle Heat-treated, oversize CNC-machined Cr-Mo.

**Bearings** Oversize sealed & needle.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

EPS-M: Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-ARC1 & E-CO5F

**Size** 87 x 94 mm















ISXb axle.

Over size axle with ISXb drive system

#### Compatible



E-PS815-C8 ISXb E-PS816-C8 ISXb





#### E-PS817-C8 ISXb

#### **OUTDOOR PEDALS**

A strong, durable indoor pedal. Featuring an oversize axle and sealed & needle bearings. Interface allows use with: 1. EPS-M (Compatible with Shimano SPD). 2. Platform pedals. 3. Toe clips and straps.

- ISXb axle
- Extra-strength oversize bearings

Interface EPS-M (Compatible with Shimano SPD system). Platform pedals.

Toe clips and straps.

**Body** Aluminum. ED Black

**Axle** Oversize heat-treated, CNC-machined Cr-Mo.

**Bearing** Oversize sealed & needle.

**Binding** Single-sided, Cr-Mo adjustable tension.

Cleats E-CO5F

**Other** Also compatible with conventional bicycles (outside use).


**Size** 97.5 x 85 mm













ISXs guarantees a stronger, more reliable pedal-to-crank interface that will stand up to rigorous use by even the heaviest and most aggressive riders on the road, trail or in the fitness center environment.

This system is designed for optimal strength and durability. Flexibility of use is also factored into the ISXs system: Optionally, Exustar pedals can be fitted with longer more beefy axles that suit users with larger, heavier physiques, and/or extra large shoe sizes.

#### **BENEFITS OF THE ISXs DRIVE**

- Stronger interface
- More stable and durable
- Can be used with large diameter axles
- Can be used with longer axles





#### **SUPERSIZE AXLE TECHNOLOGY**

- Supersize
- EPSX drive system
- Extra-strong and durable
- Heat-treated
- CNC-machined Cr-Mo



#### **Expert Line**

















#### E-PS9 ISXs

#### **INDOOR PEDALS**

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Anti-loosening axle device. Anticorrosion treatment protects against sweat damage.

- Supersize axle
- Quad bearings
- Anti-loosening axle device

Interface EPS (Compatible with Look Delta).

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, supersize CNC-machined Cr-Mo. Anti-loosening device.

**Bearings** Quad LSL bearings.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge.

Cleats E-ARC1

**Size** 88 x 94 mm









EPS (Compatible with Look Delta).





SIDE A: EPS (Compatible with Look Delta).



SIDE B: EPS-M (Compatible with Shimano SPD).



Supersize axle and anti-loosening axle device. Quad LSL bearings.











#### E-PS10 ISXs

#### **INDOOR PEDALS**

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust mechanism with supersize axle, and quad LSL bearings. Anti-loosening axle device. Anticorrosion treatment protects against sweat damage.



Supersize axle and anti-loosening axle device.

Quad LSL bearings.











• Anti-loosening axle device

E-PS11 ISXs

**DUAL INTERFACE INDOOR PEDALS** 

corrosion treatment protects against sweat damage.

Interface EPS (Compatible with Look Delta). + EPS-M (Compatible with Shimano SPD).

Strong, durable indoor pedal, compatible with road cleats. Featuring an extra robust

mechanism with supersize axle, and quad LSL bearings. Anti-loosening axle device. Anti-

**Body** Aluminum, nickel plated & ED black, corrosion resistant.

**Axle** Heat-treated, supersize CNC-machined Cr-Mo. Anti-loosening device.

Bearings Quad LSL bearings.

**Binding** EPS: Fiberglass-reinforced thermoplastic, tension adjustable with gauge. EPS-M: Corrosion resistant Cr-Mo, tension adjustable with gauge.

Cleats E-ARC1 & E-CO5F


**Size** 89 x 94 mm















# ROWING PEDAL TECHOLOGY Dual Binding Clip-in Pedal System

#### **CONVENTIONAL FOOT STRETCHERS**


#### **EXUSTAR ROWING PEDALS**







Rigid positioning.



Concentrated power transfer. Freedom of movement.

Exustar's new clip-in rowing pedals offer benefits that top racing cyclists have been enjoying for decades.

The efficient, concentrated power transfer of rowing pedals allow rowers to focus on improving performance and not foot position. Unlike conventional foot stretchers, rowing pedals allow freedom of movement, and the natural rotation of the ankle, helping avoid discomfort, strains and injury. Positioning on base plate is adjustable to suit a wide variety of rowing machines. Lateral spacing is adjustable to suit a range of user body and feet sizes. Rowing pedals can be fitted to a base plate with axles mounted on the inside of pedal bodies, or on the outside. And additional feature is that Exustar rowing pedals can also be used on indoor bikes.

Exustar dual binding pedals are used with clip-in bicycle shoes and Exustar EPS cleats or EPS-M cleats.

#### **Advanced Line**







Oversize axle.

Oversize sealed & needle bearings.



EMM208-BP



Base plate not included.



USA: 16/934,080 China: 202010676119.6 Taiwan: 108146764 / 109116895



China: 202021397246.4 / 202021383847.X Taiwan: 108216963 / 109206267

#### **ROWING PEDALS**

#### **Dual Binding Clip-in Pedal System**

Exustar clip-in rowing pedals offer benefits that top racing cyclists have been enjoying for decades.

- Efficient, concentrated power transfer
- Maximum natural ankle rotation
- Lateral freedom of movement
- Quick clip in and release

#### Pedal-Shoe Interface

Side A: EPS cleats (Compatible with Look Delta)
Side B: EPS-M cleats (Compatible with Shimano SPD)

Compatible clip-in bicycle shoes and cleats required.

EPS cleats or EPS-M cleats available separately from Exustar.



















#### EPS-R



#### E-ARCR3 H3

EPS-R WIDE BEAM (Compatible with Look Keo pedals)

Wide beam offers a greater pedal—cleat—shoes contact area, increasing power and stability. Compatible with Exustar pedal series: PR1, PR2, PR3, PR4, PR16, PR17, PR103, and Look Keo pedals. (Not recommended for use with PR200 series, and E-PR107TK pedals.)

- Hardwearing Dura-Smooth layer
- Wide beam
- Anti-slip walk pads

Interface EPS-R Wide Beam (Compatible with Look Keo pedals)

**Mode** E-ARCR3 H3: Floating (6°)

Material Engineering thermoplastic / TPU plastic / reinforced polyoxymethylene



#### **Pro Line**







#### E-BLKR3 H3

EPS-R WIDE BEAM (Compatible with Look Keo pedals)

Wide beam offers a greater pedal—cleat—shoes contact area, increasing power and stability. Compatible with Exustar pedal series: PR1, PR2, PR3, PR4, PR16, PR17, PR103, and Look Keo pedals. (Not recommended for use with PR200 series, and E-PR107TK pedals.)

- Hardwearing Dura-Smooth layer
- Wide beam
- Anti-slip walk pads

**Interface** EPS-R Wide Beam (Compatible with Look Keo pedals).

Mode E-BLKR3 H3: Fixed position.

Material Engineering thermoplastic / TPU plastic / reinforced polyoxymethylene







#### E-ARCR3 H2

EPS-R WIDE BEAM (Compatible with Look Keo pedals).

Wide beam offers a greater pedal-cleat-shoes contact area, increasing power and stability. Compatible with Exustar pedal series: PR1, PR2, PR3, PR4, PR16, PR17, PR103, and Look Keo pedals. (Not recommended for use with PR200 series, and E-PR107TK pedals.)

- Wide beam
- Anti-slip walk pads

Interface EPS-R Wide Beam (Compatible with Look Keo pedals).

Mode E-ARCR3 H2: Floating (6°)

Material Engineering thermoplastic / TPU plastic







#### E-BLKR3 H2

**EPS-R WIDE BEAM** (Compatible with Look Keo pedals).

Wide beam offers a greater pedal-cleat-shoes contact area, increasing power and stability. Compatible with Exustar pedal series: PR1, PR2, PR3, PR4, PR16, PR17, PR103, and Look Keo pedals. (Not recommended for use with PR200 series, and E-PR107TK pedals.)

- Wide beam
- Anti-slip walk pads

Interface EPS-R (Compatible with Look Keo pedals).

Mode E-BLKR3 H2: Fixed position.

Material Engineering thermoplastic / TPU plastic



E-BLKR3 H1





#### E-ARCR3 H1

**EPS-R WIDE BEAM** (Compatible with Look Keo pedals).

Wide beam offers a greater pedal—cleat—shoes contact area, increasing power and stability. Compatible with Exustar pedal series: PR1, PR2, PR3, PR4, PR16, PR17, PR103, and Look Keo pedals. (Not recommended for use with PR200 series, and E-PR107TK pedals.)

- Hardwearing Dura-Smooth layer
- Wide beam

Interface EPS-R Wide Beam (Compatible with Look Keo pedals).

**Mode** E-ARCR3 H1: Floating (6°)

**Material** Engineering thermoplastic







Interface EPS-R Wide Beam (Compatible with Look Keo pedals).

Wide beam offers a greater pedal—cleat—shoes contact area, increasing power and stability. Compatible with Exustar pedal series: PR1, PR2, PR3, PR4, PR16, PR17, PR103,and Look

Keo pedals. (Not recommended for use with PR200 series, and E-PR107TK pedals.)

**EPS-R WIDE BEAM** (Compatible with Look Keo pedals).

Mode E-BLKR3 H1: Fixed position.

**Material** Engineering thermoplastic

• Hardwearing Dura-Smooth layer



Wide beam





#### E-RSL3 H3

**EPS-SL** (Compatible with Shimano SPD-SL pedals).

- Hardwearing Dura-Smooth layer
- Anti-slip walk pads

Interface EPS-SL (Compatible with Shimano SPD-SL pedals).

**Mode** E-RSL3 H3: Floating (6°)

Material Engineering thermoplastic / TPU plastic / reinforce polyoxymethylene



#### **Pro Line**





#### E-BSL3 H3

**EPS-SL** (Compatible with Shimano SPD-SL pedals).

- Hardwearing Dura-Smooth layer
- Anti-slip walk pads

Interface EPS-SL (Compatible with Shimano SPD-SL pedals).

Mode E-BSL3 H3: Fixed position.

Material Engineering thermoplastic / TPU plastic / reinforce polyoxymethylene







#### E-RSL3 H2

**EPS-SL** (Compatible with Shimano SPD-SL pedals).

Anti-slip walk pads

Interface EPS-SL (Compatible with Shimano SPD-SL pedals).

**Mode** E-RSL3 H2: Floating (6°)

Material Engineering thermoplastic / TPU plastic







#### E-BSL3 H2

**EPS-SL** (Compatible with Shimano SPD-SL pedals).

Anti-slip walk pads

Interface PS-SL (Compatible with Shimano SPD-SL pedals).

Mode E-BSL3 H2: Fixed position.

Material Engineering thermoplastic / TPU plastic







#### E-RSL3 H1

**EPS-SL** (Compatible with Shimano SPD-SL pedals).

• Hardwearing Dura-Smooth layer

 $\textbf{Interface} \ \mathsf{EPS}\text{-}\mathsf{SL} \ (\mathsf{Compatible} \ \mathsf{with} \ \mathsf{Shimano} \ \mathsf{SPD}\text{-}\mathsf{SL} \ \mathsf{pedals}).$ 

**Mode** E-RSL3 H1: Floating (6 $^{\circ}$ )

Material Engineering thermoplastic







#### E-BSL3 H1

**EPS-SL** (Compatible with Shimano SPD-SL pedals).m

Hardwearing Dura-Smooth layer

Interface EPS-SL (Compatible with Shimano SPD-SL pedals).

Mode E-BSL3 H1: Fixed position.

**Material** Engineering thermoplastic







#### E-ARC1 H3

EPS (Compatible with Look Delta pedals, and Exustar pedal series).

Compatible with Look Delta pedals, and Exustar pedal series: PR70, PR10, PS7, PS8, PS9, PS10, PS11, PR73.

- Hardwearing Dura-Smooth layer
- Anti-slip walk pads

Interface EPS (Compatible with Look Delta pedals).

Mode E-ARC1 H3: Floating (9°)

Material Engineering thermoplastic / TPU plastic / POM





**Pro Line** 

625



#### E-BLK1 H3

**EPS** (Compatible with Look Delta pedals, and Exustar pedal series).

Compatible with Look Delta pedals, and Exustar pedal series: PR70, PR10, PS7, PS8, PS9, PS10, PS11, PR73.

- Hardwearing Dura-Smooth layer
- Anti-slip walk pads

Interface EPS (Compatible with Look Delta pedals).

Mode E-BLK1 H3: Fixed position.

Material Engineering thermoplastic / TPU plastic / POM







#### E-ARC1 H2

**EPS** (Compatible with Look Delta pedals).

Compatible with Look Delta pedals, and Exustar pedal series: PR70, PR10, PS7, PS8, PS9, PS10, PS11, PR73.

Anti-slip walk pads

Interface EPS (Compatible with Look Delta pedals).

**Mode** E-ARC1 H2: Floating (9°)

Material Engineering thermoplastic / TPU plastic







E-BLK1 H2

**EPS** (Compatible with Look Delta pedals).

Compatible with Look Delta pedals, and Exustar pedal series: PR70, PR10, PS7, PS8, PS9, PS10, PS11, PR73.

Anti-slip walk pads

Interface EPS (Compatible with Look Delta pedals).

Mode E-BLK1 H2: Fixed position.

Material Engineering thermoplastic / TPU plastic







#### E-ARC1 H1

**EPS** (Compatible with Look Delta pedals).

Compatible with Look Delta pedals, and Exustar pedal series: PR70, PR10, PS7, PS8, PS9, PS10, PS11, PR73.

• Hardwearing Dura-Smooth layer

**Interface** EPS (Compatible with Look Delta pedals).

**Mode** E-ARC1 H1: Floating (9°)

**Material** Engineering thermoplastic







#### E-BLK1 H1

**EPS** (Compatible with Look Delta pedals).

Compatible with Look Delta pedals, and Exustar pedal series: PR70, PR10, PS7, PS8, PS9, PS10, PS11, PR73.

• Hardwearing Dura-Smooth layer

**Interface** EPS (Compatible with Look Delta pedals).

Mode E-BLK1 H1: Fixed position.

**Material** Engineering thermoplastic











• Wide beam • Anti-slip walk pads

**Interface** EPS-R Wide Beam (Compatible with Look Keo pedals).

**Mode** E-ARCR2: Floating (6°), E-BLKR2: Fixed position.

Weight 48 g/pr

Material Engineering thermoplastic / TPU plastic.

Patented WARNING Incompatible with Look Keo Blade pedals. Incompatible with Exustar PR200 series, and EPR107TK pedals





CLEATS

#### E-ARCR20 / E-BLKR20

• Wide beam

Interface EPS-R Wide Beam (Compatible with Look Keo pedals)

**Mode** E-ARCR20: Floating (6°), E-BLKR20: Fixed position.

Weight 48 g/pr

Material Engineering thermoplastic.

Patented WARNING Incompatible with Look Keo Blade pedals. Incompatible with Exustar PR200 series, and E-PR107TK pedals.





Floating

#### E-ARC5+ / E-BLK5+

**Interface** EPS (Compatible with Look Delta pedals).

**Mode** E-ARC5: Floating (9°), E-BLK5: Fixed position.

Weight 52 g/pr

Material Engineering thermoplastic / TPU plastic.

**Patented** 





#### E-ARC1 / E-BLK1

Floating

Interface EPS (Compatible with Look Delta pedals).

**Mode** E-ARC1: Floating (9°), E-BLK1: Fixed position.

Weight 46 g/pr

Material Engineering thermoplastic.

**Patented** 



EPS-R (Compatible with Look Keo pedals, and Exustar pedal series: PR1, PR2, PR3, PR4, PR17, PR100, PR101, PR103, PR200, PR201, PS207).



E-ARC11+ / E-BLK11+

**Interface** EPS-R (Compatible with Look Keo pedals).

Material Engineering thermoplastic / TPU plastic.

E-ARC11: Floating (7°), E-BLK11: Fixed position.

Anti-slip walk pads

Weight 46 g/pr

**Patented** 

EPS-R



Fixed position





Floating

Fixed position

#### E-ARC10 / E-BLK10

**Interface** EPS-R (Compatible with Look Keo pedals)

**Mode** E-ARC10: Floating (7°), E-BLK10: Fixed position.

Weight 48 g/pr

Material Engineering thermoplastic.

Patented



EPS-SL (Compatible with Shimano SPD-SL pedals, and Exustar pedal series: PR18, PR23).





Anti-slip walk pads

Interface EPS-SL (Compatible with Shimano SPD-SL pedals).

**Mode** E-RSL11: Floating (4.5°), E-BSL11: Fixed position.

Weight 50 g/pr

Material Engineering thermoplastic / TPU plastic.

**Patented** 





Floating

Fixed position

#### E-RSL1 / E-BSL1

Interface EPS-SL (Compatible with Shimano SPD-SL pedals).

**Mode** E-RSL1: Floating (4.5°), E-BSL1: Fixed position.

Weight 50 g/pr

Material Engineering thermoplastic.

**Patented** 



-- Always choose cleats that are compatible with both your pedals and shoes. --

-- Always choose cleats that are compatible with both your pedals and shoes. -









#### E-CO1F

Interface EPS-M (Compatible with Shimano SPD pedals and Exustar pedal series: E-PM215+, E-PM215-BK). Cold Forged Cr-Mo steel.

Weight 40 g/pr



#### E-CO3F

Entry level (easier disengagement).

Interface EPS-M

(Compatible with Shimano SPD pedals).

Cold Forged Cr-Mo steel.

Weight 40 g/pr





Fixed position

#### E-C100

Interface Cleat, toe clip & strap.

Mode Fixed position slot.

Weight 34 g/pr

Engineering thermoplastic.





Fixed position

#### E-C100AL

**Interface** Cleat, toe clip & strap.

**Mode** Fixed position slot.

Weight 68 g/pr

6061 Aluminum.





#### **E-C**05F

Interface EPS-M

(Compatible with Shimano SPD pedals)

Cold Forged Cr-Mo steel.

Weight 42 g/pr







#### **E-C07F**

Interface EPS-M

(Compatible with Shimano SPD pedals).

Hot Forged Cr-Mo steel.

Weight 43 g/pr







Fixed position

#### E-C101

Interface Cleat, toe clip & strap.

**Mode** Fixed position slot.

Weight 40 g/pr

Engineering thermoplastic.





Fixed position

#### E-C101AL

**Interface** Cleat, toe clip & strap.

**Mode** Fixed position slot.

Weight 66 g/pr

6061 Aluminum.



-- Always choose cleats that are compatible with both your pedals and shoes. --

-- Always choose cleats that are compatible with both your pedals and shoes. --







#### E-ARCR2CK / E-BLKR2CK

• Wide beam • Anti-slip walk pads

Interface EPS-R Wide Beam (Compatible with Look Keo pedals)

Mode E-ARCR2: Floating (6°), E-BLKR2: Fixed position.

Weight 48 g/pr

**Carbon** fiber-nylon composite / TPU plastic.



ompatible with Look Keo Blade pedals. Incompatible with Exustar PR200 series, and E-PR107TK pedals.



E-ARCR20CK / E-BLKR20CK

#### • Wide beam

Interface EPS-R Wide Beam (Compatible with Look Keo pedals).

Mode E-ARCR20: Floating (6°), E-BLKR20: Fixed position

Weight 48 g/pr

Carbon fiber-nylon composite.

Patented A WARNING

ompatible with Look Keo Blade pedals. Incompatible with Exustar PR200 series, and E-PR107TK pedals.

EPS-R (Compatible with Look Keo pedals, and Exustar pedal series: PR1, PR2, PR3, PR4, PR16, PR17, PS207, PR103).





#### E-ARC11CK / E-BLK11CK

Anti-slip walk pads

**Interface** EPS-R (Compatible with Look Keo pedals).

**Mode** E-ARC11: Floating (7°), E-BLK11: Fixed position.

Weight 45 g/pr

Carbon fiber-nylon composite / TPU plastic.



E-ARC10CK / E-BLK10CK

**Interface** EPS-R (Compatible with Look Keo pedals). **Mode** E-ARC10: Floating (7°), E-BLK10: Fixed position.

Weight 45 g/pr

Carbon fiber-nylon composite.

#### EPS-R









#### E-CK5-BK / E-CK5-RD

Lightweight, durable, flexible.

Compatibility EPS-R cleats (Look Keo-style Wide Beam: E-ARCR2, E-BLKR2, E-ARCR3, E-BLKR3). Weight 90 g/pr

**Patented** 

**EPS** 

ACCESSORIES PEDAL









Lightweight, durable, flexible.

Compatibility Look Delta-style cleats (E-ARC1, E-BLK1, E-ARC2, E-BLK2).

Weight 74 g/pr

**Patented** 

#### EPS-R





#### E-CK3B / E-CK3R

Lightweight, durable, flexible.

Compatibility EPS-R cleats (Look Keo-style: E-ARC10, E-BLK10, E-ARC11+, E-BLK11+). Weight 96 g/pr

**ACCESSORIES PEDAL** 

**Patented** 

**EPS** 

**ACCESSORIES PEDAL** 







#### E-CK6B / E-CK6R

Lightweight, durable, flexible.

Compatibility EPS-SL cleats (Shimano SPD-SL-style: E-RSL3, E-BSL3 E-RSL1, E-BSL1, E-RSL11, E-BSL11).

Weight 86 g/pr

Patented

EPS-M

CLEATS





EPS (Compatible with Look Delta pedals, and Exustar pedal series: PR70, PR10, PS7, PS8, PS9, PS10, PS11, PR73).

#### E-ARC5CK / E-BLK5CK

**Interface** EPS (Compatible with Look Delta pedals). Mode E-ARC5: Floating (9°), E-BLK5: Fixed position. Weight 53 g/pr

**Patented** 

137

Carbon fiber-nylon composite.





#### E-ARCICK / E-BLKICK

**Interface** EPS (Compatible with Look Delta pedals) Mode E-ARC1: Floating (9°), E-BLK1: Fixed position. Weight 49 g/pr

Carbon fiber-nylon composite.

-- Always choose cleats that are compatible with both your pedals and shoes. --

E25-M








#### E-CK2B / E-CK2R

Lightweight, durable, flexible

Compatibility EPS-M cleats (Shimano SPD-style: E-CO1F, E-CO3F, E-CO5F).

Weight 13 g/pr

**Patented** 



#### **CLIP-IN PEDAL ADAPTERS**

Clip-in pedal adapters allow a user of clip-in pedals to conveniently and safely use them wearing ordinary sports shoes. The pedal adapter set consists of four (4) parts: a pedal-like platform, a toeclip, a toe strap, and a cleat (3 bolt hole or 2 bolt hole). A rider uses the adapter much like an ordinary platform pedal. The adapter can be used with or without a toe-clip and strap.

NOTE: Note: The pedal adapter unit is n ot a pedal nor a replacement for one. It does not have an axle.



#### CLIP-IN PEDAL ADAPTERS

E-SLO2 Platform + E-ARCR3 H1 Cleat + Toe Clip.
Engineering thermoplastic platform
Cleat,toe clipand toe strap can be attached to platform.



#### E-SL02A

#### CLIP-IN PEDAL ADAPTERS

E-SLO2 Platform + E-ARC1 Cleat + Toe Clip.

**Pedal Interface** EPS (Compatible with Look Delta pedals).

Cleats E-ARC1

Weight 379 g/pr

Engineering thermoplastic.



#### CLIP-IN PEDAL ADAPTERS

E-SLO2 Platform + E-CO1F Cleat + Toe Clip.

Pedal Interface EPS-M (Compatible with Shimano SPD pedals).

Cleats E-CO1F
Weight 363 g/pr
Engineering thermoplastic.



#### **CLIP-IN PEDAL ADAPTERS**

E-SLO2 Platform + E-RSL3 H1 Cleat + Toe Clip.
Engineering thermoplastic platform
Cleat,toe clipand toe strap can be attached to platform.



#### CLIP-IN PEDAL ADAPTERS

E-SLO2 Platform + E-BLK1 Cleat + Toe Clip.

**Pedal interface** EPS (Compatible with Look Delta pedals).

Cleats E-BLK1

Weight 379 g/pr

Engineering thermoplastic.



E-SLO2 Platform + toe clip

Engineering thermoplastic platform toe clip and toe strap can be attached to platform

#### PEDALS REPAIR TOOLS (Compatible with Exustar series PS7, PS8, PS207).



#### **E-SL09**

#### **CLIP-IN PEDAL ADAPTERS**

Platform

- Aluminum platform
- Toe clip and toe strap can be attached to platform

**Patented** 





#### E-SL09A

#### **CLIP-IN PEDAL ADAPTERS**

Platform + Toe Clip + Toe Strap.

• Aluminum platform, plastic toe clip, nylon strap.

**Patented** 





#### E-SL06

#### ADAPTER PLATFORM-CLEAT

Pedal Interface EPS-R (Compatible with Look Keo pedals). Material Engineering thermoplastic platform.



#### **E-SL07**

#### ADAPTER PLATFORM-CLEAT

Pedal Interface EPS (Compatible with Look Delta pedals). **Material** Engineering thermoplastic platform.



#### **E-SL08**

#### ADAPTER PLATFORM-CLEAT

Pedal Interface EPS-SL (Compatible with Shimano SPD-SL pedals). Material Engineering thermoplasti platform

#### PEDALS REPAIR TOOLS





Engineering thermoplastic.

For removal and installation of Exustar or Shimano cartridge axles.

Use with standard socket wrench.

18g



# E-T02

Engineering thermoplastic. For removal and installation of Exustar or Shimano cartridge

Use with wrench.

10g



#### **E-T09**

#### PEDAL CARTRIDGE AXLE REMOVAL **TOOLS**

Pedal cartridge axle removal tool for removal and installation of Exustar or Shimano cartridge axles.

Made by H/t with plastic handle grip





Engineering thermoplastic.

For removal and installation of Exustar cartridge axles.

Use with standard socket wrench.



#### E-T19

#### PEDAL CARTRIDGE AXLE REMOVAL TOOLS

Pedal cartridge axle removal tool for removal and installation of Exustar cartridge axles.





GREASE

For high-end components. Fortified with micron-sized PTFE particles to ensure ultra-low friction. TG01+ attaches with convenient nozzle Compatible with Exustar grease gun

**BICYCLE GREASE GUN** 

Engineering thermoplastic.

150g



#### E-TG02+





#### **GREASE**

High quality paraffin-based lithium grease. TGO2+ attaches with convenient nozzle Compatible with Exustar grease gun E-TO5+

150g



**GREASE GUN** 


The Exustar grease gun works with Exustar grease and many third party grease tubes.


Exustar grease is formulated to exceed the toughest demands of on and off- road cycling. it features agents that help expel water, oxidation inhibitors that protect against rust, anti-wear additives that cling to contact surfaces, and high temperature stability that prevents premature grease


# **CUSTOMIZED PEDAL ERGONOMICS**

# **Ergonomic Axle Upgrade for Road Pedals**

The variable length of this specially designed, patented axle allows riders of different height and shoe size to customize axle length for improved pedaling ergonomics. The threaded axle head is extended allowing the horizontal center of the axle to be moved closer to the crank arms. The axle comes with two spacers (2.5 mm, 5 mm) that allow three axle length settings: standard, medium, and short.







Retrofit, aftermarket upgrade compatible with these Exustar road pedals: E-PR201, E-PR101SL, E-PR100CKTi, E-PR100CKKTi, E-PR100CK, E-PR100AL-WH, E-PR100P, E-PR70CKTi, E-PR70Ti-WH, E-PR70





# E-PA4AD AXLE

**Axle** CNC-machined Cr-Mo (cartridge).

**Bearings** Sealed & needle. **Size** 87 x 94 mm Weight 83 g/pc

Axle Length Settings (measured from crank arm to horizontal center of axle)

# E-ESS088-8 GRIP PINS

Long 8 mm (2 mm Allen key included)











# E-ESS088-4 GRIPPINS

Short 4 mm (2 mm Allen key included)











# E-EMM191 DUST CAPS















Orange

# **TOE CLIPS**

Large supportive design with instep guard and built-in reflector.







# REFLECTORS



# **REFLECTOR PLATFORMS**





EPS-R (Compatible with Shimano SPD). Look Keo).

PARTS

# **TOE STRAPS**

Durable nylon webbing Stainless steel buckles. 450mm (17.71")





**BINDING** 





# cleats PARTS

FOR EPS-M (Compatible with Shimano SPD).



EMM006

Insole Washers





EMM016

Flat Nuts



ESS013

Cleat Bolts







EMM001 Flat Nuts

# FOR EPS-R (Compatible with Look Keo).



Cleat Bolts (Screw head)

ESS005

Delta-style



Cleat Bolts (Hex head)

Delta-style & Keo-style



Cleat Bolts (Hex head)

Compatible with EXUSTAR

road shoes ,other three

ESS107-10

bolt hole shoes.



ESW004

Cleat Washers

Delta-style

ESW015

Cleat Washers





ESW023 Cleat Washers Keo-style

ESW029 Cleat Washer EPS-R & EPS-SL

Polished, anodized aluminum dust caps (14mm dia.) for using with a wide range of Exustar pedals.
















# **Shoe Technology**

# Guide to shoes soles





# SIDEWALL CARBON FIBER SOLE

Our top of the line sole, Sidewall offers maximum power transfer, impact protection, comfort, and light weight.





# SLIMLINE CARBON FIBER SOLE

An extremely rigid, lightweight full carbon fiber sole for high performance





#### CARBON FIBER-NYLON COMPOSITE SOLE

A rigid combination of carbon fiber and nylon.





# NYLON-FIBERGLASS COMPOSITE SOLE

A sole constructed of nylon-fiberglass with good stiffness and durability





#### **RUBBER SOLE**

Sole made from natural rubber.





#### **RUBBER SOLE**

Sole made from natural rubber

# ICON GUIDE





Touring country



XC

Cross

Cyclocross





Winter





BMX







Urban



Indoor

mountain



# Shoe features





#### ROTARY MICROLOCK CLOSURE

The Rotary Microlock Closure system provides the greatest degree of fit, comfort, and precision adjustment in a bicycle shoe. It is a system, unlike traditional tie-up laces, that allows lace pressure to be equalised around your foot. Foot fit and foot comfort is literally dialled in-fine tuned-by a small mechanical reel that controls a network of laces. On the fly micro adjustment is quick and easy, ensuring perfect fit and comfort





#### MICROLOCK M2 CLOSURE

The Microlock M2 is Exustar's 2nd generation cam and ratchet strap closure system. Besides being lighter and more compact, the M2 has several key advantages over our standard Microlock system:

# Buckle is position-adjustable-there is a choice of two bolt hole positions so riders can individualise the basic setup.





easy access while riding.



release button is perfect in high pressure competition





AIR CONTROL

Strategically placed vents in road shoe soles promote air circulation, which keeps feet cooler and drier.





# **CLEAT POSITION INDICATOR**

Lines and numbers are marked on the shoe sole. Having ascertained your optimum cleat position on one shoe, by using the indicator as a guide, you can easily reproduce that position on the second shoe. Also handy when you replace old cleats with new-just duplicate the original



# SCREW-ON CLEAT RECESS COVER

Screw-on, reusable cleat recess cover gives a rider the option to use MTB hoes with or without cleats.









A replaceable screw-on TPU anti-slip walk pad. Being able to replace the walk pad helps prolong the life of your shoes.





The Sidewall Sole is a monocoque carbon fiber shell that partially encloses the foot to support, not only the sole, but the sides of the foot as well. Sidewall increases power transfer, provides greater comfort, and offers better foot protection.





# **INTRODUCTION**

Conventional cycling shoe soles are a platform for the sole of the foot. The Sidewall not only supports the sole, the monocoque carbon fiber shell partially encases and supports the sides of the foot. This signifacant additional support translates into increased power transfer, greater comfort, and foot protection.

# Increased Power Transfer

With a concentional cycling shoe sole, as the leg muscles compress the foot on the downstroke, some power is dissipated laterally in the shoe before reaching the pedal. The integral carbon fiber walls of the Sidewall prevent much of this power loss. The result is more power channelled directly to the pedal.

# **## Greater Comfort (Anatomical Fit)**

Most cycle shoes offer little or no arch support. The stiff yet flexible arch support in Sidewall is integrated into the monocoque carbon fiber sole itself.

# Lightweight

The flexible carbon fiber shell protects the foot better than other shoes, particularly in the heel and arch areas.

# 

Our multi-stiffness, multi-thickness carbon fiber technology allows us to minimize footbed material thickness where it is superfluous, making valuable weight savings.

# **Breathability**


Air vents are built into the base of the sole maximumizing air flow.

# **Rigidity and Flexibility (Maximum Foot Support)**

Using an advanced monocoque construction technique we are able to build the Sidewall sole with varying degrees of stiffness and thickness in different areas in the sole. For example in the main power tranfer zone, the sole is totally rigid, while the stiffness level on the walls varies according to the level of flexibility required.

# COMPARISON

# SIDEWALL SOLE













# NORMAL SOLE
















# Carbon Fiber Sole Stiffness 10

An extremely rigid, lightweight full carbon fiber sole for high performance riding.

# Rotary microlock closure



# Light weight heel counter





# E-SR2911

# **CARBON FIBER ROAD SHOES**

Advanced level road race shoe engineered for maximum performance. It features a contoured, supple knitted fabric upper, with hot melt PU and dual rotary Microlock closures. An extremely rigid, carbon fiber sole maximizes power transfer, while built-in air control cents help keep you cool, and rubber anti-slip walk pads are ready when your feet touch the ground. Lightweight heel counter.

- Slimline carbon fiber sole
- Knitted fabric
- Rubber walk pads
- Dual rotary Microlock closures
- Quick Release Lace Button

**Upper** Hot melt PU sheet with knitted fabric, rigid, lightweight Pebax heel counter.

Closure Dual rotary Microlock closures.

**Sole** Carbon fiber with air control vents with rubber walk pads, cleat position indicator. **Insole** Ergonomic arch-design washable PU.

Interface 3 bolt hole cleats.

**Size** 37 - 48



















Carbon Fiber Sole Stiffness 10

An extremely rigid, lightweight full carbon fiber sole for high performance riding.

# Rotary microlock closure



# Light weight heel counter



# E-SR2811

# **CARBON FIBER ROAD SHOES**

Advanced level road race shoe engineered for maximum performance. It features comfortable microfiber leather upper with breathable mesh, and dual rotary microlock

An extremely rigid, carbon fiber sole maximizes power transfer, while built-in air control vents help keep you cool, and rubber anti-slip walk pads are ready when your feet touch the ground. Lightweight heel counter.

- Slimline carbon fiber sole
- Lightweight heel counter
- Rubber tread
- Dual rotary microlock closures

**Upper** Microfiber leather, breathable mesh.

**Closure** Dual rotary microlock closures.

**Sole** Carbon fiber, with Air Control vents with rubber walk pad.

**Insole** Ergonomic arch-design washable PU.

Interface 3 bolt hole cleats.

**Size** 37 - 48



















A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

# Rotary microlock closure



# E-SR446

# **ROAD SHOES**

Sport level road shoe. Features a contoured, comfortable PU leather upper, with breathable mesh, and Dual rotary microlock closures. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

• Dual rotary microlock closures

**Upper** PU leather, breathable mesh,

**Closure** Dual rotary microlock closures

**Sole** Nylon-fiberglass composite with Air Control vents, TPU walk pad, cleat position

**Insole** Ergonomic arch-design washable EVA

Interface 3 bolt hole cleats.

**Size** 37 - 48















# **Comp Line**





A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



# E-SR406

#### **ROAD SHOES**

Sport level road shoe. It features a contoured, comfortable PU leather upper, with breathable mesh, and Dual rotary microlock closures. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

- Dual rotary microlock closures
- Smooth Form upper

**Upper** PU leather, breathable mesh, reflective swatch.

**Closure** Dual rotary microlock closures

**Sole** Nylon-fiberglass composite with Air Control vents, TPU walk pad, cleat position indicator.

Insole Ergonomic arch-design washable PU.

Interface 3 bolt hole cleats.

Size 37 - 48











# **Comp Line**





A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

# E-SR403

#### **ROAD SHOES**

A road race shoe engineered for top performance. It features a contoured, supple PU leather upper, with breathable mesh, and a Microlock buckle. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and non-slip walk pads are ready when your feet touch the ground.

ROAD SHOES

**Upper** PU leather, breathable mesh, reflective swatch.

Closure Microlock buckle, Velcro straps.

Sole Nylon-fiberglass composite, with Air Control vents, TPU walk pad, cleat position indicator.

**Insole** Washable, perforated EVA.

Interface 3 bolt hole cleats.

**Size** 37 - 48













A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



159



# E-SR4103

#### **ROAD SHOES**

Sport level road shoe. It features a contoured, comfortable PU leather upper, with breathable mesh, and a rotary microlock closure. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

Rotary microlock closure

**Upper** PU leather, breathable mesh, reflective swatch.

**Closure** Rotary microlock closure. Velcro straps.

**Sole** Nylon-fiberglass composite with Air Control vents, TPU walk pad, cleat position indicator.

Insole Washable, perforated EVA.

Interface 3 bolt hole cleats.

**Size** 37 - 48













# 638 g/pr



A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



# E-SR4112-GR

#### **ROAD SHOES**

A road race shoe engineered for top performance. It features a contoured, supple PU leather upper, with breathable mesh, and Velcro straps. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and non-slip walk pads are ready when your feet touch the ground.

**Upper** PU leather, breathable mesh.

Closure Microlock M2 buckle, Velcro straps.

**Sole** Nylon-fiberglass composite, with Air Control vents, TPU walk pad.

**Insole** Washable, perforated EVA.

**Interface** 3 bolt hole cleats. / 2 bolt hole cleats.





# **Sport Line**





A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



# E-SR456B

# **ROAD SHOES**

Sport level road shoe. Features a contoured, comfortable PU leather upper, with breathable mesh, and a Microlock buckle. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

Microlock buckle

**Upper** PU leather, breathable mesh.

**Closure** Microlock buckle, Velcro straps.

**Sole** Nylon-fiberglass composite with Air Control vents, TPU walk pad.

**Insole** Ergonomic arch-design washable EVA.

Interface 3 bolt hole cleats.

**Size** 37 - 48







# B STERNESS SERVICE SER



613 g/pr

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



# E-SR456

# **ROAD SHOES**

Sport level road shoe. Features a contoured, comfortable PU leather upper, with breathable mesh, and Velcro straps. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

**Upper** PU leather, breathable mesh.

Closure Velcro straps.

**Sole** Nylon-fiberglass composite with Air Control vents, TPU walk pad.

**Insole** Ergonomic arch-design washable EVA.

Interface 3 bolt hole cleats.

**Size** 37 - 48

















A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



# **E-SR404B**

#### **ROAD SHOES**

Sport level road shoe. It features a contoured, comfortable PU leather upper, with breathable mesh, and a Microlock buckle. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

Microlock buckle

**Upper** PU leather, breathable mesh.

**Closure** Microlock buckle, Velcro straps.

**Sole** Nylon-fiberglass composite with Air Control vents, TPU walk pad.

**Insole** Washable, perforated EVA.

**Interface** 3 bolt hole cleats. / 2 bolt hole cleats.

**Size** 37 - 48















**562** g/pr

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

# E-SR404

### **ROAD SHOES**

Sport level road shoe. It features a contoured, comfortable PU leather upper, with breathable mesh, and Velcro straps. The nylon-fiberglass composite sole has built-in Air Control vents to help keep you cool, and anti-slip walk pads are ready when your feet touch the ground.

**Upper** PU leather, breathable mesh.

Closure Velcro straps.

**Sole** Nylon-fiberglass composite with Air Control vents, TPU walk pad.

**Insole** Washable, perforated EVA.

**Interface** 3 bolt hole cleats. / 2 bolt hole cleats.

**Size** 37 - 48






















Slimline Carbon Fiber Sole Stiffness





An extremely rigid, lightweight full carbon fiber sole for high performance riding.

# Rotary microlock closure



# E-ST2411R-WH

# TRIATHLON SHOES

A high-end triathlon shoe engineered for maximum performance. It features a contoured, supple PU leather upper, with extra breathable mesh, large heel loops and a tongueless design for easy entry and quick change. The carbon sole has extra built-in Air Control vents to help keep you cool, and nonslip walk pads are ready when your feet touch the ground.

TRIATHLON SHOES

- Rotary microlock closures
- Extra ventilation
- Reinforced toe
- Rubber walk pads
- Carbon fiber sole

**Upper** PU leather, with heel shell, breathable mesh, reflective swatch.

**Closure** Rotary microlock closures, Velcro straps.

**Sole** Carbon fiber with Air Control vents with rubber walk pad.

**Insole** Ergonomic arch-design washable PU.

Interface 3 bolt hole

**Size** 37 - 48

















# CARBON FIBER OUTSOLE FEATURES

**MTB** Anti-slip rubber tread-toe cap protects toe Raised side protects foot and resists friction Anti-slip pedal pad Thin, lightweight sole Un-obstructive front tread facilitates smooth cleat engagement Anti-slip rubber tread for comfortable walking





Slimline Carbon Fiber Sole Stiffness 10

An extremely rigid, lightweight full carbon fiber sole for high performance riding.

# Rotary microlock closure



# E-SM3011

# **CARBON FIBER MOUNTAIN BIKE SHOES**

An MTB shoe engineered for top performance. It features comfortable Microfiber leather upper with breathable mesh, and Dual rotary microlock closures closure, plus pressurerelieving counter-directional straps. A Slimline carbon fiber sole minimizes weight and thickness without sacrificing stiffness. Lightweight heel counter.

- Dual rotary microlock closures
- Slimline carbon fiber sole
- Lightweight heel counter
- Rubber tread
- Reinforced toe

**Upper** Microfiber leather, breathable mesh.

**Closure** Dual rotary microlock closures

**Sole** Carbon fiber, with rubber tread, anti-slip pedal pad.

**Insole** Ergonomic arch-design washable PU.

Interface 2 bolt hole cleats.

**Size** 37 - 48

CARBON 10















An extremely rigid, lightweight full carbon fiber sole for high performance riding.

# Mud-shedding, Aggressive Tread



Anti-slip Pedal Pad Special integrated anti-slip pad helps prevent pedal slip on shoe sole.



# E-SM352

# **CARBON FIBER MOUNTAIN BIKE SHOES**

An MTB shoe engineered for top performance. It features comfortable PU leather upper with breathable mesh, and the versatile Microlock M2 buckle closure, plus pressurerelieving counter-directional straps. A Slimline carbon fiber sole minimizes weight and thickness without sacrificing stiffness. An integrated mud-shedding, aggressive TPU tread is perfect for all-terrain conditions.

- Reinforced toe
- Microlock M2 buckle
- Counter-directional straps
- Slimline carbon fiber sole
- Mud-shedding, aggressive tread

**Upper** PU leather, reinforced in key areas, with breathable mesh, reflective swatch.

**Closure** Microlock M2 buckle, counter-directional Velcro straps.

**Sole** Carbon fiber, anti-slip pedal pad, cleat position indicator.

**Insole** Washable, perforated EVA.

**Interface** 2 bolt hole cleats.

**Size** 37 - 48















MTB SHOES **Comp Line** 





Nylon-fiberglass Composite Sole Stiffness 8





A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

# Rotary microlock closure



# Toe spikes attachable





# E-SM3010

# MTB SHOES

Comp level MTB shoe. It features a contoured, comfortable PU leather upper with breathable mesh, and a rotary microlock closure. The nylon-fiberglass composite sole has anti-slip walk pads that are ready when your feet touch the ground.

- Smooth form upper
- Reinforced toe
- Rotary microlock closure. Velcro straps
- Mud-shedding, aggressive tread

**Upper** Smooth form non-stitched PU leather with large air holes.

**Closure** Rotary microlock closure. Velcro straps.

**Sole** Nylon-fiberglass composite with rubber tread, anti-slip pedal pad, toe spikes attachable. **Insole** Ergonomic arch-design washable PU.

Interface 2 bolt hole cleats.

**Size** 37 - 48













# Nylon-fiberglass Composite Sole Stiffness B







A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

# Rotary microlock closure



# E-SM3136

# MTB SHOES

Comp level MTB shoe. It features a contoured, comfortable PU leather upper, with breathable mesh, and a rotary microlock closure. The nylon-fiberglass composite sole has anti-slip walk pads are ready when your feet touch the ground.

Rotary microlock closure

**Upper** PU leather, breathable mesh, reflective swatch.

**Closure** Rotary microlock closure. Velcro straps.

**Sole** Nylon-fiberglass composite, TPU walk pad, cleat position indicator.

**Insole** Washable, perforated EVA.

Interface 2 bolt hole cleats.

**Size** 37 - 48















MTB SHOES MTB SHOES

# **Comp Line**





A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

# E-SM364-RD

# **MOUNTAIN BIKE SHOES**

This MTB shoe features a contoured, comfortable PU leather upper, with breathable mesh, and a Microlock buckle. The nylon-fiberglass composite sole has integrated TPU tread for all-

**Upper** PU leather, breathable mesh, reflective swatch.

**Closure** Microlock buckle, Velcro straps.

**Sole** Nylon-fibreglass composite with TPU tread, toe spikes attachable.

Insole Washable EVA.

Interface 2 bolt hole cleats.

**Size** 37 - 48













#### MOUNTAIN BIKE SHOES

An MTB shoe engineered for top performance. It features a contoured, comfortable PU leather upper, with breathable mesh, and a Microlock buckle. The nylon-

**Upper** PU leather with breathable mesh, reflective swatch.

**Closure** Microlock buckle, Velcro straps.

**Sole** Nylon-fiberglass composite, with TPU tread, anti-slip pedal pad, cleat position indicator, attachable toe spikes supplied.

**Insole** Washable, perforated EVA.











# **Sport Line**



Nylon-fiberglass Composite Sole Stiffness B





A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

# E-SM386

#### MOUNTAIN BIKE SHOES

This MTB shoe features a contoured, comfortable PU leather upper, with breathable mesh, and Velcro straps. The nylon-fiberglass composite sole has integrated TPU tread for all-terrain conditions.

Reinforced toe

**Upper** PU leather, breathable mesh.

Closure Velcro straps.

**Sole** Nylon-fibreglass composite with TPU tread, anti-slip pedal pad, toe spikes attachable.

**Insole** Washable perforated EVA.

**Interface** 2 bolt hole cleats.

**Size** 37 - 48













fiberglass composite sole has integrated TPU tread-perfect for all-terrain conditions.

Interface 2 bolt hole cleats.

**Size** 37 - 48













# 716 g/pr

Nylon-fiberglass Composite Sole Stiffness B

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

# E-SM324

# MOUNTAIN BIKE SHOES

This MTB shoe features a contoured, comfortable PU leather upper, with breathable mesh, and Velcro straps. The nylon-fiberglass composite sole has integrated TPU tread-perfect for all-terrain conditions.

**Upper** PU leather, breathable mesh, reflective swatch.

Closure Velcro straps.

**Sole** Nylon-fibreglass composite with TPU tread, anti-slip pedal pad, toe spikes attachable.

**Insole** Washable, perforated EVA.

**Interface** 2 bolt hole cleats.

**Size** 35 - 50 (greater size range)









# **Sport Line 758** g/pr

# Nylon-fiberglass Composite Sole Stiffness B





A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



# E-SM3310B-RD

#### MOUNTAIN BIKE SHOES

This MTB shoe features a contoured, comfortable PU leather upper, with breathable mesh, and a Microlock buckle. Nylon-fiberglass composite with rubber tread, anti-slip pedal pad. for all-terrain conditions.

**Upper** PU leather, breathable mesh.

Closure Microlock buckle, Velcro straps.

**Sole** Nylon-fiberglass composite with rubber tread, anti-slip pedal pad.

**Insole** Ergonomic arch-design washable EVA.

Interface 2 bolt

**Size** 37 - 48







# **704** g/pr

# Nylon-fiberglass Composite Sole Stiffness B





A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



# E-SM3310-RD

# **MOUNTAIN BIKE SHOES**

This MTB shoe features a contoured, comfortable PU leather upper, with breathable mesh, and Velcro straps. Nylon-fiberglass composite with rubber tread, anti-slip pedal pad. for allterrain conditions.

**Upper** PU leather, breathable mesh.

Closure Velcro straps.

**Sole** Nylon-fiberglass composite with rubber tread, anti-slip pedal pad.

**Insole** Ergonomic arch-design washable EVA.

Interface 2 bolt

**Size** 37 - 48











# **Sport Line**







# Nylon-fiberglass Composite Sole Stiffness B







A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



# E-SM308B

#### **MOUNTAIN BIKE SHOES**

This MTB shoe features a contoured, comfortable PU leather upper, with breathable mesh, and Velcro straps. The nylon-fiberglass composite sole has integrated TPU tread for all-terrain

**Upper** PU leather, breathable mesh.

**Closure** Microlock buckle, Velcro straps.

**Sole** Nylon-fibreglass composite with TPU tread, anti-slip pedal pad, toe spikes attachable.

**Insole** Washable perforated EVA.

Interface 2 bolt hole cleats.

**Size** 37 - 48















# Nylon-fiberglass Composite Sole Stiffness B











# E-SM308

# MOUNTAIN BIKE SHOES

This MTB shoe features a contoured, comfortable PU leather upper, with breathable mesh, and Velcro straps. The nylon-fiberglass composite sole has integrated TPU tread for all-terrain

**Upper** PU leather, breathable mesh.

Closure Velcro straps.

**Sole** Nylon-fibreglass composite with TPU tread, anti-slip pedal pad, toe spikes attachable.

**Insole** Washable perforated EVA.

Interface 2 bolt hole cleats.

**Size** 37 - 48















# E-SM807-BL

# **MOUNTAIN BIKE SHOES**

Shoe designed for both cycling and walking. Features toe & ankle abrasion guards. Compatible with clip-in or platform pedals.

176

**Upper** Hot melt PU sheet with breathable mesh.

Closure Laces.

**Sole** Rubber with EVA wedge.

Midsole Nylon.

**Insole** Washable, perforated EVA.

Interface 2 bolt hole cleats.

**Size** 37 – 48







Semi-flexible mid-sole makes for a more walkable shoe.

Lightweight EVA wedge.

Durable rear pad.

NEW GENERATION SEMI-FLEXIBLE MTB SOLE

Chamfered cleat recess allows

easier cleat engagement.

Wider design.

Mud-shredding,

175

water-dispersing, anti-slip

E-0S807

MTB SHOES Sport Line **Sport Line** 





Rubber Sole Stiffness 5

Sole made from natural rubber.



# E-SM817

# **MOUNTAIN BIKE SHOES**

This all-round MTB shoe features a contoured, hot melt PU sheet with breathable mesh, and a rubber sole. Compatible with clip-in or platform pedals. New generation semi-flexible sole.

**Upper** Hot melt TPU with breathable mesh.

Closure Laces.

**Sole** Rubber with EVA wedge.

Midsole Nylon

Insole Washable, perforated EVA.

Interface 2 bolt hole cleats.

**Size** 37 − 48













# E-SM825

# RIDE-WALK SHOES

Shoe designed for both cycling and walking. Features toe & ankle abrasion guards. Compatible with clip-in or platform pedals.

MTB SHOES

- Screw-on cleat recess cover
- Elastic lace holder

**Upper** Hot melt PU sheet with breathable mesh.

Closure Laces.

**Sole** Rubber with EVA wedge. Screw-on cleat recess cover.

Midsole Nylon.

**Insole** Washable, perforated EVA.

Interface 2 bolt hole cleats.

**Size** 37 - 48

















# Sport Line



Rubber Sole Stiffness 5 Sole made from natural rubber.

Velcro straps



# E-SB7011

# **BMX SHOES**

Built to be tough and durable on the outside, yet soft and comfortable on the inside. It features a detachable lace cover, breathable upper, a natural rubber non-slip sole, and a midsole that utilizes Exustar's proprietary dual-stiffness technology. The shoe is designed to be used with clip-in pedals (2 bolt hole cleats).

BMX SHOES

- Detachable Velcro lace cover
- Highly breathable
- Non-slip sole

**Upper** PU leather with elastic mesh and large air holes.

**Sole** Non-slip rubber.

Midsole Bio sole

Insole Washable, EVA.

Interface 2 bolt hole cleats.

**Size** 37 - 48


















Sole made from natural rubber.

# Protective toe guard





# Screw-on cleat recess cover



Some Exustar shoes come with our 2nd generation cleat recess cover which is screw-on, and reusable. The cleat recess cover gives a rider the option to use shoes with or without cleats/clip-in pedals. To ride without cleats, the cover remains in place. No more knives and messy cutting.





# E-SS515

# MOUNTAIN BIKE SANDALS

This MTB sandal features a comfortable upper with four adjustable straps, toe guard, and a rubber sole. Compatible with clip-in or platform pedals.

- Toe guard
- Breathable strap underlay for barefoot comfort
- Screw-on cleat recess cover

**Upper** Natural suede a breathable, flexible strap underlay.

**Closure** Nylon tape Velcro straps

**Sole** Rubber with EVA wedge. Screw-on cleat recess cover.

Footbed EVA.

Midsole Bio sole.

Interface 2 bolt hole cleats.

**Size** 37 - 38, 39 - 40, 41 - 42, 43 - 44, 45 - 46, 47 - 48















Sole made from natural rubber.

**Sport Line** 



# E-SS503

# MOUNTAIN BIKE SANDALS

This MTB sandal features a comfortable upper with four adjustable straps, toe guard, and a rubber sole. Compatible with clip-in or platform pedals.

830 g/pr

SANDALS SHOES

"best touring shoes."

- Forks on Wheels

- Toe guard
- Breathable strap underlay for barefoot comfort
- Screw-on cleat recess cover

**Upper** PU leather, neoprene strap underlay, reflective swatch.

Closure Velcro straps.

Footbed EVA.

Midsole Bio sole.

**Sole** Rubber with screw-on cleat recess cover.

Interface 2 bolt hole cleats.

**Size** 37 - 38, 39 - 40, 41 - 42, 43 - 44, 45 - 46, 47 - 48



















INDOOR / SPORT SHOES INDOOR / SPORT SHOES **Sport Line** 

# Sport Line







Sole made from natural rubber.



# E-SP818

# MTB INDOOR CYCLING SHOES

**Upper** Hot melt TPU with breathable mesh.

Closure Velcro Straps.

**Sole** Rubber with EVA wedge.

Midsole Nylon

Insole Washable, perforated EVA.

Interface 2 bolt hole cleats.

**Size** 37 – 48

















# E-SP828

# MTB INDOOR CYCLING SHOES

**Upper** Hot melt PU sheet with breathable mesh.

Closure Laces

Sole EVA+RB

Midsole Nylon.

**Insole** Washable perforated EVA.

Interface 2 bolt hole cleats.


**Size** 37 - 48











Advanced Line INDOOR SHOES

# FULL SIZE RANGE SHOES



**605** g/pr

# **SIZE 35-48**

Nylon-fiberglass Composite Sole Stiffness B Stiffness A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.

# **SIZE 49-59**

Sidewall Carbon Fiber Sole



Our top of the line sole, Sidewall offers maximum power transfer, impact protection, comfort, and light weight.

#### Microlock M2 closure



# E-SR4153-WHBK

# **FULL SIZE RANGE SHOES**

An indoor cycling shoe engineered for top performance. It features a contoured, supple PU leather upper, with breathable mesh, and a Microlock buckle. The sole has built-in Air Control vents to help keep you cool, and non-slip walk pads are ready when your feet touch the ground. With nylon-fiberglass composite or carbon fiber soles (depending on size).

Wide range of sizes including extra large

**Upper** PU leather, breathable mesh.

**Closure** Microlock buckle, Velcro straps.

**Sole** Nylon-fiberglass composite or Carbon fiber.

**Insole** Washable perforated EVA.

Interface 3 bolt hole cleats.

**Size** 35 - 48 (Nylon-fiberglass composite sole; 49 - 59 Carbon fiber sole).

**Patented** 



FULL SIZE RANGE SHOES

(5)



# **SIZE 35–48**

NYLON-FIBERGLASS COMPOSITE SOLE

A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



SLIMLINE CARBON FIBER SOLE

An extremely rigid, lightweight full carbon fiber sole for high performance riding.





# FULL SIZE RANGE SHOES (Size 35-59)

Exustar introduces our first large size cycling shoes. With sizes ranging from 35–59, this high-end product is perfect for the discerning indoor or outdoor cyclist with larger feet.

#### COLOR OPTION







F\_SR4153\_RK /\N/F



E-SR4153



Stiffness 8 SIZE 35-48
NYLON-FIBERGLASS

COMPOSITE SOLE
A sole constructed of nylon-fiberglass with good stiffness and durability characteristics.



Stiffness 10

**SIZE 49-59** 

SLIMLINE CARBON FIBER SOLE


An extremely rigid, lightweight full carbon fiber sole for high performance riding.

SIZE 35-	-48													
EURO	35	36	37	38	39	40	41	42	43	44	45	46	47	48
US	3.5	4	4.5	5.5	6.5	7	9	8.5	9.5	10.5	11	12	13	13.5
UK	2.5	3	3.5	4.5	5.5	6	7	7.5	8.5	9.5	10	11	12	12.5
JP	22.5	23.0	23.5	24.0	25.0	25.5	26.0	27.0	27.5	28.5	29.0	29.5	30.5	31.0

SIZE 49-	-59											
EURO	49	50	51	52	53	54	55	56	57	58	59	
US	14.5	15	16	16.5	17.5	18	19	20	20.5	21.5	22	
UK	13.5	14	15	15.5	16.5	17	18	19	19.5	20.5	21	
JP	31.5	32.0	33.0	33.5	34.0	35.0	35.5	36.0	37.0	37.5	38.0	

# FULL SIZE RANGE SHOES









HELMETS

# **PRO Line**



# E-BHM106

# **BICYCLE HELMET**

In-mold bonded construction with 26 air-vents.

- Secure, adjustable locking buckle harness.
- Ratchet wheel allows easy micro-sizing adjustment.
- Bug mesh keeps insects out.
- Removable blade visor blocks sunlight.
- Removable, washable padding.

Meets CE safety standards.

**Size** L (58 - 62cm)













# E-BHM122

- Secure, adjustable locking buckle harness.
- Ratchet wheel allows easy micro-sizing adjustment.
- Bug mesh keeps insects out.
- Removable blade visor blocks sunlight.





















# **BICYCLE HELMET**

In-mold, bonded construction with 20 air- vents.

- Removable, washable padding.
- Meets CE safety standards.

**Size** (56 - 62 cm)


















HELMETS HELMETS

# **Advanced Line**



# E-BHM118

# **BICYCLE HELMET**

In-mold, bonded construction with 27 air-vents.

- Secure, adjustable locking buckle harness.
- Ratchet wheel allows easy micro-sizing adjustment.
- Bug mesh keeps insects out.
- Removable blade visor blocks sunlight.
- Removable, washable padding.

Meets CE safety standards.

**Size** S/M (55 - 58 cm), L/XL (59 - 62 cm)









# **Sport Line**



# E-BHC301

# **BICYCLE HELMET**

In-mold, bonded construction with 33 air-vents.

- Secure, adjustable locking buckle harness.
- Ratchet wheel allows easy micro-sizing adjustment.
- Bug mesh keeps insects out.
- Removable, washable padding.

Meets CE safety standards.

**Size** 56 - 60 cm















**268** g/pr

# **BICYCLE HELMET**

- Secure, adjustable locking buckle harness.
- Ratchet wheel allows easy micro-sizing adjustment.
- Removable blade visor blocks sunlight.
- Removable, washable padding.













# E-BHM107

Tough, durable ABS shell construction with 24 air-vents.

- Bug mesh keeps insects out.

Meets CE, CNS standards.

**Size** S/M (55 - 58 cm) 240 g/ pc, M/L (58 - 61) 266 g/ pc









# **Expert Line**



# E-BHR121

# **BICYCLE HELMET**

In-mold, bonded construction with 28 air-vents.

- Secure, adjustable locking buckle harness.
- Ratchet wheel allows easy micro-sizing adjustment.
- Bug mesh keeps insects out.
- Removable, washable padding.

Meets CE safety standards.

**Size** (54 - 60 cm)
















# **EYEWEAR TECHNOLOGY**

FEATURING REMOVABLE, REPLACEABLE LENSES FOR ALL SEASONS										
Cat.	Visable	Weather	Usage							
LV. 80100.	80%~100%		Clear lenses, for night time or low light riding							
LV. 43:-80.	43%~80%		Low light riding							
[V. 18:-43.	18%~43%		Sunny conditions							
IV. 3 818.	8%~18%		Suitable for sunny day or water sports							
LV. 38.	3%~8%		Snowy conditions. (Unsuitable for driving)							





















# E-CSG24-MBL

# E-CSG24

# **3**5 g

# SUNGLASSES

Durable sunglasses featuring non-slip earpieces to keep glasses in place.

- One-piece UV400 lens
- Lightweight, durable TR90 polymer frame.
- Adjustable nose pad.
- Face-fitting shape.
- With two sets of tinted lens.

# CE certified.

#### **Color Options**







E-CSG24-WH





# E-CSG23 Green Revo

# E-CSG23

# **3**3 g

# SUNGLASSES

Durable sunglasses featuring non-slip earpieces to keep glasses in place.

- One-piece UV400 lens
- Non-slip earpieces
- Adjustable nose pad

#### CE certified.

#### Color Options







Frame Polycarbonate, non-slip earpieces. UV400 protection.

**Lens** One-piece polycarbonate.

Nose Pad Adjustable.





# E-CSG18 GR (Green-blue)

**3**0 g

E-CSG17 YL Green Revo

**27** g



# **Color Options**



E-CSG18 BK (Black-red)





# E-CSG18

# PHOTOCHROMIC SUNGLASSES

Photochromic lenses change from light to dark automatically depending on the amount of ultraviolet light exposure.

- Adjustable lens angle allows two light settings.
- Adjustable temple.
- Adjustable nose pad.
- Durable TR90 polymer frame.
- Anti-scratch nano lens coating.
- UV400 protection

Visibility Range 13 - 53% (Cat. 1 - Cat. 3)

#### **Color Options**









# SUNGLASSES

- Lightweight, durable TR90 transparent polymer frame.
- Face-fitting shape.
- Detachable elastic strap.
- UV400 protection.
- With one set of transparent lenses.

CE certified.












# E-CSG09

# SUNGLASSES

- One-piece polycarbonate lens with CE certified.
- Lightweight and heat resistant TR90 material frame.
- Face-fitting shape.
- With four sets of tinted lens.
- UV400 protection.

# CHAIN GUIDE BEFORE







Eurobike Award



Francisco Marazin



The chain guide required the gear cable to run along the underside of the chainstay for optimum fitting. Version can be fitted to any bike with a normal chainstay design.



The chain guide can still be fitted over the gear cable meaning the cable hinge is not needed.

# **Comp Line**



# E-CCG50


# **CHAIN GUIDE**

• Flexible anti-rattle design

Award-winning innovative chain retention system for bikes with double or triple chainrings. Two-way pivot reduces wear and reduces chain noise.

Compatible with most frames including those with cable routed under chainstay. Replaceable guide tube.

Plastic





# **CHAIN GUIDE**

Award-winning innovative chain retention system for bikes with double or triple chainrings. Two-way pivot reduces wear and reduces chain noise.

Compatible with most frames including those with cable routed under chainstay. Replaceable guide tube.

Forged aluminum/plastic

Datantad

Color Option



# Comp Line



# CHAIN GUIDE


Award-winning innovative chain retention system for bikes with double or triple chainrings. Two-way pivot reduces wear and reduces chain noise.

Compatible with most frames including those with cable routed under chainstay. Replaceable guide tube.

Plastic

Patented





# E-CMG40-732

700c / 26"

- Stops water, grit and mud
- Water dispersing design
- Minimalist, sleek appearance
- Easy to attach or detach

Hollow aluminum stay, 10mm O.D. Stainless steel hardware.



Max tire width



11.8"(300mm)






Cut stay to fit 26" wheel.



118 g/pc





# E-CMG20-735

#### **FENDER**

700c / 26"

- Stops water, grit and mud
- Water dispersing design
- Minimalist, sleek appearance
- Easy to attach or detach

Hollow aluminum stay, 10mm O.D. Stainless steel hardware.



Max tire width



11.8"(300mm)



Suits all tire types, 30mm angle adjuster



Cut stay to fit 26" wheel.











# **CARBON**

**Color Options** 





# E-BC64-MBK

# CARBON FIBER BOTTLE CAGE

 Color
 Black, Blue, Yellow

 Weight
 28 ± 2 g/pc





# E-BC63 series

# CARBON FIBER BOTTLE CAGE

Colors Silver, Red, Yellow Weight  $15 \pm 2 \text{ g/pc}$ 





# E-BC52

# CARBON FIBER BOTTLE CAGE

**Colors** Black, Blue, Red Weight  $27 \pm 2 \text{ g/pc}$ 

**Patented** 

Color Options








# E-BC503

# **BOTTLE CAGE**

Paint finished Nylon+fiberglass

**Colors** Grey, Blue, Black, White





# E-BC501

# **BOTTLE CAGE**

Paint finished Nylon+fiberglass

Colors Black, White, Red

**Color Options** 







# E-BC504

# **BOTTLE CAGE**

Paint finished Nylon+fiberglass

Colors Black, Grey, White, Red





# E-BC500

# **BOTTLE CAGE**

Nylon+fiberglass.

**Colors** Black, White, Silver, Red, Blue.





E-BC31

# CARBON FIBER BOTTLE CAGE

Weight  $23 \pm 2 \text{ g/pc}$ Patented



E-BC50+

# CARBON FIBER BOTTLE CAGE

Weight  $20 \pm 2 \text{ g/pc}$ 



# E-BC200C

# **BOTTLE CAGE**

PC

Colors Carbon fiber finish, Black

**Patented** 

Option



E-BC200K



E-BC11

# CARBON FIBER BOTTLE CAGE

**Weight**  $22 \pm 2 \text{ g/pc}$ 



E-BC60+

# CARBON FIBER BOTTLE CAGE

**Weight**  $25 \pm 2 \text{ g/pc}$ 



# E-BBW10



# WATER BOTTLE

- Easy open nozzle
- Full flow water stream
- Easy grip cap

**BPA-free** Polypropylene. **Capacity** 600 ml





**Color Options** 



E-BBW10-BK (Black)



E-BC70+

# CARBON FIBER BOTTLE CAGE

**Weight**  $30 \pm 2 \text{ g/pc}$ Patented



E-BC70+

# CARBON FIBER BOTTLE CAGE

**Weight**  $30 \pm 2 \text{ g/pc}$ Patented



# E-BBW11



- Full flow water stream
- Easy grip cap

**BPA-free** Polypropylene. Capacity 800 ml









# **Expert Line**



# **Gel Padding**

Gel-Pro Padding, no matter what position of rider's hand on the handlebar, all could make the rider feel comfortable.



# Anti-slip pull rings for easy to take off the glove.



# E-CG902

# **GEL GLOVES**

Gel paddingBreathable vented palmComfortable, durable and machine-washable

Padding Gel (3mm).

Microfiber leather with vented palm and silicon-printing.

Elastic spandex. Adjustable Velcro straps. S - M - L - XL







# **Pro Line**



# **Gel Padding**

Gel-Pro Padding, no matter what position of rider's hand on the handlebar, all could make the rider feel comfortable.













# E-CG982-WH

# **GLOVES**

- Shock absorbing gel padding
- Perforated palm for improves ventilation

Padding Palm Microfiber Back Elastic Spandex Size S - M - L - XL



E-CG982-RD

E-CG982-BL


E-CG982-BK



E-CG982-GY

# **Pro Line**





# E-CG170A

#### **GLOVES**

- Pittard's goat leather palm provides great bar feel and excellent breathability.
   Proper gel chamois increase comfort and precise control.
   Stretchable fabric top is soft and breathable.

- Digital sublimation printing with reflective piping.
   Terry cloth on thumb area for sweat wicking.
- Adjustable Velcro closure for perfect fit.

S - M - L - XL



# **Pro Line**


# **Gel Padding**

Gel-Pro Padding, no matter what position of rider's hand on the handlebar, all could make the rider feel comfortable.





# Anti-slip pull rings for easy to take off the glove.



# E-CG980

# **GLOVES**

- Perfectly and Low drag coefficient fitting design
- Perforated palm for improves ventilation

Microfiber Palm Back Elastic Spandex Size S - M - L - XL







# E-CG970-GR

# **RACING GLOVES**

- Perforated microfiber leather with neoprene chamois on palm absorbs shock
   Air-flow system at palm improves ventilation.
- Stretchable fabric top is soft and breathable.
- Anti-slip silicon grip holds position while cycling.

S - M - L - XL





E-CG970-BL

E-CG970-BK







ROAD TT ENDURD TRACK

RDAD TT ENDURD TRACK

# E-CG151

#### **GEL-PRO GLOVES**

- Gel-pro padding
- Breathable vented palm
- Comfortable, durable and machine-washable

Silicon grip

Palm

Back

Padding

Gel (3 mm). / Gel-pro (4.5 mm).

Microfiber leather with vented palm and silicon-printing. Pliable, breathable spandex with reflective logo.

Closure Adjustable Velcro straps. Size S - M - L - XL





# E-CG950

#### **RACING OR TOURING GLOVES**

- Vented microfiber leather with gel chamois on palm absorbs shock.
   Synthetic suede reinforcing pull ring for easy take off.
- Air-flow system on palm improves ventilation.
- Stretchable fabric with durable mesh top is soft and breathable.
   Terry cloth on thumb area for sweat wicking.
- Adjustable Velcro closure for perfect fit.

XS - S - M - L - XL - XXL

**Color Option** 



E-CG950-RD/BK

# **Expert Line**

# E-CG152-RD

#### **GEL-PRO GLOVES**

- Gel-pro padding
- Breathable vented palm
- Comfortable, durable and machine-washable
- Silicon grip

Back

**Padding** 

Palm

Gel-pro (4.5 mm). Microfiber leather with vented palm and silicon-printing. Pliable, breathable spandex with reflective logo.

**Thumb Wipe** Sweat absorbing microwipe.

Size S - M - L - XL



E-CG152-GY

# **Sport Line**



# **E-CG240-RD**

- Perforated microfiber leather with foam chamois at palm absorbs shock
   Stretchable fabric top is soft and breathable.
- Terry cloth on thumb area for sweat wicking.
   Adjustable Velcro closure for perfect fit

S - M - L - XL







E-CG240-BL





# E-CG153-RD

#### **GEL-PRO GLOVES**

- Gel-pro padding
- Breathable vented palm
- Comfortable, durable and machine-washable
- Silicon grip

**Padding** Gel (3 mm). / Gel-pro (4.5 mm).

Palm Microfiber leather with vented palm and silicon-printing.

Pliable, breathable spandex with reflective logo. Back

**Closure** Adjustable Velcro straps. **Thumb Wipe** Sweat absorbing microwipe. S - M - L - XL

Color Options

Size



# **Sport Line**





# E-CG282-AG

#### **GLOVES**

- Breathable microfiber leather increases ventilation.
- Foam chamois for perfect shock absorption.
- Terry cloth thumb swatch for wiping away sweat.
- Velcro straps for adjustable closure.

S - M - L - XL

**Color Options** 



E-CG282-RD

# **Sport Line**





# E-CG281

#### **GLOVES**

- Breathable microfiber leather increases ventilation.Foam chamois for perfect shock absorption.
- Terry cloth thumb swatch for wiping away sweat.
  Velcro straps for adjustable closure.

S - M - L - XL

#### **Color Options**



# **Sport Line**





**Sport Line** 

# E-CG280

- shock



# GLOVES

- Perforated microfiber leather with proper foam chamois at palm absorbs
- Stretchable fabric top is soft and breathable.
   Terry cloth on thumb area for sweat wicking.
- Adjustable Velcro closure for perfect fit.

XS - S - M - L - XL Size

E-CG280-BK

# E-CG430

#### **GLOVES**

Vented Microfiber leather with foam padding Spandex, heat transfer printing Area Microfleece



Palm **Closure** Adjustable Velcro straps Size S-M-L-XL







# E-CG342-GR

#### GLOVES

Palm Microfiber leather with shock absorbing foam padding Wipe Area Terry cloth **Back** Spandex, with reflective logo Size S-M-L-XL





E-CG342-RD

# **Sport Line**





# E-CG201


#### **GLOVES**

- Durable microfiber palm with ventilation system
   Proper neoprene chamois for shock absorption.
- Stretchable fabric top is soft and breathable.
  Terry cloth on thumb area for sweat wicking.
- Adjustable Velcro straps for closure for perfect fit.
- Loop on fingers for easy pull off.

S - M - L - XL







217

# E-CG734

#### **FULL FINGER GEL-PRO GLOVES**

- Gel-pro padding
- Breathable vented palm
- Comfortable, durable and machine-washable
- Silicon-coated fingers for better grip.

Padding Gel (3 mm). / Gel-pro (4.5 mm).

Palm Microfiber leather with vented palm and silicon-printing.

Back Pliable, breathable spandex with reflective logo.


**Thumb Wipe** Sweat absorbing microwipe. Adjustable Velcro straps.

Size S - M - L - XL

RDAD TT ENDURD TRACK









Gel-Pro Padding, design for flat handlebar, make the rider feel comfortable.

Padding concave design on the little finger area, for easy to hold the handlebar.

Strengthened design on the area which between the thumb and the index finger for Shift

E-CG503

ENDURO AM XC

E-CG503-RD

Rib fabric

S - M - L - XL

Full fingers suit flat handlebarPalm Variable thickness, shock absorbing gel padding

**FULL FINGER GLOVES** 

Back Size

# E-CG520 **FULL FINGER GLOVES**

• Durable microfiber leather with gel chamois at palm absorbs shock while

E-CG503-GR


E-CG503-YL

- Suede reinforcement and silicon finger grips increase stability while riding.
  Flexible knuckle band and nylon mesh for breathability.
  Grip on thumb, index and middle finger for better control.

- Terry cloth on thumb area for sweat wicking.
   Adjustable Velcro straps for closure for perfect fit.

S - M - L - XL









**Sport Line** 



# E-CG740

- Silicon-printing finger grips increase stability while riding
  Neoprene, fleece and thinsulate insulation keeps warm while riding in cold weather

#### **FULL FINGER GLOVES**

- Microfiber leather with neoprene chamois on palm absorbs shock while
- Terry cloth on thumb area for sweat wicking.
   Adjustable Velcro straps for closure for perfect fit

S - M - L - XL

# TOUR URBAN

# E-CG730


#### **FULL FINGER GLOVES**

- Perforated microfiber leather with neoprene chamois on palm absorbs shock while riding.
- Suede reinforcement and silicon finger grips increases stability.
   Terry cloth on thumb area for sweat wicking.
   Adjustable Velcro straps for closure for perfect fit.

Size S - M - L - XL

# **Advanced Line**





# E-CG560

#### **FULL FINGER GLOVES**

Water Resistant and wind-resistant gloves for winter cycling. Wide range of sizes for more choices

- Full cover silicon grip surface at palm increase stability while riding
   Neoprene and microfiber leather with reflective piping on top provides
- Water Resistant membrane, fleece and thinsulate insulation keeps warm while riding in cold weather
- Microfiber leather on thumb area for sweat wicking.
- Zipper for closure for perfect fit

S - M - L - XL - XXL





# E-CG590

#### **FULL FINGER GLOVES**

- Full finger winter gloves
- Fleece-lined
- Shock absorbing gel padding

Microfiber leather Palm Back Polyester, heat transfer printing

Thumb Fleece

Adjustable Velcro straps S - M - L - XL









# **E-CG140W**

#### **WOMAN'S GLOVES**

- Shock absorbing gel paddingVented palm maximizes airflow
- Wide range of Sizes

Vented Microfiber leather with gel padding

Spandex, heat transfer printing

Adjustable Velcro straps XS - S - M - L - XL





**Sport Line** 

# E-CG120K-PK

#### CHILDREN'S GLOVES

- Children's glovesShock absorbing gel padding

Polygrip palms with shock absorbing gel padding Palm Spandex, digital sublimation printing Back

Wipe area Terry cloth

Closure Adjustable Velcro straps

Size M - L





# E-CG120W-PK

#### **WOMAN'S GLOVES**

- Half-finger cut design Polygrip palms
- Shock absorbing gel paddingWide range of sizes

Microfiber leather with Polygrip dots, gel padding. Palm

Back Spandex, digital sublimation printing

Thumb Terry cloth

Adjustable Velcro straps

XS - L - XL Size



Size: XL



Size: XS - S - M - L - XL

# **Sport Line**





# E-CG260K

#### CHILDREN'S GLOVES

Perforated microfiber leather with shock absorbing foam padding

Spandex, heat transfer graphics

Terry cloth Thumb

Adjustable Velcro straps Closure

Size M - L





# **Sport Line**



# **Sport Line**





# E-CG530W-PK

#### **WOMAN'S GLOVES**

- Full finger gloves
- Shock absorbing gel paddingWide range of Sizes
- Polygrip palms

Palm Microfiber leather with Polygrip dots, gel padding. Spandex, digital sublimation printing Back

Terry cloth Thumb

Adjustable Velcro straps

XS - S - M - L - XL Size



E-CG530W-BL Size: XS - S - L - XL Size: XS - S - M - L - XL

# E-CG270K

#### CHILDREN'S GLOVES


Perforated microfiber leather with shock absorbing foam padding

Spandex, heat transfer graphics


Terry cloth Adjustable Velcro straps

Closure

Size M - L







# E-CJ105

#### **JERSEY**

Close-fitting and aerodynamic.

- Moisture-wicking fabric
   Lets cool air in, expels hot air
   Elastic, non-slip body-hugging
- UV protection4 pockets

**Primary Fabric** RideCool 3. RideAir 2, RideNon-slip. Secondary Fabric

**Pockets** Four, including one zippered pocket.

Full-length zipper. Closure Waistband Anti-slip rear waistband. RideNon-slip Cuffs S-M-L-XL-XXL Size

E-CJ105							
Measure Size/cm	S	M	L	XL	XXL		
1/2 Bust	44	46.5	49	51.5	54		
Sleeve	22.5	24.5	26.5	28.5	30.5		
Length	63.5	66	68.5	71	73.5		














# E-CJ104

#### **JERSEY**

Close-fitting and aerodynamic.

- Moisture-wicking fabric
- Lets cool air in, expels hot air
- Elastic, non-slip body-hugging
- UV protection
- 4 pockets

Size

RideCool 3. **Primary Fabric** Secondary Fabric RideAir 2, RideNon-slip.

Four, including one zippered pocket. **Pockets** 

S-M-L-XL-XXL

Full-length zipper. Closure Anti-slip rear waistband. Waistband Cuffs RideNon-slip

E-CJ104 XL XXL 54.2 46.7 49.2 51.7 1/2 Bust 44.2 33.5 37.5 31.5 35.5 39.5 Sleeve 66 68.5 71 63.5 73.5 Length









# E-CJ103W-AG

#### **JERSEY**

Close-fitting and aerodynamic.

- Moisture-wicking fabric
   Lets cool air in, expels hot air
   Elastic, non-slip body-hugging
- UV protection
- 4 pockets

RideCool 2. **Primary Fabric** 

RideAir 2, RideNon-slip. Secondary Fabric

Four, including one zippered pocket. **Pockets** 

Full-length zipper. Closure

Waistband Anti-slip rear waistband.

Cuffs RideNon-slip

S-M-L-XL Size


E-CJ103W							
Measure Size/cm	S	M	L	XL			
1/2 Bust	43	45	47	49			
Sleeve	27	28.5	30	31.5			
Length	61	63	65	67			













# E-CJ100-BK

#### **JERSEY**


- Moisture-wicking fabricLets cool air in, expels hot air
- Elastic, non-slip body-hugging
- UV protection4 pockets

Primary Fabric RideCool 3. Secondary Fabric RideAir 2, RideNon-slip.

Four, includiing one reflective, zippered pocket. **Pockets** 

Closure Full-length zipper. Waistband Anti-slip band. Size S-M-L-XL-XXL





# **E-CJ99**

#### **JERSEY**

- Moisture-wicking fabricLets cool air in, expels hot air
- Elastic, non-slip body-hugging
- 4 pockets

Primary Fabric RideCool 6.

Secondary Fabric RideAir 2, RideAir 4, RideNon-slip.

**Pockets** Four, includiing one reflective, zippered pocket.


Full-length zipper. Closure Waistband Anti-slip band. Size S-M-L-XL-XXL

E-CJ99								
Neasure Size/cm	S	M	L	XL	XXL			
1/2 Bust	44.2	46.7	49.2	51.7	54.2			
Sleeve	32.5	34.5	36.5	38.5	40.5			
Length	63.5	66	68.5	71	73.5			

228







E-CJ94-RD/BK

E-CJ94-WH/BK

# **E-CJ94**


#### **JERSEY**


Close-fitting and aerodynamic jersey made from breathable, moisture and heat dispelling materials.

A full length zipper makes getting it on and off a breeze, and is great for ventilation control. It has 4 convenient pockets, including a sweatproof, zippered pocket that keeps your phone dry. For all seasons use.

- Sweatproof, Zippered pocketAnti-slip rear waistbandFull length zipper

**Fabric** RideElite, RideAir2





RIDE AIR 3

On back to dispel heat and moisture.

• Italian made 2-way stretch spandex

#### XL XXL Size/cm 54.3 1/2 Bust 44.3 46.8 49.2 51.8 34 Sleeve 32 36 38 40 68.5 71 Length 66 73.5



# **E-CJ97**

#### **JERSEY**

Close-fitting and aerodynamic jersey made from breathable, moisture and heat dispelling materials. A full length zipper makes getting it on and off a breeze, and is great for ventilation control. It has 4 convenient pockets, including a zippered pocket. For all seasons use.

- Anti-slip waistband
- Full length zipper

Fabric RideCOOL2, RideAir3

E-CJ97								
Measure Size/cm	S	M	L	XL	XXL			
1/2 Bust	44.2	46.7	49.2	51.7	54.2			
Sleeve	32	34	36	38	40			
Length	63.5	66	68.5	71	73.5			

E-CJ94-BL/BK

**Color Options** 

# **Pro Line**



# **E-CJ76**

An extremely comfortable high performance short sleeve jersey. For hot, humid weather, or all seasons use.

#### Description

This jersey is close-fitting and aerodynamic. A full length zipper makes getting it on and off a breeze, and is great for ventilation control. It has 4 convenient pockets, including a sweatproof, zippered pocket that keeps your phone dry. It also features a retaining ring to keep headset cord in place, and an anti-slip waistband.

**Color Options** 





E-CJ76-RD

E-CJ94							
Measure Size/cm	S	M	L	XL	XXL		
1/2 Bust	44.3	46.8	49.2	51.8	54.3		
Sleeve	32.5	34.5	36.5	38.5	40.5		
Length	63.5	66	68.5	71	73.5		







On back to dispel heat and moisture.

# E-CJ86-GR/BK

Close-fitting and aerodynamic jersey made from breathable, moisture and heat dispelling materials. A full length zipper makes getting it on and off a breeze, and is great for ventilation control. It has 5 convenient pockets, including two sweatproof, zippered pocket. It also features an anti-slip rear waistband. For all seasons use.

- Sweatproof, zippered pocket
- Anti-slip rear waistband
- Full length zipper

Fabric RideCOOL 2, RideAir2.





E-CJ86-GR/BK								
Measure Size/cm	S	M	L	XL	XXL			
1/2 Bust	44.2	46.7	49.2	51.7	54.2			
Sleeve	32	34	36	38	40			
Length	63.5	66	68.5	71	73.5			

# **Expert Line**







moisture.

On back to dispel heat and

# **JERSEY**

**E-CJ84** 

Close-fitting and aerodynamic jersey made from breathable, moisture and heat dispelling materials. A full length zipper makes getting it on and off a breeze, and is great for ventilation control. It has 4 convenient pockets, including a zippered pocket. It also features an anti-slip rear waistband. For all seasons use.



E-CJ84-GR

• Anti-slip rear waistband

• Full length zipper


RideCOOL 2, RideAir2.



E-CJ84						
Measure Size/cm	S	M	L	XL	XXL	
1/2 Bust	44.2	46.7	49.2	51.7	54.2	
Sleeve	32	34	36	38	40	
Length	63.5	66	68.5	71	73.5	

# **Expert Line**





Anatomic multi-panel design with moisture wicking fabric.

# E-CJ88-BL

#### **JERSEY**

- Digital sublimation printing with vivid colors and pattern
  16" invisible zipper for ventilation
- Sweat wicking polyester fabric keeps skin dry and comfortable
   Raglan sleeves with elastic fabric improves dynamic stretchiness
- Waistband holds garment in position
- Three rear pockets, one with zipper
- Form-fit cutting

E-CJ88-BL								
Measure Size/cm	S	M	L	XL	XXL			
1/2 Bust	44.2	46.7	49.2	51.7	54.2			
Sleeve	32	34	36	38	40			
Length	63.5	66	68.5	71	73.5			



# **E-CJ63**

#### **JERSEY**

- Light and perfect breathability
   Quick-dry, sweat-wicking polyester fiber Improves comfort while cycling
- Invisible zipper for perfect outlook
- Elastic cuffs and waist band provides better fit
- Three rear open pockets and one small zippered pocket
- Form-fit cutting

	,			
Measure Size/cm	M	L	XL	XXL
1/2 Bust	46.7	49.2	51.7	54.2
Sleeve	34	36	38	40
Length	66	68.5	71	73.5



# **E-CJ23**

#### **JERSEY**

- Quick-dry, sweat-wicking polyester fiber Improves comfort while cycling
   Raglan sleeves with elastic fabric improves dynamic stretchiness
- Full length zipper for ventilation
- Elastic waist band provides better fit
- Three rear open pockets and one small zippered pocket for carrying valuables

Measure Size/cm	XL	XXL
1/2 Bust	50.5	53
Sleeve	38	40
Longth	47.5	70

# **Comp Line**



# **E-CJ21 JERSEY**

Sweat-wicking quick dry-treated polyester jerseys with long, raglan sleeves for added comfort. Elastic sleeve and waist bands. Fitted with three open pockets, and one small zippered pocket for carrying valuables.

Measure Size/cm	M	L	XL	XXL
1/2 Bust	45.5	48	50.5	53
Sleeve	34	36	38	40
Length	62.5	65	67.5	70

# **Sport Line**



# **E-CJ56**

#### **JERSEY**

Sweat wicking quick dry material, light weight and comfortable fabric with UV protection, flatlocked seams for extra strength and comfort, elastic cuffs and waist bands. 9" zipper. Three rear open pockets, one small zippered pocket for carrying valuables.

Measure Size/cm	S	M	L	XL	XXL
1/2 Bust	47	49	51	53	55
Sleeve	32	34	36	38	40
Length	65.5	68	70.5	73	75.5

# **Expert Line**



# **E-CJ64**

**JERSEY** 

- Light and perfect breathability
- Quick-dry, sweat-wicking polyester fiber Improves comfort while cycling
   Invisible zipper for perfect outlook
- Elastic waist band provides better fit
- One small zippered pocket

	,				
Measure Size/cm	S	M	L	XL	XXL
1/2 Bust	44.2	46.7	49.2	51.7	54.2
Sleeve	32	34	36	38	40
Length	63.5	66	68.5	71	73.5

# **Comp Line**



# **E-CJ14**

#### **JERSEY**

- Quick-dry, sweat-wicking polyester fiber improvess comfort while cycling
   Raglan sleeves with elastic fabric improves dynamic stretchiness
- Full length zipper for ventilation
- Elastic waist band provides better fit
- Three rear open pockets for carrying valuables

Measure Size/cm	XL	XXL
1/2 Bust	50.5	53
Sleeve	38	40
Length	67.5	70

# **Comp Line**



# **E-CJ36**

**JERSEY** 

- · Light, warm weather fabric.
- Invisible zipper.
- Three rear pockets.
- Elastic cuffs and waist band.

Measure Size/cm	S	M	L	XL
1/2 Bust	48	50	52	54
Sleeve	29.5	32	34.5	37
Length	63.5	66	68.5	71



# **E-CJ68**

#### **JERSEY**

- Quick-dry, sweat-wicking polyester fiber improvess comfort while cycling
   Raglan sleeves with elastic fabric improvess dynamic stretchiness
- Full length zipper for ventilation
- Elastic waist band provides better fit
  Three rear open pockets for carrying valuables

M	L	XL
50	52	54
32	34.5	37
66	68.5	37
	50	50 52 32 34.5

# **Sport Line**



# **E-CJ92**

#### JERSEY

Close-fitting and aerodynamic jersey made from breathable, moisture and heat dispelling materials. A full length zipper makes getting it on and off a breeze, and is great for ventilation control. It has 4 convenient pockets, including a zippered pocket. It also features an anti-slip rear waistband. For all seasons use.

Anti-slip rear waistband

Back three reflective

**Fabric** RideCOOL 2, RideAir2.



E-CJ92								
Measure Size/cm	S	M	L	XL	XXL			
1/2 Bust	44.2	46.7	49.2	51.7	54.2			
Sleeve	32	34	36	38	40			
Length	63.5	66	68.5	71	73.5			

# **Pro Line**



# E-CJ80L

#### **LONG SLEEVE JERSEY**

- Light, Quick Dry-treated polyester with Coolmax and Coolbest II anti-UV reflection
- Liner absorbs sweat rapidly
- 100% polyester mesh provides excellent cooling, and speeds sweat evaporation
- Waterproof inner pocket
- Comfortable silicone-lined waist gripper
- Hidden silicon elastic waistband



	LCJU	, UL			
Measure Size/cm	S	W	L	XL	XXL
1/2 Bust	44.2	46.7	49.2	51.7	54.2
Sleeve	72	74	76	78	80
Length	63.5	66	68.5	71	73.5

# **Sport Line**



# **E-CJ78**

#### POLYPROPYLENE RACE JERSEY

- Polypropylene shell is unaffected by outside temperature
- Light, Quick Dry-treated lining
- Two-tier design helps wick sweat out quickly
- Anti-slip elastic band on waist
- Handy pocket



E-CJ78								
Measure Size/cm	S	M	L	XL	XXL			
1/2 Bust	44	46.5	49	51.5	54			
Sleeve	32	34	36	38	40			
Length	63.5	66	68.5	71	73.5			

# **Comp Line**



# E-CJ71L

# **LONG SLEEVE JERSEY**

- UV protection.
- Wicking polyester in a breathable knit for greater comfort
- Long sleeve loose fit free ride jersey (worn over armor)
   Enhanced ventilation in critical areas
- Digital sublimation graphics

	E-CJ71	L		
Measure Size/cm	S	M	L	XL
1/2 Bust	56.5	59	61.5	64
Sleeve	72	74	76	78
Length	76	78.5	81	83.5

# **Sport Line**



# **E-CJ74**

#### **JERSEY**

- Quick-dry treated and sweat-wicking polyester fiber improvess comfort while cycling
- One rear open pockets for carrying valuables

#### **Color Options**







		E-CJ	74			
	Measure Size/cm	S	M	L	XL	XXL
	1/2 Bust	48.2	50.8	53.3	55.8	58.4
	Sleeve	67.3	69.8	72.3	74.9	77.4
E-CJ74-BL	Length	42.5	44.4	46.3	48.2	50.1

# **Sport Line**



# E-CJ75L

#### **LONG SLEEVE JERSEY**

- UV protection
- Quick-dry, sweat-wicking polyester fiber Improves comfort while cycling
- With elastic fabric improves dynamic stretchiness
- Waistband holds garment in position
- One rear open pocket for carrying valuables









		E-CJ7	′5L			
3	Measure Size/cm	S	M	L	XL	XX
	1/2 Bust	48.2	50.8	53.3	55.8	58.
	Sleeve	69.2	71.1	73	74.9	76.8
-BL	Length	67.3	69.8	72.3	74.9	77.4

235 236



# Advanced Line





# **E-CT11**

#### TRI-SUITS

- Comfortable fleece padding
  Side flatlock stiching
  Zipper drawstring helps in removing garment.
  Hand rear pocket



E-CT11							
Measure Size/cm	S	M	L	XL	XXL		
1/2 Bust	33	35.5	38	40.5	43		
1/2 Waist	27	29.5	32	34.5	37		
Inner leg length	19	20	21	22	23		
1/2 Pants Waist	18	19	20	21	22		

**Pro Line** 



# E-CTK01

#### TRI-SUITS

- UV protection.
  80% polyester and 20% spandex in a breathable knit for greater comfort
  Front invisible zipper for easy on/off
  3D chamois of microfiber fabric for comfort
  Overlock stitched seams
  Elastic on sleeve and bottom for good fit
  Digital color sublimation printing


M, L






# Chamois Pad Technology






- Anatomic, seamless
- Multi-density for support and pressure relief
- Central channel relieves pressure on pudendal nerve
- Anti-bacterial, moisture wicking carbon microfiber





- Anatomic, seamless
- Multi-density for support and pressure relief
- Central channel relieves pressure on pudendal nerve
- · Moisture wicking microfiber
- Perforated for extra heat and moisture dispersal







Comfort

- Anatomic, seamless
- Multi-density for support and pressure relief
- Central channel relieves pressure on pudendal nerve








Anatomic, seamless

- Multi-density for support and pressure relief
- Central channel relieves pressure on pudendal nerve • Moisture wicking microfiber
- · Perforated for extra heat and moisture dispersal



#### RideCool 2



#### RideCool 3

properties of RideCool 3 fabric help keep your

Triangular profile polyester



#### RideCool 5

heat expulsion characteristics assist in keeping you cool and comfortable. Environmentalnot attract lint or other small particles

All seasons use Polyester



#### RideCool 6


UV50+ protection. The effective moisture wicking properties of RideCool 6 fabric help you cool and comfortable. Environmental not attract lint or other small particles



#### RideAir 2

RideAir 2 features a large hole weave that properties, efficient heat-retarding and heat

Summer use Polyester + Elastane



#### RideAir 3

RideAir 3 features a large hole weave that properties, efficient heat-retarding and heat


Polyester + Elasrane



RideAir 4

RideAir 4, made with Lycra, features a large of the fabric. RideAir 4 is softer, and has even greater airflow and elasticity than earlier generations of RideAir. It also features excellent heat-retarding and heat expulsion characterist

Polyester + Elastane



#### RideFlex

RideFlex fabric features excellent moisture expulsion characteristics, with the addition of elastic fiber that hugs the body and supports

All seasons use Polyester + Elastane



#### RideFlex2


RideFlex 2 fabric features excellent moisture elastic fiber that hugs the body and supports the muscles. RideFlex 2 is softer, and has even greater elasticity than earlier generations of RideFlex. With UV40+ protection.

Polyester + Elastane




#### RideElite

RideElite is our most advanced fabric, a new standard for high performance cycle sports. expulsion characteristics of CoolBestII. It is a comfortable cycle fabric on the market.



#### RideNON-SLIP

RideNON-SLIP fabric was created to keep cuffs and leg openings firmly in place without any loss of comfort.



#### RideElastan

hugs the body and supports the muscles, springing back into shape time after time. With



# **Advanced Line**



# E-CB017

#### **BIB SHORTS**

Multifllex Bib shorts are constructed of panels with different stretch directions, conforming to the shape, position, and muscular movements of cyclists in motion. This allows support and compression exactly where it is needed, and extra flex where flex is needed, resulting in a more effective and comfortable riding experience.

Color Black
Size S-M-L-XL



Highly breathable mesh. No pressure points.

Upper thigh area flexes horizontally conforming to expansion and contraction of muscles.

Material enclosing lower thigh includes panels with different stretch directions.

Hyper-elastic one piece lea hem, offering

Hyper-elastic one piece leg hem, offering comfortable feel while riding.

E-CB015								
Measure Size/cm	S	M	L	XL				
Waist length	44	46.5	49	70				
Long on the inside	20.5	21.5	22.5	23.5				
1/2 Leg opening	17	18	19	20				

# Advanced Line



# E-CB014

#### **BIB SHORTS**

Most cycling shorts are constructed of material that stretches in a single direction. Exuster desingers, recognising that a cyclist's body does not bend or flex in a single direction, have designed cycle wear that comforms to the actual movements of a cyclist's body.

Multiflex Bib shorts are constructed of panels with different stretch directions, conforming to the shape, position, and muscular movements of cyclists in motion. This allows support and compression exactly where it is needed, and extra flex where flex is needed, resulting in a more effective and comfortable riding experience.



Hyper-elastic mesh laminate with spandex fabric make cyclist feel breathable comfortable and no pressure point while long riding.

Chamois pads : 5D, U type pads can improve the wearing fit.

 ${\it Moisture-wicking, breathable swatch.}$ 


Hyper-elastic one piece leg hem, offering comfortable feel while riding.

E-CB014								
Measure Size/cm	S	M	L	XL				
1/2 Waist	27.5	30	32.5	35				
1/2 Hip	30.5	33	35.5	38				
1/2 Bib length	38.3	39.6	40.9	42.2				
1/2 Leg opening	34	36	38	40				











# **E-CCP005**

#### TIGHTS

- Breathable sweat wicking composite material
   3D-cut durable spandex
   Quick Dry-treated polyester
   5D-cut durable saddle shaped spandex
   Single piece abdomen avoids uncomfortable pressure lines



E-CCP005								
Measure Size/cm	XS	S	M	L	XL			
1/2 Waist	28	30	32	34	36			
Inner leg length	38.5	39.5	40.5	41.5	42.5			
1/2 Leg opening	13	13.5	14	14.5	15			

# **Comp Line**









# E-CP006


#### TIGHTS

- 3D-cut durable spandexComfortable, flexible (non-elastic) leg grips



E-CP006								
Measure Size/cm	S	M	L	XL	XXL			
1/2 Waist	30	32	34	36	38			
Inner leg length	69	70	71	72	73			
1/2 Leg opening	11.5	12	12.5	13	13.5			





# E-CP008

#### TIGHTS

Fabric

For cool, warm or hot conditions.

- 5D-cut durable saddle shaped spandexSingle piece abdomen avoids pressure lines
- 5D contoured chamois pad
- Reflective logo and zipper

**Chamois Pad** 5D anatomic, seamless, multi-density for support and

pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated for extra heat and moisture dispersal (E-CPCO8).

Spandex with flatlock stitched seams.

Color S-M-L-XL-XXL Size



E-CP008							
Measure Size/cm	S	M	L	XL	XXL		
1/2 Waist	30	32	34	36	38		
Inner leg length	64	67	70	71	72		
1/2 Leg opening	11.5	12	12.5	13	13.5		

# Expert Line






# E-CP007

3D cut classic race pants. Flexible RideElastan fabric, with moisture-wicking, breathable swatches that keep you dry and comfortable. Perfect fitting design features a high-density 5D pad (E-CPCO8), and flatlock stitching.



E-CP007									
Measure Size/cm	S	M	L	XL	XXL				
1/2 Waist	30	32	34	36	38				
Inner leg length	64	67	70	71	72				
1/2 Leg opening	11.5	12	12.5	13	13.5				





# E-CP009

#### THERMAL TIGHTS

For cool or cold conditions.

- 5D-cut durable saddle shaped spandexSingle piece abdomen avoids pressure lines
- 5D contoured chamois pad
  Reflective logo and zipper

**Chamois Pad** 5D anatomic, seamless, multi-density for support and

pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated for extra heat and moisture dispersal (E-CPCO8).

Fleece-lined spandex with flat lock stitched seams Fabric


Color Black. S-M-L-XL-XXL Size



E-CPC08

E-CP009								
Measure Size/cm	S	M	L	XL	XXL			
1/2 Waist	30	32	34	36	38			
Inner leg length	64	67	70	71	72			
1/2 Leg opening	11.5	12	12.5	13	13.5			





**Expert Line** 



Hyper-elastic one piece leg hem, offering comfortable feel while riding.

Hyper-elastic one piece leg hem, offering comfortable feel while riding.

# **E-CS45**

- 5D-cut durable saddle shaped spandex
- Single piece abdomen avoids pressure lines
- Hyper-elastic one piece leg hem provides extra comfort
- Crotch design reduces friction and discomfort
- 5D contoured chamois pad

Chamois Pad 5D anatomic, seamless, multi-density for support and

pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated for extra heat and moisture dispersal.

**Primary Fabric** Spandex with flatlock stitched seams.

Secondary Fabric RideNon-slip1. Color Black. S-M-L-XL-XXL Size



E-CS45							
Measure Size/cm	S	M	L	XL	XXL		
1/2 Waist	28	30	32	34	36		
Inner leg length	22	22.5	23	23.5	24		
1/2 Leg opening	15.5	16.5	17.5	18.5	19.5		

# E-CS44W-AG

- 3D-cut durable saddle shaped spandex
- Hyper-elastic one piece leg hem provides extra comfort
- 3D contoured chamois pad

Chamois Pad 3D anatomic, seamless, multi-density for support and

pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated

for extra heat and moisture dispersal.

**Primary Fabric** Spandex with flatlock stitched seams.

Secondary Fabric RideNon-slip1

Color Black. Size S-M-L-XL

#### **Color Options**






E-CPC14

E-CS44W-PK

	E-CS4	4W		
Measure Size/cm	S	M	L	XL
1/2 Waist	28	30	32	34
Inner leg length	19.5	20	20.5	21
1/2 Leg opening	17	18	19	20

# **Expert Line**





# **Comp Line**

# E-CS39-BK

- 5D-cut durable saddle shaped spandex
- Single piece abdomen avoids pressure lines
- Hyper-elastic one piece leg hem provides extra comfort
- Crotch design reduces friction and discomfort
- 5D contoured chamois pads

**Chamois Pad** 5D anatomic, seamless, multi-density for support and

pressure relief, central channel relieves pressure on pudendal nerve, moisture wicking microfiber, perforated

for extra heat and moisture dispersal.

Fabric Spandex with flatlocked stitched seams.

Color Black. S-M-L-XL-XXL Size

#### **Color Options**









E-CS39-WH E-CS39-BK

Measure Size/cm	S	M	L	XL	XXL
1/2 Waist	28	30	32	34	36
Inner leg length	22	22.5	23	23.5	24
1/2 Leg opening	15.5	16.5	17.5	18.5	19.5


# **E-CS29**

- Breathable sweat wicking composite material
- 3D-cut durable spandex
- Quick Dry-treated polyester
- 5D-cut durable saddle shaped spandex
- Single piece abdomen avoids uncomfortable pressure lines




E-CS29									
Measure Size/cm	S	M	L	XL	XXL				
1/2 Waist	28	30	32	34	36				
Inner leg length	22	22.5	23	23.5	24				
1/2 Leg opening	18	19	20	21	22				









Moisture-wicking, breathable

# E-CS33-GR

#### **PANTS**

- 5D-cut durable saddle shaped spandex
   Comfortable, flexible non-elastic leg grips.
   Flatlocked stitched seams and leg openings for good fit
   Single piece abdomen avoids uncomfortable pressure lines
- Crotch design reduces friction and discomfort




E-CPC08

E-CS33-GR							
Measure Size/cm	S	M	L	XL	XXL		
1/2 Waist	28	30	32	34	36		
Inner leg length	22	22.5	23	23.5	24		
1/2 Leg opening	15.5	16.5	17.5	18.5	19.5		

# **Expert Line**





Pressure reducing 2 piece crotch. Perfect fit 3D cut.



Moisture-wicking, breathable

# **E-CS25**

#### **PANTS**

- 5D-cut durable saddle shaped spandex
   Comfortable, flexible non-elastic leg grips.
   Non-elastic spandex improved flexibility and movement
   Single piece abdomen avoids uncomfortable pressure lines

E-CS25-GY

Crotch design reduces friction and discomfort

#### **Color Options**








E-CS25 XL XXL Size/cm 34 36 Inner leg length 22.5 23 23.5 24 16.5 1/2 Leg opening 15.5 17.5 18.5 19.5

# **Comp Line**







Anatomical leg band with silicon

# **E-CS31**

Anatomic, spandex shorts, comfortable for up to 4 hours of riding. These breathable, moisture-wicking shorts feature 3D anatomical cutting, and silicon leg grip swatches. For all seasons use but particularly suited to hot, humid

- 3D-contoured chamois pad Pressure reducing 2 piece crotch
- Silicon leg grip swatches

Spandex Fabric

#### **Color Options**







E-CPC06

E-CS31								
Measure Size/cm	S	M	L	XL	XXL			
1/2 Waist	28	30	32	34	36			
Inner leg length	22	22.5	23	23.5	24			
1/2 Leg opening	15.5	16.5	17.5	18.5	19.5			

# **Sport Line**



# **E-CS19**

- 3D-cut durable spandex and nylon knit increases comfort
- Quick-drying, sweat wicking treated polyester fabric keeps skin dry and comfortable.
- Overlock stitched seams for snug fit
- One piece chamois with soft surface decreases discomfort.
  Elastic waist and leg openings for good fit



E-CS19						
Measure Size/cm	S	M	L	XL		
1/2 Waist	28	30	32	34		
Inner leg length	24	24.5	25	25.5		
1/2 Leg opening	17	18	19	20		

# Clothing

# **SPORT SHIRTS**





# Sport Line



# E-JT014

- Cool, breathable polyester and spandex
   Anti-bacterial
   Comfortable, non-stitched rear pocket

S-M-L-XL-XXL-XXXL

E-JT014						
Measure Size/cm	S	M	L	XL	XXL	XXXL
1/2 Bust	48.5	51	53.5	56	58.5	61
Length	63.5	66	68.5	71	73.5	76

E-JT014W						
Measure S M L						
1/2 Bust	43	45.5	48			
Length	60.5	63	65.5			

# Sport Line



# E-JT013

#### T-SHIRT

- Cool, breathable polyester and spandex
- Anti-bacterial
   Comfortable, non-stitched rear pocket
- Reflective logo

S-M-L-XL-XXL-XXXL

E-JT013						
Measure Size/cm	S	M	L	XL	XXL	XXXL
1/2 Bust	48.5	51	53.5	56	58.5	61
Length	63.5	66	68.5	71	73.5	76

E-JT013W						
Measure S M L						
1/2 Bust	43	45.5	48			
Length	60.5	63	65.5			

Sport Line



# **E-CUV001**

#### SLEEVELESS SHIRT

- Quick- drying, sweat wicking treated polyester keeps skin dry and comfortable.
   Reflective logo keep you safe while riding at night
   Wind resistant

Measure Size/cm	S	M	L	XL
Half chest	43.5	45.5	47.5	50
CB length	65	67.5	70	72.5





# Sport Line



# E-JPL025-BL

#### **POLO SHIRT**

- Quick-drying, sweat wicking, breathable spandex improves comfort
   Embroidered logo

Measure Size/cm	S	M	L	XL
Half chest	48	50.5	53	55.5
CB length, from shoulder	67.5	70	72.5	75
Shoulder width	40.5	43	45.5	48
Sleeve length	22.5	23	23.5	24

#### **Color Option**



E-JPL025-RD

# Sport Line




# E-CUV002-WH

#### **SLEEVELESS SHIRT**

• One-piece—no side seams

ee size
36
47



# Sport Line



# E-SH204

# SHORT SLEEVE SHIRT

- Durable good strengthComfort & good air permeability

S	M	L	XL	XXL
52	54.5	57	59.5	62
67.3	69.8	72.3	74.8	77.3
22.8	24.1	25.4	26.7	28
	67.3	52 54.5 67.3 69.8	52     54.5     57       67.3     69.8     72.3	52         54.5         57         59.5           67.3         69.8         72.3         74.8



E-SH205L

# **Sport Line**

# E-CJ34W

#### **JERSEY**

Light, warm weather fabric. Invisible zipper. Three rear pockets. Elastic cuffs and waist band.

Measure Size/cm	S	M	L	XL
1/2 Bust	45	47	49	51
Sleeve	31	33	35	37
Length	63	65	67	69



# E-CJ38W

Light, warm weather fabric. Invisible zipper. Three rear pockets. Elastic cuffs and waist band.

Measure Size/cm	S	M	L	XL
1/2 Bust	45	47	49	51
Sleeve	31	33	35	37
Length	63	65	67	69

# **Sport Line**



# E-CS22W

3D cut durable Spandex/nylon. Overlock stitched seams. Snug fitting, one-piece antibacterial chamois pad. Elastic waist and leg openings.

E-CS22W						
Measure L XL						
1/2 Waist	30	32				
Inner leg length	22.5	23				
1/2 Leg opening	19.5	20.5				

# **Sport Line**



# E-CJ69W

#### **JERSEY**

Full length zipper Sweat-wicking, Quick Dry-treated polyester jerseys with long, raglan sleeves Elastic sleeve and waist bands. Three open pockets.

Measure Size/cm	M	L	XL
1/2 Bust	45.5	48	50.5
Sleeve	34	36	38
Length	62.5	65	67.5



# E-CJ50W

Moisture managing polyester. Invisible zipper. Elastic cuffs and waistbands. Raglan sleeve for added comfort. Fitted with three rear pockets.

Measure Size/cm	s	M	L	XL
1/2 Bust	45	47	49	51
Sleeve	31	33	35	37
Length	63	65	67	69

# **Sport Line**







# E-CS13W-BL

#### **PANTS**

3D cut durable Spandex/nylon. Snug fitting, one-piece antibacterial chamois pad. Elastic waist and leg openings.

E-CS13W-BL				
Measure Size/cm	S	M	L	XL
1/2 Waist	26	28	30	32
Inner leg length	21.5	22	22.5	23
1/2 Leg opening	17.5	18.5	19.5	20.5

# Sport Line



# **E-CJ09**

#### **JERSEY**

Sweat-wicking quick dry-treated polyester jerseys with long,raglan sleeves for added comfort. Elastic sleeve and waist bands. Fitted with three open pockets, and one small zippered pocket for carrying valuables.

Measure Size/cm	S	M	L	XL
1/2 Bust	48	50	52	54
Sleeve	29.5	32	34.5	37
Length	63.5	66	68.5	71



# E-CJ41W-GR

#### **JERSEY**

Sweat wicking quick dry material, light weight and comfortable fabric with UV protection. Invisible zipper. Flatlocked seams for extra strength and comfort; High performance, easy-care. Elastic cuffs and waistbands.

Measure Size/cm	M	L	XL	XXL
1/2 Bust	47	49	51	53
Sleeve	33	35	37	39
Length	65	67	69	71

# **Sport Line**



# E-CCP003W

#### TIGHTS

- Spandex, transfers moisture to the surface for quick
- evaporation and offers full-motion stretch without the bulk.
   3D-cut chamois pad fits body contours ensuring long lasting, dry comfort.
- Elastic waist with flat drawstring gives you an adjustable fit elasticized grippers at ankles

E-CCP003W				
Measure Size/cm	S	M	L	XL
1/2 Waist	28	30	32	34
Inner leg length	44	45	46	47
1/2 Leg opening	13	13.5	14	14.5

# Clothing CHILDRENS





# Sport Line



# E-CJ52K

#### **JERSEY**

3D-cut polyester. Vented fabric. Invisible zipper. Three elasticized rear pockets. Elastic cuffs and waistband.

Measure		S	M	L
	Size/cm	(95~110)	(110~125)	(125~140)
1/2 B	ust	37	39	41
Sleev	re	25	27	29
Lengi	th	52	54.5	57



# E-CS16K

#### **PANTS**

3D-cut durable spandex / nylon. Overlock stitched seams. 3D Coolmax fabric pad. Elastic waist and leg openings

Measure		S	M	L
	Size/cm	(95~110)	(110~125)	(125~140)
Half v	vaist.	22	24	26
Inner leg	length.	16	17	18
Half I	hem.	14.5	15	15.5

# **Sport Line**



# E-CJ53K

#### **JERSEY**

3D-cut polyester. Vented fabric. Invisible zipper. Three elasticized rear pockets. Elastic cuffs and waistband.

Measure	S	M	L
Size/cm	(95~110)	(110~125)	(125~140)
1/2 Bust	37	39	41
Sleeve	25	27	29
Length	52	54.5	57



# E-CS17K

#### **PANTS**

3D-cut durable spandex / nylon. Overlock stitched seams. 3D Coolmax fabric pad. Elastic waist and leg openings

Measure	S	M	L
Size/cm	(95~110)	(110~125)	(125~140)
Half waist.	22	24	26
Inner leg length.	16	17	18
Half hem.	14.5	15	15.5

# Sport Line



# E-CJ58K

#### **JERSEY**

Sweat wicking quick dry material, light weight and comfortable fabric with UV protection. Invisible zipper. Three elasticized rear pockets. Elastic cuffs and waistband. Reflective logo.

Measure	Size/cm	<b>\$</b> (95~110)	<b>M</b> (110~125)	<b>L</b> (125~140)
1/2	Bust	37	39	41
Sle	eve	25	27	29
Ler	igth	52	54.5	57



# E-CS18K


#### PANTS

Sweat wicking quick dry material, light weight and comfortable fabric. 3D cut durable spandex/nylon. Overlock stitched seams. 3D chamois pad. Elastic waist and leg openings.

Measure Size/cm	<b>S</b> (95~110)	<b>L</b> (125~140)
Half waist.	22	26
Inner leg length.	16	18
Half hem.	14.5	15.5







Water and wind resistant.

Breathable mesh.





Reflective elements.



# **E-CJK017**


#### JACKET

- Water and wind resistant.
  Breathable mesh on back keeps you dry.
  Elastic cuffs keep wind out.
  Reflective elements add visibility.
  Hood is stored under neckline cover.
  Packs up light and small.
  Durable 30 denier.

E-CJK017						
Measure Size/cm	S	M	L	XL		
Half chest	52.5	55	57.5	60		
Sleeve length	75	77	79	81		
CB length, from neck	70	72.5	75	77.5		

# **Advanced Line**





# E-SC012-GR

#### SHOE COVERS

Semi-thermal.

- RideFlex fabric
- Minimal seam design
- AerodynamicBreathable
- Kevlar reinforced toe

Fabric RideFlex. Non-slip zipper. Closure Closure Anti-slip silicon band. Cuff

Lime-green & black, Red & black.



E-SCO12				
Measure Size/cm	S	M	L	XL
EURO	37-39	40-42	43-45	46-48
EURU	3/-37	40-42	40-40	40-4


E-SC012-RD

# **Advanced Line**





Breathable RideFlex fabric.



# **E-SC013**

#### **SHOE COVERS**

Semi-thermal.


- RideFlex fabric
- Minimal seam design
- AerodynamicBreathable
- Kevlar reinforced toe

RideFlex. Fabric Closure Non-slip zipper. **Cuff Closure** Anti-slip silicon band. Red & black, White & black.

E-SCO13						
Measure S M L XL						
<b>EURO</b> 37-39 40-42 43-45 46-48						

# **Advanced Line**





# E-SC009

#### SHOE COVERS

Semi-thermal.

- RideFlex fabric Minimal seam design
- Aerodynamic
- Breathable
- Kevlar reinforced toe

Fabric Non-slip zipper. Closure **Cuff Closure** Anti-slip silicon band. Red & black, White & black.

#### **Color Option**



E-SC009-WH

	E	E-SC009			
3	Measure Size/cm	S	M	L	XL
B	EURO	37-39	40-42	43-45	46-48

# **Comp Line**



# E-SC011

#### THERMAL SHOE COVERS

- AerodynamicReflective swatch

Spandex with insulated lining. Fabric Closure Non-slip zipper. Closure Anti-slip silicon band. Cuff

Black with carbon fiber pattern. Color

E-SCO11						
Measure S M L XL						
<b>EURO</b> 37-39 40-42 43-45 46-48						



# **Advanced Line**



# E-BS020-GR

#### **AERO SOCKS**

- Dual fabricBreathable
- Soft and comfortableLight and tight on leg

**Size** S - M - L - XL



E-BS020-GY

# **Expert Line**



# E-BS901

#### COMBED COTTON SOCKS

- Anti-odor fiber helps reduce the growth of odorous microorganisms
   Mesh fabric veneer for breathable ventilation

S-M-L-XL



# Sport Line



# E-BS601-BK

#### **COTTON SOCKS**

Cotton is an extremely soft, strong version of cotton made by specially treating cotton fibers before they are spun into yarn. Comfortable combed cotton is great for clothing which is worn directly against the skin. As the long, strong fibers of combed cotton are more durable than standard cotton, and it is a material well suited for sports use.

S-M-L-XL





E-BS601-RD





E-BS601-BL



# **Pro Line**



# E-BS640-GY

#### COMPRESSIVE SOCKS

- Prevent sedema
- Progressive pressu

Compression socks are specially designed to apply specific, progressive elasticity to the feet to stimulate blood flow, reduce foot swelling, and discomfort during extended rides. Made from soft, combed cotton.

Size S-M-L-XI



# **Expert Line**



# E-BS680-BKWH

#### **COMBED COTTON SOCKS**

Combed cotton is an extremely soft, strong version of cotton made by specially treating cotton fibers before they are spun into yarn. Comfortable combed cotton is great for clothing which is worn directly against the skin. As the long, strong fibers of combed cotton are more durable than standard cotton, and it is a material well suited for sports use.

Size S-M-L-XL



# **Expert Line**



# E-BS620

#### COMBED COTTON SOCKS

Combed cotton is an extremely soft, strong version of cotton made by specially treating cotton fibers before they are spun into yarn. Comfortable combed cotton is great for clothing which is worn directly against the skin. As the long, strong fibers of combed cotton are more durable than standard cotton, and it is a material well suited for sports use.

Size S-M-L-XL



# **Expert Line**



# E-BS620-WH

#### COMBED COTTON SOCKS

Combed cotton is an extremely soft, strong version of cotton made by specially treating cotton fibers before they are spun into yarn. Comfortable combed cotton is great for clothing which is worn directly against the skin. As the long, strong fibers of combed cotton are more durable than standard cotton, and it is a material well suited for sports use

Size S-M-L-XL



# **Expert Line**



# E-BS630

#### COMBED COTTON SOCKS

Combed cotton is an extremely soft, strong version of cotton made by specially treating cotton fibers before they are spun into yarn. Comfortable combed cotton is great for clothing which is worn directly against the skin. As the long, strong fibers of combed cotton are more durable than standard cotton, and it is a material well suited for sports

Size S-M-L-XL



# **Sport Line**



# E-BS600-BK

#### **COMBED COTTON SOCKS**

Combed cotton is an extremely soft, strong version of cotton made by specially freating cotton fibers before they are spun into yarn. Comfortable combed cotton is great for clothing which is worn directly against the skin. As the long, strong fibers of combed cotton are more durable than standard cotton, and it is a material well suited for sports use.

Size S-M-L-XL



# **Advanced Line**



# E-BS900-BL

#### **SILVER YARN SOCKS**

Silver yarn in fabric is highly effective in controlling or even eliminating bacteria. The reduction in bacteria reduces the likelihood of unpleasant foot odour. It also insulates against heat or cold, and reduces electrical static.

Size S-M-XL



# **Sport Line**



# E-BS600-WH

#### COMBED COTTON SOCKS

Combed cotton is an extremely soft, strong version of cotton made by specially treating cotton fibers before they are spun into yarn. Comfortable combed cotton is great for clothing which is worn directly against the skin. As the long, strong fibers of combed cotton are more durable than standard cotton, and it is a material well suited for sports

ize S-M-L-XL



# **Advanced Line**



# E-BS900-BK

#### SILVER YARN SOCKS

Silver yarn in fabric is highly effective in controlling or even eliminating bacteria. The reduction in bacteria reduces the likelihood of unpleasant foot odour. It also insulates against heat or cold, and reduces electrical static.

S-M-XI



# **Sport Line**



# E-BS200

#### COMBED COTTON SOCKS

Combed cotton is an extremely soft, strong version of cotton made by specially treating cotton fibers before they are spun into yarn. Comfortable combed cotton is great for clothing which is worn directly against the skin. As the long, strong fibers of combed cotton are more durable than standard cotton, and it is a material well suited for sports use.

Size S-M-L-XL



# **Expert Line**



# E-BS430

#### COOLMAX SOCKS

Coolmax fabric is designed to move moisture away from the body and enhance fabric drying rate thus, keeping your feeling cool and dry. Coolmax delivers performance and comfort through the use of proprietary polyester fibers with unique engineered microchannel cross sections and specially engineered two sided, denier gradient fabric made using polyester or nylon yarns.

Size S-M-L-XL





# E-BS410-GG

#### COOLMAX SOCKS

Coolmax fabric is designed to move moisture away from the body and enhance fabric drying rate thus, keeping your feeling cool and dry. Coolmax delivers performance and comfort through the use of proprietary polyester fibers with unique engineered microchannel cross sections and specially engineered two sided, denier gradient fabric made using polyester or nylon yarns.

Size S-L-XL



# **Sport Line**



#### E-BS810

#### **INFRARED RAY FIBER SOCKS**

The textile fiber used in the socks involves highest moisture transfer cotton yam with:Nano-Far InfraRed Ray Fiber and Nano-Anion Health-Care+

Size L-



# **Expert Line**



# E-BS410-BR

#### COOLMAX SOCKS

Coolmax fabric is designed to move moisture away from the body and enhance fabric drying rate thus, keeping your feeling cool and dry. Coolmax delivers performance and comfort through the use of proprietary polyester fibers with unique engineered microchannel cross sections and specially engineered two sided, denier gradient fabric made using polyester or nylon yarns.

Size S-M-L-XL



# **Comp Line**



# E-BS830-BK

#### BAMBOO CARBON NANO YARN SOCKS

Bamboo-carbon nano technology involves impregnating cotton yarn with nano-sized particles of bamboo charcoal. The bamboo-carbon nano emits for infrared rays onto the skin, giving the socks excellent thermal properties, making them ideal for winter use. Bamboo-carbon nano also promotes blood circulation and metabolism, and because it has anti-bacterial and anti-fungal properties, acts as a deodorant. Bamboo-carbon nano socks have powerful moisture absorption qualities, drawing perspiration away from the skin. Repeated washing will not diminish the efficacy of the socks.

Size S-L-XL



# **Comp Line**



# E-BS830-WH

#### **INFRARED RAY FIBER SOCKS**

The textile fiber used in the socks involves highest moisture transfer cotton yam with:Nano-Far InfraRed Ray Fiber and Nano-Anion Health-Care+

Size S-XL



# **Sport Line**



# **E-BS100G**

#### BAMBOO CARBON NANO YARN SOCKS

Bamboo-carbon nano technology involves impregnating cotton yarn with nano-sized particles of bamboo charcoal. The bamboo-carbon nano emits for infrared rays onto the skin, giving the socks excellent thermal properties, making them ideal for winter use. Bamboo-carbon nano also promotes blood circulation and metabolism, and because it has anti-bacterial and anti-fungal properties, acts as a deodorant. Bamboo-carbon nano socks have powerful moisture absorption qualities, drawing perspiration away from the skin. Repeated washing will not diminish the efficacy of the socks.

Size



# **Sport Line**





# E-HAT100-BK

#### CAP

- Curved visor
- Air vents
- Heat transfer 3D logo

65% Cotton, 35% Polyester Fabric Size One size fits all.

#### **Color Options**






# **Advanced Line**







Unique band pattern for efficient of sweat wicking.

Normal Sweat runs into

Sweat Control Cap Sweat is funnelled away from face.

# E-CAP91-RD

#### SWEAT CONTROL CAP

The sweat control cap manages and removes annoying sweat. The cap is equipped with a specially designed internal silicon band that not only prevents sweat from running into the eyes, but when a cyclists raises his head slightly, sweat is funnelled away from the face to the temples and removed. Breathable and sweat-wicking RideCool fabric keeps your skin dry and comfortable.

One size fits all.

RIDE COOL

#### **Color Options**



# **Expert Line**





# E-CAP95-WH

#### CAP

- Low wind resistance
   Moisture-wicking fabric delivers exceptional comfort
- Fast drying terrycloth sweatbandOne size fits all

#### **Color Options**





E-CAP95-BK



# **Advanced Line**



# E-HW101-RD

#### SWEAT CONTROL HEADSCARF

- Light, Quick Dry-treated polyester
- Sweat absorbed quickly
- Fabric provides excellent cooling, and speeds up sweat evaporation
   Suitable for wearing under helmet

One size



# E-AW113

#### **ARM COVERS**

For cool, warm or hot conditions.

- Breathable (elastic mesh provides extra ventilation)
- Quick-drying
- UV protection

Fabric Spandex Size S-M-L-XL

E-AW113						
Measure Size/cm	S	M	L	XL		
Length	37.5	39	40.5	42		
Half bicep width	11.5	12.5	13.5	14.5		







# **Expert Line**



# E-AW111-BKWH

#### **ARM COVERS**

For cool, warm or hot conditions.

- Breathable (elastic mesh provides extra ventilation)
- Sweat-wicking

Fabric Spandex with elastic cuffs. Black with white mesh band.

Size S-M-L-XL

	E-AWII	I-RKMH		
Measure Size/cm	S	M	L	XL
Length	37.5	39	40.5	42
Half bicep width	11.5	12.5	13.5	14.5







# **Expert Line**



# E-AW112

#### ARM COVERS

For cool, warm or hot conditions.

- 3D anatomical cut
- UV protection
- Breathable

Spandex with elastic cuffs. Fabric

Color Black. S-M-L-XL Size

E-AW112						
Measure Size/cm	S	M	L	XL		
Length	37.5	39	40.5	42		
Half bicep width	11.5	12.5	13.5	14.5		







# **Expert Line**

# E-AW104 **ARM COVERS**

For cool, warm or hot conditions.

- UV protection Breathable
- Sweat-wicking
- Reflective trim

Spandex with mesh band, elastic cuffs

and reflective trim.

Color White. Size S-M-L-XL







# E-AW100 Cold Weather

#### THERMAL ARM COVERS

For cool or cold conditions.

- UV protection Breathable
- Reflective logo

Fabric Spandex with elastic cuffs.

Color Black. S-XL-XXL Size





# **Comp Line**



# E-AW105

#### **ARM COVERS**

For cool, warm or hot conditions.

- UV protection
- Breathable

Fabric Color

Spandex with elastic cuffs. White with floral print. Size S-M-L





# **Expert Line**

**Comp Line** 



# E-LW200 Cold Weather

THERMAL LEG COVERS For cool or cold conditions.

- UV protection
- Breathable
- Reflective logo

Fabric Spandex with elastic cuffs, and zippered

ankle.

Color Black. Size S-M-L-XXL





# **Comp Line**



# E-AW106

#### **ARM COVERS**

For cool, warm or hot conditions.

- UV protection
- Breathable

Fabric Spandex with elastic cuffs. Color White with floral print.

Size L-XL

# **Expert Line**

# E-LW201

#### **LEG COVERS**

For cool, warm or hot conditions.

- UV protection
- Breathable
- Reflective logo

Spandex with elastic cuffs, Fabric and zippered ankle.

Color Black. S-M-L-XL







# **BAGS**

275

# **Expert Line**



# E-BBU06

#### **TOP TUBE BAG**

- Handy bag with external mesh pocketsReflective strips

17x11.5x13.5cm

# Sport Line



#### SADDLE BAG

- Strap attached bag with reflective strip Hanging hook

18x12x19cm



Sport Line



#### SHOE CASE

- Shoes case which is made by durable 1680D PP+EVA
   Ventilation in bels on the side
- Carry handle

S: 19x10x29cm (#37-40) M: 21x11x31cm (#41-44) L: 23x12x34cm (#45-48)



Ventilatied Soft-coated firm EVA protects shoes

# **Expert Line**





# E-BBS15Q

#### SADDLE BAG


- Extra small compact saddle bag (XS)
   Water resistant high-impact ABS + TPU hard-shell case
- Quick release mount

High-impact ABS + TPU hard-shell. Internal pocket, taillight holder, reflective piping.

XS:8 x 12 x 7 cm M:9.5 x 14.5 x 9.5 cm L:11 x 16 x 10 cm




















Torso angle

Knee angle

# Bike Fit Machine For perfect pairing of cyclist and bicycle.

# E-BFM200

In the cycling community, misfitting bikes are one of the most common causes of inefficient performance, discomfort, and injury — and the more you ride a misfitting bike, the greater the problems.

The Exustar bicycle fitting machine makes it easy for a cyclist to try and test a variety of frame and stem sizes, and frame angles before purchasing a bike, thus insuring performance, and comfort in the longterm.

The self-contained, fully-adjustable unit is a tremendous aid to a bike shop. Not only does the bicycle fitting machine help a bike shop owner provide a better product and service, it potentially means less money tied up in stock as a bike built can be ordered or built after a measurement workout with the fitting machine.

The bicycle fitting machine is best used in conjunction with measuring systems such as Fit Kit.

Supplied with drop bars and flat bars.











Angle Gauge











Seat Tube adjustable




3 Seat Tube angle adjustable









Brake button



6 Head Tube adjustable (Reach)







Stem angle adjustable



Stem adjustable



Angle Gauge



Spirit level




Optional equipment


# Bike Fit Machine

# E-BFM100










2 Seat Tube angle adjustable

3 Crank adjustable (max 20mm)









4 Top Tube adjustable

5 Top Tube adjustable

6 Head Tube angle adjustable







Handle Bar adjustable

B Handle Bar Stem adjustable




















1 Angle Gauge






# FEET MEASUREMENT DEALER



# E-FSM12


Material Aluminum Size 370 x 450 x 65mm



Read the measurement on the size scale to determine shoe size.



Sitting on a chair.
Place both feet on the measuring board, align heels with the heel recesses.



Angle between foot and ankle should be about  $90^{\circ}$ . Relax feet and calve muscles.



Slide measuring bar until it gently touches





**E-DS09** 

#### FOR SUNGLASSES

Acrylic POP rack with built-in mirror. Holds 8 pairs of glasses.





E-DS03

FOR PEDALS
Acrylic



# E-DS04

FOR PEDALS
Acrylic



# **E-DS13**

#### FOR PEDALS

Holds 5 pedals

Material Aluminum
Size 280 x 90 x 17 mm





# **E-DS07**

#### FOR HELMETS

Material Polypropylene (PP)

Weight 108 g/pc




# **E-DS08**

#### FOR SHOES, HELMETS AND OTHER ACCESSORIES

Material Alloy

Adjustable shelves and feet

**Size** 690 x 470 x 1970mm























3 mm 2.5 mm 2 mm Torx T15 Torx T25 Phillips- Flat-head













# **E-T07**

#### 19 FUNCTION MULTI-TOOL

- Hex keys (8/6/5/4/3/2.5/2 mm)
- Phillips-head screwdriver Flat-head screwdriver Chain tool
- Wrenches (10/9/8 mm)
- Spoke wrenches (14G, 15G)
- Tire lever
- Pocket knife
- Bottle opener 225 g/pc













CNC-machined with streamlined joins. Folding toolset in ergonomic aluminum casing (available in various anodised colours).

80 g/pc







#### 8 FUNCTION MULTI-TOOL

Folding toolset in aluminum casing (available in various anodized colors)

- Hex keys (6/5/4/3/2.5/2mm)
- Phillips-head screwdriver
- Flat-head screwdriver





#### 10 FUNCTION MULTI-TOOL

Folding toolset in aluminum casing (available in various anodized colors)

- Hex keys (8/6/5/4/3/2.5/2mm)
- Phillips-head screwdriver
- Flat-head screwdriver
- Torx driver T25

73 g











#### 7 FUNCTION MULTI-TOOL

- Hex keys (6/5/4/3/2.5 mm)
- Phillips-head screwdriver
- Torx driver T25

CNC-machined with streamlined joins. Folding toolset in ergonomic aluminum casing (available in various anodised colours). 61 g/pc











#### **USA**

#### Cyclone Bicycle Supply

217 Washington Ave Carlstadt, NJ 07072 Tel: 201-804-9090 E-mail: info@cyclonebicycle.com Web: www.cyclonebicycle.com

J&B Importers 11925 SW 128th Street Miami, Florida, 33186

Tel: 800-666-5000

Web: www.jbi.bike

Olympic Supply Company 7528 North Teutonia Aven Milwaukee, WI 53209 Tel: 414-461-8380

Web: www.osco.bike

**ARGENTINA** 

Mavorista de bicipartes

Alem 670 esq. Omill - 4300 - La Banda - Sgo,

E-mail: ipereyra@pereyramayorista.com.ar

Web: www.bicicleteriapereyra.com.ar

PERFYRA

Del Estero

Tel: 0385 427 2400

Fax: 0385 427 3923

**Quality Bicycle Product** 6400 W. 105th Street Bloomington, MN 55438

Tel: 952-941-9391

Web: www.qbp.con

**BRASIL** 

CICIO CAIRII ITDA

Tel: 55 69 3451 2222

Fax: 55 69 3451 2367

Web: www.ciclocairu.com.b

R. Cairu. 601-Sentor Industrial-Pimenta

Bueno-Rondonia-Brasil-76970-000

North America Cycles 2015 SE 5th Street. Ames, Iowa 50010 Tel: (844) NAC-BIKE

Web: www.nacycles.com

**EI SALVADOR** 

17 Avenida Sur y 2º. Calle Oriente #48,

Corbes S.A. de C.V.

Tel: +503 2536 3111

Fax: +503 2536 3100

E-mail: alex@corbes.com.sv

Web: www.bicicletascorsario.com

Santa Tecla

# **LATIN AMERICA**

# CANADA

**MEXICO** 

CICLO DISTRIBUTION

**URUGUAY** 

**ECUADOR** 

EAGLE BIKES SHOP SCC

Web: www.eaglebikesshop.com

Panamericana Norte y Luis H. Gordillo Tel:+593 99 399 4939 E-mail: infoeaglebikes@gmail.com

Roller Competition. Lapine S.A

#### Mountain Equipment Coop (MEC) Locations across Canado

Web: www.mec.ca

#### **COLOMBIA**

#### Disandina S.A.

Calle 80 sur No. 47D - 65 Bodega 108 Urbanizacion Industrial La Holanda Sabaneta, Antioquia, Colombia Tel: 4 444 2404 ext. 202, 221 Fax: 4 288 2825 E-mail 1: cupegui@disandina.com E-mail 2: dpanesso@disandina.com Weh: www disanding com

#### **Exclusive Distributor**



Av. Vallarta 3085, Vallarta Poniente Jr. Moquegua 642 - O Lima Guadalaia Ial 44110 Tel: 333 3734 Tel: 33 3647 9020 Fax: 425 1054 E-mail: ventas@ciclodistribution.mx Web: www.ciclodistribution.mx Web: www.bravo.com.pe

#### **PERU**

#### RV PRO International S.A.C.

E-mail: rv prointernational@yahoo.com

Exclusive Distributor

Avda. Adrian Jara c/ Rubio Ñu Shopping Hwu 2, Local No. 5 Ciudad del Este, TEL. 595 61 502833 WhatsApp : +595 983 297865 Facebook : Delta Bikes PY

#### **PARAGUAY**

# Delta Bikes Paraguay

San José, Costa Rica Tel: (506) 2222-3293 FAX: (506) 2221-2390

Ciclismo en Guate

#### **COSTA RICA**

#### 3-101-683406 S.A RAPTOR BICI-REPUESTOS

200 Norte 25 Este Del Hotel Europa

#### Distribuidora Ochenta Y Seis S.A. Del Instituto Iulio Acosta Garcia 1 km

**COSTA RICA** 

oeste San Ramon de Alaiuela Tel: (506) 2445 66 69 Fax: (506) 2445 61 85 E-mail: eleon@superpro.ws Web: www.superprobikes.com

#### **DOMINICAN REPUBLIC GUATEMALA**

#### Imvasa S.A.

CHILE

Address . 8 de Octubre 4005 (Esq. Silvestre San Pablo #1910 Tel: 02 509 4910 Tel: 02 449 9300 E-mail: lapine@adinet.com.uy E-mail: contacto@bianchi.cl

#### Web: www.bianchi.cl **Exclusive Distributor**

# S 63

#### LA BICICLETERIA

Condiminio Mirador Sur #488 Tel: 829-236-7865 Web: www.labicicleteria.do

8 Av. 2-01 Zona 10 Plaza Apolo local 4 y 7, Guatemala, Guatemala 01010 Tel: +502-2234-6451 E-mail: info@ciclismoenguate.com Web: www.ciclismoenguate.com

#### **AFRICA**

# **MAURITIUS**

#### Emcar Ltd.

Old Moka road, Bell Village, Port Louis, Tel: 405 1040 Fax: 212 5952 Web: www.emcar.mu

#### **EUROPE**

#### **AUSTRIA / GERMANY / HUNGARY**

#### Messingschlager GmbH & Co. KG

Hassbergstrasse 45, 96148 Baunach Tel: 095 44 94 44 63 Fnx: 095 44 64 44 963 E-mail: bt@messingschlager.com Web: www.exustar.messingschlager.com Web: www.messingschlager.com

#### Exclusive Distributor

#### **BULGARIA**

#### Maxbike Ltd 1" Goliamo Konarsko Shosse" str 4000 Plovdiv Tel: 032 921 913 Fnx: 032 921 921 E-mail: s.enkin@maxcombike.com

Web: www.bikesport.bg

#### DENMARK Cykelpartner.dk.ApS dustrivej 9, 7870 Roslev

Tel: +45 39 40 31 31 E-mail: info@cykelpartner.dk tli@cvkelpartner.dk Web: www.cvkelpartner.dk

#### Exclusive Distributor



#### ITALY

#### Mandelli S.p.a.

Via Tommaso Grossi 5 20841 Carate Brianza (MB) Tel: +39 0362 1797800 Fax: 0362 1797850 F-mail · info@mandelli net Web: www.mandelli.net



# **PORTUGAL / SPAIN**

#### CDC Sport

Plaza De La Concordia 2 46900 Torrente, Valencia (Spain) Tel: (+34) 96 313 45 59 Fax: (+34) 96 313 43 03 E-mail: info@cdc-sport.com Web: www.cdc-sport.com

# **NORWAY**

# Norgaard Sport As C/O Birk Sport

Løxaveien 19 1351 Rud Org Nr: 923 950 591

#### **CZECH REPUBLIC**

Schindler, s.r.o. Slezská 101/112 747 27 Kobeřice tel.: +420 728 298 072 E-mail: info@schindler.cz Weh: www schindler cz

#### **SLOVAKIA**

Schindler, s.r.o. Slezská 101/112 747 27 Kobeřice tel.: +420 728 298 072 E-mail: info@schindler.cz Weh: www schindler cz

288

#### **SWITZERLAND**

#### Tekno Parts Ltd

Keltenstrasse 19, 2563 Ipsach Tel: 032 332 84 60 Fax: 032 332 84 61 E-mail: info@teknoparts.ch Web: www.teknoparts.ch

#### **GREECE**

Kallirrois 71 117 43 Neos Kosmos - Athen Hellas (Greece) Tel. +30 210 9241108 Email: yannis@tzortzopoulos.gr Web: www.tzortzopoulos.gr

TZORTZOPOULOS I. Ltd

#### **ASIA PACIFIC**

#### **MALAYSIA**

#### Ngee Cycle Trading Sdn Bhd

No.9. Jalan TSB 1. Taman Industri Sa. Buloh 47000 Petaling Jaya, Selangor, Darul Ehsan ΜΑΙ ΑΥΚΙΑ Tel: +603 6141 2564/ +603 6151 2119

Verdant Outdoor Sports World Private Limited

JN International Stadium Link Road, Palari

vattom, Kochi, Kerala 682025 India

# Fax: +603 6151 9115

E-mail: info@ngeecycle.com

INDIA

The Bike Store

Door No.35/1688/A 2,

Tel: +91 484 4024424

Moh: +91 9746400973

F-mail: hiker@thehikestore in Web: www.thebikestore.in

# **HONG KONG**

#### **Wun Pang Bicycle Company Limited** Shop No.5 G/F, 16 Hi Yip Street, Yuen Long, N. T. Tel: 2476 4545

Fax: 2479 1879 E-mail: sales@wunpangbicycle.com Web: www.wunpangbicycle.com

#### **THAILAND**

#### La Bicycle (Thailand) Co., Ltd 58 Moo 2, Oam-yai, Sampran Tel: 66-2-819-4488 Fax: 66-2-812-6685

Nakornpathom 73160 Thailand E-mail: AFM@la-bicycle.com Web: www.infinite-cycling.com Web: www.la-bicycle.com

#### **SOUTH KOREA**

#### Comet Bicycle Co., Ltd. 516-1 Shinwolli Chowolup

Kwangjusi Kyounggid0464864 Korea Tel: 031 795 8357 & 031 795 8358 Fax: 031 795 8359 E-mail: hckim@cometbicycle.com Web: www.cometbicycle.com

#### **Bike One Cycle Mart** 73 Rose Blgd, West Ave., Brgy, Paltok Quezon City, Philippines Tel: +63-29214301

**PHILIPPINES** 

Fax: +63-427970564 E-mail: sales@bikeonecycle.com Web: www.bikeonecycle.com

#### **INDONESIA**

# PD. Ban Cong Hien

JL. Waspada No.68 Surabaya Tel: 031 353 8686 Fax: 031 353 7117